

# Product Catalogue



www.arctic-hayes.com

## WELCOME TO ARCTIC HAYES LTD

Arctic Hayes is the UK's largest supplier of premium guality Plumbing and Heating consumables and equipment. Our Arctic Spray, Arctic Hayes, Vortex and Sleepsafe brands are widely acknowledged as best in class by plumbers, heating engineers and installers. Based in Leeds in the UK, we are proud to work with partners and resellers across the world, from national and independent merchants to online retailers. catalogue wholesalers and local authorities. With new and innovative products, excellent customer service and our knowledgeable sales team, you can have the confidence to stock tools and consumables which exceed the demanding expectations of professional installers. We are proud to have been awarded the new ISO 9001:2015 Standard, offering you a consistent, high quality service and peace of mind.

Talk to us today to see how our products can help you deliver time-saving solutions for your customers and help you drive profit margins for your own business with quality products, at competitive prices and fast delivery.

## **PRIVATE BRANDING**

Alongside our extensive sourcing capability, we can offer private branding on many of our OEM products. Our production facilities can accommodate very low minimum order quantities without any compromise to the quality of the finished goods.

We offer a fully tailor-made solution, including artwork origination, packaging design and packing options. We also offer a range of fulfilment services to meet the demands of every customer.



www.arctic-hayes.com

# **HOW TO ORDER**

Before you call or email us, our frequently asked questions section on our website could help you find a quick solution?

# PHONE

You can reach our sales office during the following hours:

Mon-Thur ..... 8:30am - 5pm Fri ...... 8:30am - 4pm

#### Tel: +44(0)113 271 5245 Faz: +44(0)113 271 5779



We aim to reply to all enquiries the same day.



#### sales@arctic-hayes.com

## ONLINE

You can now order direct from us on our new website.

- Check stock for delivery.
- Quick order history to save time.
- View more product details.
- Suggested products.
- Manage your account.
- Mobile friendly.

Order Now! www.arctic-hayes.com

# **IN BRANCH**

We supply thousands of branches across the UK from large national merchants to small independent businesses across the UK.

Contact our Sales Office to find your nearest stockist.

## **CHINESE OFFICE**

Our Chinese office is situated in the busy manufacturing city of Shenzhen. The Chinese team ensure excellent communication between our business partners in China, Taiwan and Hong Kong and our Head Office in Leeds UK. Our trusted team help us manage our Far-East supply chain and mitigate any risk to purchasing and manufacturing goods in China.

By working closely together, our UK and Chinese teams allow us to provide a full sourcing solution, which includes support in the manufacturing process, factory audits and pre-shipment inspections. Alongside this, they ensure all logistical requirements are taken care of, avoiding unnecessary delays or inconveniences. This ensures we receive high quality products, at competitive prices, when we need them.

We focus on the social and ethical responsibilities of our manufacturing partners and are working to BSCI and SEDEX standards with all suppliers.

Arctic Hayes is ISO9001:2015 accredited; this approval ensures our quality management systems are based on a commitment to continual development and improvement. All our products conform to CE, EMC, LVD, RoHS and REACH standards where applicable.





PIPE
FREEZING
6-27

SMOKE PRODUCTS

28-41

AEROSOLS, GREASE SOLUTIONS

42-53

**SOLDERING & BRAZING** 54-63



64-72

SERVICING ESSENTIALS

74-91

ABRASIVES & BRUSHES 92-101

**SERVICING TOOLS** 101-113

**TESTING** EQUIPMENT 114-127





ACCESS PANELS 140-141





**TAPES** 152-157











HEALTH & SAFETY, Cleaning & Hygiene 158-165



**HEATERS & RADIATORS** 172-175











+44(0)113 271 5245

# **PIPE FREEZING**

Market leading for plumbing and heating engineers.

www.arctic-hayes.com



## View the full range of pipe freeze products including cans, kits, electric and accessories.



+44(0)113 271 5245

## **WHY FREEZE PIPES**

Arctic Hayes pipe freeze products enable repairs and maintenance of pipework without the need to drain down the whole system, saving time and money.

Our pipe freeze products help form a temporary ice-plug in the pipe so work can be carried out with minimum disruption.

## **BENEFITS**

Reduces job time on average by 85% (based on a 2 hour drain down and refill). No need to locate stop-cock or service valves. Reduces potential for water spillage and property damage.

## **WHICH KIT IS RIGHT FOR ME**

**Aero:** Ideal for professional engineers or DIY use. These disposable kits contain enough refrigerant to perform one or two freezes up to 28mm. Used for changing a radiator valve, replacing a stop-cock or other service valves.

**Professional:** The Pro range comes with extra features such as re-usable components and dual freeze options. Designed for plumbers and engineers who carry out regular pipework repairs and maintenance; i.e replacing stop-cocks, radiator valves, heating pumps, zone valves and installing magnetic filters.

**Electric:** Mains powered pipe freezing giving indefinite freeze time (with continuous power supply). Available in 110V / 240V models.

## **AERO FREEZE KITS**

Used by professional engineers a portable aerosol solution, utilising a non-flammable refrigerant, Arctic Spray Aero kits are a cost effective way to complete a plumbing job.

## **AERO DISPOSABLE FREEZE KIT**

The smallest Arctic pipe freezing kit. Ideal for small single-use plumbing jobs. Suitable for a single freeze on 8-15mm horizontal or vertical pipes.

- Fastest freezing on the market.
- Easy to use freezes pipes in minutes.
- Portable.
- Non-flammable.
- Horizontal & vertical freezes.
- No need to locate stop-cock or service valves.
- Reduces job time on average by 85% (based on a 2 hour drain down and refill).



## • CODE: ZEK1

## **AERO DISPOSABLE FREEZE KIT**

The mid-size Arctic pipe freezing kit. Suitable for two small freezes or one larger freeze where more refrigerant may be required. Comes with two jackets so that a pipe can be isolated with a dual freeze. Suitable for 2 x 8-15mm freezes or 1 x 22 or 28mm freeze, on horizontal or vertical pipes.

- Fastest freezing on the market.
- Easy to use freezes pipes in minutes.
- Portable.
- Non-flammable.
- Horizontal & vertical freezes.
- No need to locate stop-cock or service valves.
- Reduces job time on average by 85% (based on a 2 hour drain down and refill).



### • CODE: ZEK2

## AERO ELITE FREEZE KIT

The largest available Arctic pipe freezing kit available with multiple reusable jackets. Two jacket sizes to allow a wider variety of work and three canisters of pipe freezer to perform more jobs, or longer jobs where more refrigerant is required. Suitable for multiple 8mm, 15mm, 22mm or 28mm freeze, with dual freeze capability on horizontal or vertical pipe. Freezes pipes in less than 5mins.

#### Kit Contains.

- 3 x Arctic Spray Pipe Freezer 300ml cans.
- 2 x 8-20mm Arctic Freezing jackets.
- 2 x 22-35mm Arctic Freezing jackets.



### • CODE: ZELITE1

## **AERO PIPE FREEZER CANS**

Arctic Spray has been trusted by professionals for over 50 years. Freezes pipes in as little as 5 minutes with the ice-plug lasting up to 45 minutes.

- Regular (150ml) can suitable for 1 x 8-15mm freeze.
- Large (300ml) can suitable for 2 x 8-15mm freezes or 1 x 22mm or 1 x 28mm freeze.
- Use in conjunction with ASM01.









• CODE: ZE1 - 150ml Can • CODE: ZE2 - 300ml Can

## **ELITE FREEZE JACKET**

- For use on 8-20mm Pipes.
- Rugged construction with rip-stop material.
- Fast and secure drawstring toggles.
- Improved design.
- Toggle-close ends.
- Foam insulation.



### • CODE: ELITE820

## **ELITE FREEZE JACKET**

- For use on 22-35mm Pipes.
- Foam insulation.
- Toggle-close ends.
- Rugged construction with rip-stop material.



## • CODE: ELITE2235

## **AERO FREEZING JACKET**

Arctic Spray freezing jacket, intended for use with Arctic Spray freeze kits. Suitable for 8-28mm pipes of all materials.

## • CODE: ASM01

## **SPARE TIES**

- Bag of 100.
- Size: 2.5mm x 200mm.
- CODE: TIES200





## PROFESSIONAL FREEZE KITS

- Freeze pipes in as little as 90 seconds.
- Ice-plug duration up to 45 minutes.
- Reusable, high quality components.
- Dual freeze capability.
- Up to 6 freezes per canister.

# **PROFESSIONAL SOLO FREEZE KIT** suitable for use on 8 -22mm pipes.

Supplied in a soft case. This kit is smaller than our ZEPRO. Freezes pipes in as little as 90 seconds with freezes lasting up to 45 minutes on a single dose. Up to 6 freezes per can. Designed for professional heating and plumbing engineers.

• Not suitable for dual freeze application.

#### Kit Contains.

- 1 x Arctic Spray PRO Pipe Freezer 600g / 509ml can.
- 1 x 8-15mm freezing jackets.
- 1 x 15-22mm freezing jackets.
- 1 x 1m nylon connector tube.
- 1 x Brass regulator valve.
- 1 x Polar dosing scale.
- 1 x User instructions.



#### • CODE: ZESOLO

# **PROFESSIONAL FREEZE KIT** suitable for use on 8 -22mm pipes.

USER GUE

Supplied in a robust case. Freezes pipes in as little as 90 seconds with freezes lasting up to 45 minutes on a single dose. Up to 6 freezes per can. Designed for professional heating and plumbing engineers.

• Ideal for dual freeze applications on horizontal or vertical pipe.

#### Kit Contains.

- 1 x Arctic Spray PRO Pipe Freezer 600g / 509ml can.
- 2 x 8-15mm freezing jackets.
- 2 x 15-22mm freezing jackets.
- 2 x 1m nylon connector tube.
- 1 x Brass regulator valve.
- 1 x Polar dosing scale.
- 1 x T-Connector for dual freezing.
- 1 x User instructions.



#### • CODE: ZEPRO

# **PROFESSIONAL COMMERCIAL FREEZE KIT** suitable for use on 8 -35mm pipes.


Supplied in a robust case. Freezes pipes in as little as 90 seconds with freezes lasting up to 45 minutes on a single dose. Up to 6 freezes per can. Designed for professional heating and plumbing engineers.

• Ideal for dual freeze applications on horizontal or vertical pipe.

CK START GUID

#### Kit Contains.

- 1 x Arctic Spray PRO Pipe Freezer 600g / 509ml can.
- 2 x 8-15mm freezing jackets.
- 2 x 15-22mm freezing jackets.
- 2 x 28-35mm freezing jackets.
- 2 x 1m nylon connector tube..
- 1 x Brass regulator valve.
- 1 x Polar dosing scale.
- 1 x T-Connector for dual freezing.
- 1 x User instructions.



#### • CODE: ZECOM

# **PROFESSIONAL INDUSTRIAL FREEZE KIT** suitable for use on 8 -61mm pipes.

Supplied in a robust case. Freezes pipes in as little as 90 seconds with freezes lasting up to 45 minutes on a single dose. Up to 6 freezes per can. Designed for professional heating and plumbing engineers.

• Ideal for dual freeze applications on horizontal or vertical pipe.



#### Kit Contains.

- 2 x Arctic Spray PRO Pipe Freezer 600g / 509ml can.
- 2 x 8-15mm freezing jackets.
- 2 x 15-22mm freezing jackets.
- 2 x 28-35mm freezing jackets.
- 2 x 35-42mm freezing jackets.
- 2 x 54-61mm freezing jackets.
- 2 x 1m nylon connector tube.
- 1 x Brass regulator valve.
- 1 x Polar dosing scale.
- 1 x T-Connector for dual freezing.
- 1 x User instructions.



#### • CODE: ZEIND

# **PROFESSIONAL UTILITY FREEZE KIT** suitable for use on 8 -35mm pipes.

Supplied in a robust case. Freezes pipes in as little as 90 seconds with freezes lasting up to 45 minutes on a single dose. Up to 6 freezes per can. Designed for professional heating and plumbing engineers.

• Ideal for dual freeze applications on horizontal or vertical pipe.

#### Kit Contains.

- 2 x Arctic Spray PRO Pipe Freezer 600g / 509ml can.
- 1 x 8-15mm freezing jackets.
- 1 x 15-22mm freezing jackets.
- 1 x 28-35mm freezing jackets.
- 1 x 1m nylon connector tube.
- 1 x Brass regulator valve.
- 1 x Polar dosing scale.
- 1 x User instructions.





#### • CODE: ZEWA

## PROFESSIONAL PIPE FREEZER CAN

Our new formulation Pipe Freezer in a 600g canister. Suitable for use with all Arctic Pro Freeze Kits.



\* Accessories available separate

- Low Global Warming Potential Gas.
- Reliable brand for over 50 years.
- Non-flammable.
- Full instructions on can.
- Fastest pipe freeze on the market.
- Freeze pipes in as little as 90 seconds.
- Works with Brass Regulator valve for precise control see page 22.
- Up to 6 freezes per can.



## • CODE: ZEP1 - 509ml / 600g can

## PRO FREEZE ACCESSORIES

#### Pro Dosing Scale.

Refrigerant dosing scale. Calibrated to allow accurate dosing of Arctic PRO freezing spray. Minimises refrigerant wastage.

• CODE: SCALE

#### Pro T-Piece. Required to carry out dual freeze. For use with all PRO kits. • CODF- FTC04

, <u>.</u>

1000

1200

#### Pro Nylon Tube.

1M length of Nylon tube for use with all PRO kits. Available in longer length if required. • CODE: NTB04

#### Pro Valve.

Control the release of refrigerant to get the best from your professional kit. Allows for a much more precise application of refrigerant than the press-top disposable kits. • **CODE: VPOL** 

## **PRO FREEZING JACKETS**

Re-usable freezing jacket made in high quality rip-stop nylon for use with all Pro Pipe Freezing Kits.

#### Yellow

• Fits 8-15mm pipes



#### • CODE: MUFF0

#### Red

• Fits 28-35mm pipes

#### Green

• Fits 15-22mm pipes



• CODE: MUFF1

#### White

• Fits 35-42mm pipes



### • CODE: MUFF2



### • CODE: MUFF3

#### Black

• Fits 54-61mm pipes



## • CODE: MUFF4



# **ELECTRIC FREEZE KITS**

Electric Kits are perfect for larger projects or where pipes need to be isolated for a prolonged period of time.

www.arctic-hayes.com

# **ELECTRIC MINI FREEZE KIT** suitable for use on 8 - 28mm pipes.

The mini is the smallest and most easily portable of the electric freeze kits. Ideal for large scale contract and commercial plumbing jobs such as facilities maintenance or social housing, where consumables supply may become costly.

\* Initial ice-plug forms in around 10 minutes for 8mm pipes, approx 20 minutes for 28mm pipes.

### Kit Contains.

- 1 x pair of 28mm freeze head clamps.
- 1 x pair of 22mm clamp head reducers.
- 1 x pair of 15mm clamp head reducers.
- 1 x pair of cotton gloves.
- 1 x 200ml freeze cream.
- 1 x instructions.
- Available in 240V only.



## **ELECTRIC COMMERCIAL FREEZE KITS** suitable for use on 8 - 42mm pipes.

The most popular of the electric freeze kits, Commercial electric kit will handle large scale plumbing jobs and come equipped to freeze pipes from 8mm to 42mm.

\* Initial ice plug forms in around 10 minutes for 15mm pipes, approx 30 minutes for 42mm pipes.

#### Kit Contains.

- 1 x pair of 42mm freeze head clamps.
- 1 x pair of 35mm clamp head reducers.
- 1 x pair of 28mm clamp head reducers.
- 1 x pair of 22mm clamp head reducers.
- 1 x pair of 15mm clamp head reducers.
- 1 x pair of cotton gloves.
- 1 x 200ml freeze cream.
- 1 x instructions.
- Available in 110V or 240V.



CODE: ARCEL/110 - 110v 550W
 CODE: ARCEL/220 - 240v 550W

## **ELECTRIC INDUSTRIAL FREEZE KITS** suitable for use on 8 - 61mm pipes.

The largest available electric freeze kit. For freezing and working on pipes from 8mm to 61mm.

\* Initial ice plug forms in around 10 minutes for 8mm pipes, approx 45 minutes for 61mm pipes.

### Kit Contains.

- 1 x pair of 61mm freeze head clamps.
- 1 x pair of 54mm clamp head reducers.
- 1 x pair of 42mm clamp head reducers.
- 1 x pair of 35mm clamp head reducers.
- 1 x pair of 28mm clamp head reducers.
- 1 x pair of 22mm clamp head reducers.
- 1 x pair of 15mm clamp head reducers.
- 1 x pair of cotton gloves.
- 1 x 200ml freeze cream.
- 1 x instructions.
- Available in 110V or 240V.







# **SMOKE PRODUCTS**

For testing of heating and ventilation systems.

www.arctic-hayes.com

## **SMOKE PRODUCTS**

View the full range of smoke products including matches, cartridges, pellets and accessories.



Powdered Smoke

Smoke Sticks

+44(0)113 271 5245

## **STRIKES SMOKE MATCHES**

Our smoke matches are ideal for spillage testing on gas appliances or initial flue draw testing.

- Clean to use, no residue.
- Cool to touch after burning.
- Packed in protective resealable tubs.
- 20 Second burn time.
- 0.75m<sup>3</sup> Approx of dense smoke.





- CODE: 333000 Tub of 25
- CODE: 333075 Tub of 75
- CODE: 333000B Tub of 100
- CODE: PH009B Box of 12
- CODE: PH009 Display box of 72 Boxes

## **SMOKE MATCH PLUME KIT**

Smoke match plume supplied with two tubs of 25 Strike Smoke Matches to aid the installer carrying spillage tests on gas appliances.



- 2. Allows matches to be easily and correctly positioned. The flat end of the plume is designed to take a safety match for lighting difficult to reach pilots.
- CODE: 338001 Plume Kit • CODE: 338000 - Single Plume

## **3g WHITE SMOKE CARTRIDGES**

- 5m<sup>3</sup> approx of dense smoke.
- 45 second burn time.
- Complies with BS5440-1.



- CODE: 333003 Pack of 10
- CODE: 333003C Tub of 50
- CODE: 333003B Tub of 100

# **3g ORANGE SMOKE CARTRIDGES**

Used to test for chimney & flue leakages, blockages, air flow visualisation & drain testing.

- 5m<sup>3</sup> approx of dense smoke.
- 45 second burn time.
- Complies with BS5440-1.
- Coloured dye may stain surfaces.
- CODE: 334003 Pack of 10
- CODE: 334003C Tub of 50
- CODE: 334003B Tub of 100



## **9g WHITE SMOKE CARTRIDGES**

- 8.5m<sup>3</sup> approx of dense smoke.
- 75 second burn time.
- Complies with BS5440-1.



• CODE: 333009B - Tub of 50

## **9g ORANGE SMOKE CARTRIDGES**

Used to test for chimney & flue leakages, blockages, air flow visualisation & drain testing.

- 8.5m<sup>3</sup> approx of dense smoke.
- 100 second burn time.
- Complies with BS5440-1.
- Coloured dye may stain surfaces.



- CODE: 334009 Pack of 10
- CODE: 334009B Tub of 50

## **9g SUPER SIX WHITE / ORANGE CARTRIDGES**

Used to test for chimney & flue leakages, blockages, air flow visualisation & drain testing.

- Orange smoke.
- 8.5m<sup>3</sup> approx of dense smoke.
- 100 second burn time.
- Complies with BS5440-1.
- Coloured dye may stain surfaces.
- White smoke.
- 8.5m<sup>3</sup> approx of dense smoke.
- 75 second burn time.
- Complies with BS5440-1.



• CODE: 334009S - Pack of 6 Orange • CODE: 333009S - Pack of 6 White

# **18g WHITE / ORANGE SMOKE CARTRIDGES**

Produce a greater volume of smoke with a longer burn time.

- White smoke.
- 17m<sup>3</sup> approx of dense smoke.
- 180 second burn time.
- Complies with BS5440-1.
- Orange smoke.
- 17m<sup>3</sup> approx of dense smoke.
- 150 second burn time.
- Complies with BS5440-1.
- Coloured dye may stain surfaces.





CODE: 334018 - Pack of 5 Orange
 CODE: 333018 - Pack of 5 White

## **60g WHITE SMOKE CARTRIDGES**

Smoke Cartridges in a polycarbonate plastic sheath. Produces significantly more smoke. Used for air flow testing of large factory flues, underwater drainage testing & fire training exercises.

- 55m<sup>3</sup> approx of dense smoke.
- 150 second burn time.
- Complies with BS5440-1.
- White smoke.





## **5g WHITE SMOKE PELLETS**

Used to test for chimney & flue leakages, blockages, air flow visualisation & drain testing.

- 7m<sup>3</sup> approx of dense smoke.
- 30 second burn time.
- Complies with BS5440-1.





- CODE: PHB006 Tube of 6
- CODE: PH625 Tub of 50
- CODE: PH007 Tub of 100

### **13g WHITE / RED SMOKE PELLETS**

Used to test for chimney & flue leakages, blockages, air flow visualisation & drain testing.

- 18m<sup>3</sup> approx of dense smoke.
- 40 second burn time.
- Complies with BS5440-1.
- Coloured dye may stain surfaces.







- CODE: PH001 Tube of 6
- CODE: PH008 Tub of 50
- CODE: PH118 Tub of 100
- CODE: PH001C Tube of 6 Red

### **5g - AX WHITE SMOKE PELLETS**

Used to test for chimney & flue leakages, blockages, air flow visualisation & drain testing.

- 7m<sup>3</sup> approx of dense smoke.
- 30 second burn time.
- Complies with BS5440-1.



- CODE: 333005 Tub of 6
- CODE: 333005B Tub of 15
- CODE: 333005C Tub of 45

### **13g - AX WHITE SMOKE PELLETS**

Used to test for chimney & flue leakages, blockages, air flow visualisation & drain testing.

- 13m<sup>3</sup> approx of dense smoke.
- 45 second burn time.
- Complies with BS5440-1.



- CODE: 333013 Tub of 8
- CODE: 333013B Tub of 20
- CODE: 333013C Tub of 40

### **5g ENCAPSULATED WHITE SMOKE PELLETS**

Used to test for chimney & flue leakages, blockages, air flow visualisation & drain testing.

- 15m<sup>3</sup> approx of dense smoke.
- 30 second burn time.
- Complies with BS5440-1.



- CODE: PH030 Tub of 10
- CODE: PH530 Tub of 50
- CODE: PH130 Tub of 100

### 8g ENCAPSULATED WHITE / RED SMOKE PELLETS

Used to test for chimney & flue leakages, blockages, air flow visualisation & drain testing.

- 24m<sup>3</sup> approx of dense smoke.
- 60 second burn time.
- Complies with BS5440-1.
- Coloured dye may stain surfaces.





• CODE: PH025 - Tub of 10 White

- CODE: PH525 Tub of 50 White
- CODE: PH125 Tub of 100 White
- CODE: PH025C Tub of 10 Red

### **SMOKE PELLET & MATCH HOLDER**

- The safe way to use smoke pellets and matches.
- Engineered from high-grade aluminium.

#### • CODE: PHSPHS

### **POWDERED SMOKE**

**EXCLUSIVE products to Arctic Hayes**, Ideal for use for gas installations where flame cannot be used for kitchen hoods, heat exchangers, fume hoods and exhaust fans. A small squeeze provides enough smoke for draft detection or negative pressure around a door. Designed for use with a hand-held pump, it requires no ignition source or flame.

- Powder.
- Smoke Colour: White.
- Weight: 20 gr.
- Size: 115 x Ø 34 mm.
- Smoke type: Strong Air Velocity.
- CODE: 337001 Powder smoke
- CODE: 338002 Powder smoke pump

### **SMOKE STICKS**

**EXCLUSIVE products to Arctic Hayes**, our smoke-stick pens are the first product on the market offering pencil-thin smoke pattern.

Ideal for testing slight air-movement, gas spillage and mandatory CO spillage checks of boiler/case spills after fitting or re-fitting, smoke alarms, air filters, fume hoods, air balancing, fans, photography, special Effects and much more...

- Unique product to Arctic Hayes.
- Up to 30 mins of smoke per stick.
- Refill packs available separately.
- Non-corrosive, non-hazardous.



- CODE: 333103 Refill pack of 3
- CODE: 333100 Refill pack of 6
- CODE: 333113 Kit3 smoke pen & 3 refills
- CODE: 333110 Kit6 smoke pen & 6 refills

# AEROSOLS, GREASES & SOLUTIONS

Consumable products for plumbing and heating engineers.

### **AEROSOLS, GREASES & SOLUTIONS**

Our full range of aerosol and grease products has everything you need from leak detection fluid to silicone greases, maintenance spray to air duster and specialist products like high-temperature paints.



### **LEAK DETECTOR ATOMISER**

Specially formulated to trace positive pressure leaks in pipelines and fittings. Suitable for use on gas, air and nitrogen leaks. The micro-porous foam instantly highlights the smallest of leaks.

- Pump-top atomiser.
- Safe to use in confined areas.
- Non-flammable.
- Non-corrosive.
- Meets requirements of BS EN 14921:2004.



• CODE: PH026A - 250ml Bottle with atomiser

### **LEAK DETECTOR BRUSH**

- Brush in cap.
- Safe to use in confined areas.
- Non-flammable.
- Non-corrosive.
- Meets requirements of BS EN 14921:2004.



- **CODE: PH026** 250ml Bottle with brush
- CODE: PH026M 120ml Bottle with brush

#### **AEROSOLS, GREASES & SOLUTIONS**

### LEAK DETECTOR TRIGGER

- Trigger applicator.
- Safe to use in confined areas.
- Non-flammable.
- Non-corrosive.
- Meets requirements of BS EN 14921:2004.



• CODE: PH026T - 1 Litre bottle with trigger spray

### **CLEAR LEAK DETECTOR SOLUTION**

Detects gas, air and nitrogen leaks. A Micro-porous foam instantly highlights the smallest of leaks.

- Safety cap.
- Built in sprinkler, for controlled application.
- Non-flammable.
- Non-corrosive.
- 1 Litre bottle.
- Meets requirements of BS EN 14921:2004.



• CODE: PH027 - 1 Litre bottle

VISIT OUR

www.arctic-hayes.com


### **LEAK DETECTOR SPRAY**

Used to trace costly and potentially dangerous gases and compressed air leaks produces a micro-porous foam designed to identify the smallest leaks.

- Aerosol delivery for high-powered application.
- Safe to use in confined areas.
- Non-flammable.
- Non-corrosive.
- Meets requirements of BS EN 14921:2004.







#### **AEROSOLS, GREASES & SOLUTIONS**

ARCTIC

### **SILICONE SPRAY**

A premium grade water repellent silicone spray for use in applications where light lubrication is required.

- Lubricates rubber, plastic and other materials.
- Ideal as a plumber's grease.
- Compliant with UK Water fitting bylaws.
- Works on O-Rings & Push fit joints.
- WRAS Approved.



#### • CODE: PH040 - 400ml can

### **SILICONE GREASE**

An ideal plumbers grease, designed to lubricate rubber, plastics and other materials. Suitable for use on taps, valves and other water fittings.

- Lubricates rubber, plastic and other materials.
- Compliant with UK Water fitting bylaws.
- WRAS Approved.



- CODE: 665016 100g tube
- CODE: 665016-TUB 100g tub
- CODE: 665017 500g tub



### **GAS COCK GREASE**

High-quality lubricant, specially designed for fittings exposed to industrial and domestic gases and chemicals. Suitable for gas cocks, taps and valves and is highly recommended as a pipe jointing compound sealant and thread lubricant for flange and screw fittings exposed to many industrial and domestic gases.



#### • CODE: 665014 - 100g tube

### **HEAT SINK COMPOUND**

Superior thermal conductivity properties for a variety of uses.

- A high temperature silicone compound used to create a positive heat sink seal.
- This product evenly dissipates the heat at the probe when used with clamp-on or dry-pocket boiler overheat thermostats.



#### • CODE: 665022 - 100g tube

### **SPRAY DUSTERS**

New eco-friendly formulation has 99.5% lower Global Warming Potential. High-powered aerosol application to force dust and debris out of hard to reach areas such as burner jets, heat exchangers or laptop keyboards. Features a detachable nozzle straw to help with hard-to-reach areas.

- Non-flammable.
- Non-corrosive.



• CODE: ZE29 - 120ml can • CODE: ZE294 - 300ml can

### CRACK-IT SHOCK FREEZE RELEASE SPRAY

Freeze action breaks the corrosion seal and allows the penetrating oil to reach the corroded area. Fast working, releasing the seized items in as little as 1-2 minutes.

- Releases seized and corroded parts through shock freezing.
- First the freeze, then the penetration.
- 2 in 1 maintenance spray.
- Freezes down to -50°C.
- Completely bio degradable.
- Prevent future corrosion.



### **MAINTENANCE SPRAY**

Suitable for many plumbing and heating applications as well as general maintenance jobs. Displaces moisture and helps to prevent metal parts from rusting and squeaking.

- Protects and cleans metals.
- Prevents rusting.
- Stops squeaks.
- Penetrates and lubricates.





- CODE: MS150 150ml can
- CODE: MS400 400ml can

### ANTI STATIC FOAM Cleaner Spray

Quickly removes all types of dirt, grease, stains and other contamination. Penetrative cleaning action for stubborn and ingrained soiling. Easy to use -Simple to spray on and wipe away. Ideal where no water is available.

- Multi-purpose.
- Penetrative clean action.
- Quickly removes all types of dirt, grease, stains & other contamination.



#### • CODE: ASFC1 - 400ml can

### **CONTACT ADHESIVE SPRAY**

Quick drying adhesive, dries clear and does not expand making it perfect for applications where accuracy and finish are of paramount concern. Suitable for bonding porous and smooth surfaces, such as cardboard, felt, fabric, paper, leather, rubber, foam, foil, most plastics, metal, stainless steel, glass, cork and wood.

- Multi-purpose.
- Quick drying.
- High strength bond.
- Solvent-based.
- Pressure sensitive.
- CODE: 665500 400ml can



### **ZINC GALVANISING SPRAY**

Easy to use, heavy-duty galvanising spray contains a unique combination of zinc powders and polymers which forms a highly effective coating to shield from corrosion.

- Corrosion reducing formula.
- Can be used as a primer and over painted with acrylic cellulose, alkyd, polyurethane alkyd and epoxy.
- Fast drying.
- Use as a coating on pipes and steel fabrications.
- 66% zinc content (in dry film).
- Thin film (e.g. single coat) can be welded through.



#### • CODE: PH055 - 500ml can

### **RED OXIDE PRIMER SPRAY**

High-performance anti-corrosion coating designed to stop rust formation. It can be applied directly over a rusty surface and is ideal for exterior use.

- Tough acrylic formula.
- Re-coat in 20 minutes, overcoat in 24 hours.
- Stops rust on bare metals.
- Fast drying.
- Use on metal, wood & plastic prior to top coating.
- Can be sprayed over acrylic and cellulose.
- Can be over-coated with cellulose, acrylic, alkyd, polyurethane alkyd and epoxy.





### BLACK STOVE / COAL Spray Paint

Suitable for internal or external use on surfaces. High temperature fast drying and gives a matt finish.

- Ideal for use on:
- Stoves.
- Fireplaces.
- Pipes.
- Flues.
- Coals.
- BBQs.
- Applications up to 650°C.

#### • CODE: HTP1 - 500ml can

### **RADIATOR SPRAY PAINT**

Specially designed to provide a heat resistant brilliant white finish on household radiators. Provides a rust resistant and long lasting finish.

- Ideal for interior use on radiator surfaces.
- Excellent smooth coverage.
- Rust resistant enamel.
- No primer needed.
- Quick and easy paint coverage for radiators.
- Provides a fast, dry finish that will not yellow over time.
- White in colour.

#### • CODE: HTP2 - 400ml can





# **SOLDERING & BRAZING**

Vortex gases offer superior performance over traditional products.

### **SOLDERING & BRAZING**

Top-quality soldering and brazing products.



#### **HAPPY COURIERS.**



Vortex unique non-hazardous formulations are accepted by all major couriers.

#### **HAPPY INSURERS**



Pallets of Vortex gas unlike other gases can be bulk stored without concern.

# WHY CHOOSE Vortex Gas?

#### **PROPANE GAS**

#### **MAP-X GAS**



### **VORTEX GAS**



Suitable for all soldering and brazing applications.

Vortex MAP-X Gas formula is designed to burn at a higher temperature than traditional propane or butane gases.

- Conform to the latest EN ISO 11118:2005 Standards.
- CGA 600 Thread.
- Non refillable canisters.
- TPED approved.
- MAP-X 450g.
- Propane 400g.



• CODE: VG1 - MAP-X gas • CODE: VG2 - Propane gas

### **BRAZING TORCH**



Fully adjustable torch which comes complete with two interchangeable burner tubes. Lightweight, durable and easy to use. Designed for use with MAP-X and Propane gas cylinders with CGA600 thread.




• CODE: VT2 - Brazing torch

### **BRAZING TORCH**

Newest generation of our fully adjustable torch which comes complete with two interchangeable burner tips.

- Piezo ignition.
- Quick change burner tips.
- Aluminium lightweight holding.
- 1x Super Cyclone with cool tip technology.
- 1x Cyclone tip
- Standard CGA 600 thread.
- Compatible with Map and propane.
- Safety lock.
- Flame lock.
- Single turn flame regulator adjustment knob.

#### Unique interchangeable burner tip feature!



- CODE: VPROP- Brazing torch & Propane gas
- CODE: VPROM- Brazing torch & MAP-X gas



VORTEX

PRO

### **BRAZING TORCH PACK**



Our top-selling VT3 brazing torch, a canister of MAP-X gas or Propane and three interchangeable burner tubes.

#### Kit Contains.

- 1 x Super Cyclone burner tube for general purpose work.
- 1 x Cyclone tube for a more concentrated, high temperature work
- 1 x Fine Flame tube which is designed for precision work such as soldering lead flashing.
- 1x MAP-X gas.



• CODE: VT3GBOXM - Brazing torch with MAP-X gas

#### Kit Contains.

- 1 x Super Cyclone burner tube for general purpose work.
- 1 x Cyclone tube for a more concentrated, high temperature work
- 1 x Fine Flame tube which is designed for precision work such as soldering lead flashing.
- 1x Propane gas.







### BRAZING TORCH WITH FLEXI-HOSE



Greater flexibility and movement from your brazing torch. Meet the VTH a flexible hose connects the stainless steel burner to your gas cylinder. Designed for use with MAP-X and Propane gas cylinders with CGA600 thread.

- Piezo Ignition.
- Adjustable flame.
- Anti flare feature.
- Stainless steel burner tube.
- Portable & lightweight.
- Easy to use.
- Stainless steel belt clip and cylinder holder.
- Can be used with MAP-X or Propane gas.



• CODE: VTH - Brazing torch with piezo ignition

### **MINI FINE-FLAME BRAZING TORCH**

The smallest and most compact of the Vortex range, the VTM mini brazing torch is the ultimate in portable brazing torches. Designed for use with MAP-X and Propane gas cylinders with CGA600 thread.

- Piezo Ignition.
- Adjustable flame.
- Stainless steel burner tube.
- Portable & lightweight.
- Easy to use.
- Can be used with MAP-X or Propane gas.





### **VORTEX HOT BAGS**



An all in one solution for your soldering and brazing needs. Comes in a stylish, hard-wearing tool bag.

#### Kit Contains.

- 1x Arctic 15" tool bag.
- 1x Vortex VT2 brazing torch.
- 1x Vortex MAP-X gas or Propane gas.
- 1x Arctic steel wool pads pack of 8.
- 1x Vortex solder mat.
- 1x Pack of 10 silicone carbide abrasive strips.



- CODE: ATBG1 15" Tool bag only
- CODE: HOTBAGP Tool bag with Propane gas & accessories
- CODE: HOTBAGM Tool bag with MAP-X gas & accessories

**V**<sup>©</sup>**RTEX** 

### **PROFESSIONAL SOLDER MAT**

Premium construction solder mat which offers high-performance protection during soldering and brazing. Suitable for use during all types of brazing and soldering work.

- Withstands temperatures up to 1200°C.
- Multi-layered construction.
- Double thickness construction.
- Woven glass fibre edge binding to eliminate fraying.
- 290mm x 200mm.




#### • CODE: VSM1 - Professional solder mat

### **PROFESSIONAL HEAT MAT**

Premium high temperature heat mat, offers extra protection when using high-temperature equipment or when maximum heat protection is required. This is the highest rated heat mat in the Vortex range. Suitable for use during all types of brazing and soldering work.

#### • Withstands temperatures up to 1800°C.

- Multi-layered construction.
- Designed for use with Vortex brazing and soldering torches.
- 290mm x 200mm.



• CODE: VPHM1 - Professional heat mat

UPTO

1800°C


# CARBON MONOXIDE & SMOKE DETECTION

Premium Protection against Carbon Monoxide & Smoke.

### **CARBON MONOXIDE & SMOKE DETECTION**

SleepSafe safety products offer audible and visual protection against Carbon Monoxide and Smoke.





### 10 YEAR CARBON MONOXIDE ALARM



An easy to use and reliable self-contained Carbon Monoxide alarm. Designed for use in all domestic environments such as homes, caravans and boats.



- Certified to EN50291-1:2010 and EN50291-2:2010.
- 85dB audible alarm.
- LED indicator for Normal, Alarm & Fault mode.
- 10 Year sealed-for-life battery.
- 10 Year warranty.
- 3 visual LED readout.
- Low battery warning.
- End of detector life warning.
- Test / Silence function.
- Alarm memory function.
- CODE: COA10 10 Year Carbon Monoxide alarm



### 6 YEAR CARBON MONOXIDE ALARM



An easy to use and reliable self-contained Carbon Monoxide alarm. Designed for use in all domestic environments such as homes and caravans.




### VISUAL CARBON MONOXIDE DETECTOR



The visual carbon monoxide detector changes colour from red to black when exposed to carbon monoxide. This detector is recommended to be a supplementary / back up device to an audible alarm but can be used instead of an audible alarm. Does not require batteries or mains power.

- Reacts to low-level Carbon Monoxide (<50ppm).
- Easy to use.
- One colour change carbon monoxide.
- Independently tested by UKAS labs.
- Does not give audible alert.



#### Ideal for:



- CODE: PH019HC Single pack
- CODE: PH019AC Twin pack

### PERSONAL CARBON MONOXIDE ALARM



Lightweight, compact personal alarm for early detection of carbon monoxide. Ideal for heating engineers, emergency responders and pilots, at work, home or on holiday. Alarm activates when carbon monoxide level exceeds 30ppm.

- Durable and shock resistant casing.
- Powered by Li-ion battery.
- Lightweight and compact.
- 75dB audible alarm.
- LED indicators.
- 3 year sensor.
- Sealed for life battery.
- Free-standing design.
- Belt clip and hanging hook.



• CODE: PCO1 - Personal alarm

### DUAL SMOKE & CARBON MONOXIDE ALARM



An easy to use and reliable self-contained Carbon Monoxide and Smoke alarm. Designed for use in all domestic environments such as homes, caravans and boats. This two-in-one alarm tests for both carbon monoxide and smoke.



- Certified to EN14604:2005 and EN50291-1 2010.
- Operates on a 9v battery (included).
- Powerful 85dB speaker.
- Photoelectric technology.
- Test / silence button.
- Easy to install.
- Separate test button of each CO and smoke function.
- CODE: COS1 Smoke & Carbon Monoxide alarm

#### CARBON MONOXIDE AND SMOKE DETECTION

### **PHOTO-ELECTRIC SMOKE ALARM**





- Toast Proof Technology Advanced Optical Sensor
- Easy to Install
- Loud 85 dB Alarm
- Includes 9v Battery
- Certified to EN 14604:2005

SleepSafe smoke alarm is an easy to use and reliable photoelectric smoke alarm. Toast-proof technology means less prone to false alarms caused by cooking fumes. An essential products in all domestic environments. designed for use in homes. caravans and boats.

- Certified to EN14604:2005.
- Operates on a 9v battery (included).
- Powerful 85dB audible alarm
- Toast-Proof technology.
- Test / silence button.
- Easy to install.
- Photoelectric technology.

• CODE: SA1 - Smoke alarm

WEALAR

### CARBON MONOXIDE ALARM TESTER

The SleepSafe carbon monoxide alarm test spray contains low levels of carbon monoxide gas, sufficient to trigger a reaction from carbon monoxide sensors within Carbon Monoxide alarms.

- Up to 7 tests per can.
- Designed to test all Carbon Monoxide alarms.
- Can be used to test Flue Gas Analysers.
- Will not damage alarm sensors.

#### • CODE: PHC0520 - 520ml can.

### **SMOKE ALARM TESTER**

SleepSafe Smoke Alarm tester is designed to test the sensor in smoke alarms. Ensure your alarms are always in working order to protect your home or workplace.

- Testing of Smoke Alarms is recommended by the fire brigade.
- Designed to test the sensor in smoke alarms.
- Up to 40 tests per can.
- Easy to use.
- CODE: PH043A 150ml can.







## CHECK OUT OUR BRAND NEW WEBSITE!

- Merchant Login. Check price and availability instantly.
- Manage Account Online. Check order history and see Special Offers
- Access Safety Data Sheets and Technical Information.
- Build Orders over a period of time.

### INTERESTED IN BECOMING A STOCKIST?

Merchant login facility! VEI,



#### www.arctic-hayes.com

+44(0)113 271 5245

Quality products for all types of servicing jobs.


#### A complete range of essential engineer's servicing products from flow measures, gauges and hoses, to radiator servicing kits and asset protection.





### **U-FLOW FLOW MEASURE**

- Unique exclusive product to Arctic Hayes.
- New innovative design.
- Simple and easy to use.
- Robust & Heat resistant.
- Flow measure range: (1-5 gallon & 4-22 Litres).



Totally clear and Stable readings.



Measure water flow of domestic appliances to ensure a sufficient flow rate.



Used in conjunction with 998731 Stem Thermometer.



Stylish counter display unit available.





• CODE: 888000 - Flow measure

### **30Mbar / 60Mbar U-GAUGE**

A clear lid makes this U Gauge easy to view, protects the scale and is always ready to use. Zeroing could not be simpler, the shape of the gauge has been designed to make it easier to read with a fuller view of the scale.

- Available in two sizes: 30 mbar/12"WG and 60 mbar/24"WG.
- Non-spill sealing cap.
- Hanging hook.

#### • CODE: 664035 - 30Mbar gauge

• CODE: 664036 - 60Mbar gauge

### **REPLACEMENT HOSES**

- Silicone clear tube 4mm bore 2m long.
- Black Neoprene & Orange rubber hoses are 1/4" Bore, 1/16" Wall and available in 2 & 20m lengths.
- Orange Rubber hose is suitable for use with natural gas but not LPG.
- Black Neoprene suitable for natural & LPG gas.
- Suitable for use with Arctic Hayes U-gauges and U-flex gauges.
- CODE: 664048 Silicone tube 2m clear
- CODE: 664050 Rubber hose 2m orange
- CODE: 664054 Rubber hose 20m orange
- CODE: 664051 Neoprene hose 2m black
- CODE: 664053 Neoprene hose 20m black







### **U-FLEX GAUGES**

- 3 sizes: 12", 24", 48".
- Dual scale measures wg & Mbar.
- Heavy duty metal fitting.
- Robust and flexible.
- Zero adjustment.
- Hanging hook.
- Non-spill sealing cap.





- CODE: 664030 12" 30Mbar
- CODE: 664032 24" 60Mbar
- CODE: 664034 48" 120Mbar

#### **MANOMETER FLUID**

- 60ml bottle, fills up to 24"/60 Mbar gauge.
- Contains De-ionised water wetting agent.
- Algaecide anti-foaming agent.
- Anti-standing agent.
- For use with any U-Flow Gauges and U-Gauges.





### **RADIATOR DRAINING KIT**

- 1 x Draining tray, 4 x Water diverting collars.
- 4 x Reusable sealing strips.
- 1 x water resistant barrier gel (sufficient for 6 8 applications).
- Helps to avoid unnecessary mess, damaged floors and carpets.
- Step by step detailed instructions included.
- Perfect for Professional or DIY use.
- Universal application for 8, 10, 15 and 22mm pipework.
- Great for restricted access to pipes.
- Tidy way of draining down a system with no spillage.



• CODE: DT1 - Radiator drain down kit

### **RAPID RADIATOR DRAINING KIT**

- Takes under 5 minutes to attach the kit.
- Clean and quick.
- With any other method it would take 45mins to drain a radiator with the Radrain it takes under 15mins.
- Drains into reusable strong plastic bag.
- The bag can then be disconnected and drained easily.
- Robust, long lasting clamp.
- Drain bag holds approx 15 litres of water.



• CODE: 664131 - Rapid radrain kit

#### **DRAIN DOWN HOSES**

- 10m or 15m length of red natural rubber hose.
- Internal diameter: 1/2" outer diameter 3/4" (12.7mm ID x 19.05mm 0D).
- Complete with thumb screw hose clip.
- 2 x reusable Velcro ties.



- CODE: 664047 10m drain down hose
- CODE: 664047-15 15m drain down hose

#### **RADIATOR VALVE CHANGE KIT**

- Used for changing radiator valves without draining down.
- The kit comprises 2x rubber bungs and radiator air bleed key.
- For use on 15mm & 22mm pipework.
- CODE: 664130 Radiator valve change kit

#### **RADIATOR BLEED KEY**

Brass radiator air vent keys with easy to turn clock key type handle for releasing air from water filled radiators.

• CODE: 66058 - Radiator brass bleed key








#### **PROFESSIONAL WORK MATS**

- Resistant to oil, water, bleaches, detergents, heating additives & more.
- Anti-slip.
- Waterproof & washable.
- For interior / exterior use.



- 4 piece 1200mm x 750mm Work Mats. (WM1)
- 3 piece 1800mm x 850mm Work Mats. (WM2)
- 1 piece 1800mm x 1500mm Work Mat. (WM3)
- 1 piece 3200mm x 700mm Tradesman's Runner. (WM4)

#### • CODE: WMDB1 - Counter display box

### **PROFESSIONAL WORK MATS**

- All work mats include free storage bag.
- Available in 4 sizes.







#### www.arctic-hayes.com

### **SMALL WORK MAT**

- Resistant to oil, water, bleaches, detergents, heating additives & more.
- Anti-slip.
- Waterproof, washable.
- For interior / exterior use.
- Handy slits for working around pipes.
- Size: 1200mm x 750mm.





• CODE: WM1 - 1200mm x 750mm

#### **MEDIUM WORK MAT**

- Resistant to oil, water, bleaches, detergents, heating additives & more.
- Anti-slip.
- Waterproof, washable.
- For interior / exterior use.
- Handy slits for working around pipes.
- Size: 1800mm x 850mm.



• CODE: WM2 - 1800mm x 850mm



### LARGE WORK MAT

- Resistant to oil, water, bleaches, detergents, heating additives & more.
- Anti-slip.
- Waterproof, washable.
- For interior / exterior use.
- Handy slits for working around pipes.
- Size: 1800mm x 1500mm.





#### • CODE: WM3 - 1800mm x 1500mm

#### **TRADESMAN'S RUNNER**

- Resistant to oil, water, bleaches, detergents, heating additives & more.
- Anti-slip.
- Waterproof, washable.
- For interior / exterior use.
- Size: 3200mm x 700mm.



• CODE: WM4 - 3200mm x 700mm



### **COTTON TWILL DUST SHEET**

- 100% natural cotton.
- Machine Washable.
- Reusable.
- Highly absorbent.
- Drapes well.
- Environmentally friendly.
- Multi-purpose.
- Professional quality.
- Excellent protection.



toos Natural cotton
 For covering all furniture & floors
 Revealer

• CODE: AD62822 - 12' x 9' / 3.6m x 2.8m

#### STAIR RUNNER COTTON DUST SHEET

- Medium duty, ideal for protecting stairs and hallways.
- 100% natural cotton.
- Reusable and durable.
- Suitable for home based or industrial applications.
- Machine washable.
- Environmentally friendly.



• CODE: 666009 - 24' x 3' / 7.3m x 0.9m

#### CALICO DUST SHEET WITH CARRYING STRAPS

- Heavy Duty Calico Dust Sheet.
- Easy to carry and store.
- Carry strap keeps sheet neat and tidy when not in use.
- Includes material swatch attached to display box.
- Durable and reusable.
- Machine washable.
- Display unit of 9 available.

#### • CODE: 666099 - 9' x 9' / 2.8m x 2.8m

#### WATERPROOF FLOOR PROTECTION

- Multi Purpose Heavy Duty Waterproof sheeting for protecting floors and surfaces.
- Convenient size, can be cut with scissors.
- Home decorating & DIY purpose.
- Made from recycled polythene.



• CODE: 666027 - 4' x 8' / 1.2m x 2.4m 150mu

#### LAMINATED DUST SHEET

- Reusable, drapes well.
- Multi purpose, machine washable.
- Highly absorbent, water and paint resistant.
- Polythene backing.



• CODE: 666013 - 12' x 9'/ 3.6m x 2.8m

#### HEAVY DUTY CALICO COTTON DUST SHEET

- Heavy duty 100% cotton.
- Durable and washable.




• CODE: 666012 - 12' x 9' / 3.6m x 2.8m

### **PREMIUM MAINTENANCE MATS**

- Heavy duty / durable.
- Waterproof & wipe-able.
- Handy slits for around pipes.
- Ideal for interior / exterior work.
- Absorbent.
- Available in two sizes.





• CODE: PMM1 - 1350mm x 800mm • CODE: PMM2 - 1350mm x 2000mm

### **PREMIUM PLUMBERS RUNNER**

- Professional quality.
- Ideal for interior / exterior work.
- Can be used by all trades, heating engineers plumbers, electricians, painters etc.







### **PADDED KNEELING MAT**

- Helps protect your knees while working.
- Every tradesman's essential tool.
- Easy storage.




#### • CODE: KM1 - 455mm x 250mm

## **SURFACE PROTECTOR**

- Ideal to protect all work surfaces.
- Foam-backed for extra protection.
- Waterproof & wipe-able.



• CODE: SP1 - 900mm x 670mm



#### HARD FLOOR & CARPET PROTECTOR DISPLAY BOX

We highly recommend ordering in the Display Box for maximum impact!

- 6 rolls of CP1 (Carpet Protector).
- 3 rolls of HFP1 (Hard Floor Protector).



NEW

• CODE: FPDB1 - Carpet & hard floor display box

### **25m HARD FLOOR PROTECTOR**

- Suitable for most hard floor surfaces.
- Rip-resistant.
- Quick and simple to apply and remove.
- Self adhesive.
- \*Please read full instructions before use.
  - SERVICING ESSENTIALS
- CODE: HFP1 600mm x 25m / 200g

### **25m CARPET PROTECTOR**

- Rip-resistant.
- Quick and simple to apply and remove.
- Self adhesive.
- \*Please read full instructions before use.



### **100m CARPET PROTECTOR**

- Ideal for home decorating & DIY purpose.
- Super tough polythene film.
- Protects carpets from dirt & spillages. Easy peel leaves no adhesive residue.
- Self adhesive.
- Do not use on hard floors.

\*Please read full instructions before use.

• CODE: 666019 - 520mm x 100m. / 650g







## **ABRASIVES & BRUSHES**

High quality cleaning and finishing products.

#### **ABRASIVES & BRUSHES**

View the full range of abrasives & brushes for heating and plumbing engineers.






#### WATERPROOF ABRASIVE CARBIDE STRIPS

- Longer lasting, waterproof, non clogging, silicone carbide abrasive strips.
- Webbed design ideal for cleaning copper tubes before soldering and roughing up plastic pipes before jointing.
- Webbed silicone abrasive that lasts longer and doesn't clog up.
- Medium grade 180 grit.
- Pack of 10.

#### • CODE: 662100 - 38mm x 250mm

#### WATERPROOF ABRASIVE CARBIDE ROLL

- Longer lasting, waterproof, non clogging, silicone carbide abrasive strips.
- Webbed design is ideal for cleaning copper tubes before soldering and roughing up plastic pipes before jointing.
- Webbed silicone abrasive that lasts longer and doesn't clog up.
- Washable and waterproof.
- Medium Grade 180 grit.





• CODE: 662102 - 38mm x 5m

#### **NYLON ABRASIVE PADS**

- For cleaning, polishing, rust removal, scrubbing and blending.
- Helps remove corrosion, oil and grease.
- Longer lasting.
- Doesn't break up.
- No splinters.
- Washable.
- Less waste.
- Doesn't rust.
- Can be used wet or dry.
- 8mm Thickness.
- Pack of 10.

#### • CODE: 662104 - 160mm x 60mm

### **NYLON ABRASIVE STRIPS**

- For cleaning, polishing, rust removal, scrubbing and blending.
- Helps remove corrosion, oil and grease.
- Longer lasting.
- Doesn't break up.
- No splinters.
- Washable.
- Less waste.
- Doesn't rust.
- Can be used wet or dry.
- 8mm Thickness.
- Pack of 5.





• CODE: WB28 - Medium grade steel wool roll

#### **STEEL WOOL PADS**

- Multi use.
- Medium grade.
- Pack of 8.



#### HEAT EXCHANGER CLEANING BLADE

- For removal of flue gas deposits from heat exchange fins.
- Abrasive nylon cleaning surface reduces the risk of damage during cleaning.
- Available in 200mm or 400mm lengths.
- CODE: 664150 200mm cleaning blade
- CODE: 664151 400mm double cleaning blade



#### **QUAD 4 in 1 PIPE CLEANING BRUSH**

- Unique 4 in 1 wire brush is both light and ergonomic.
- Cleans both internal and external 15mm & 22mm copper pipes.



+44(0)113 271 5245

#### **ABRASIVES & BRUSHES**

#### **COPPER FITTING CLEANING BRUSH**

- Cleaning internal pipes and fittings.
- Hard steel fibre head.
- 4 sizes: 10, 15, 22, 28mm.

- CODE: 664113 10mm
- CODE: 664114 15mm
- CODE: 664112 22mm
- CODE: 664116 28mm

#### **FLUX BRUSHES**

- Specially shaped for applying flux or glue onto joints and threads.
- Size: 200mm x 12mm.

- CODE: 66054 Set of 3 brushes
- CODE: 66055 Tub of 25 brushes

#### **3 PIECE FLUE BRUSH SET**

- 1 x 50mm diameter nylon brush with 405mm long loop handle.
- 1 x 50mm x 15mm flat brush with 405mm long loop handle.
- 1 x 15mm diameter brush with 405mm long loop handle.

• CODE: 664105- Flue brushes set of 3

### **PREMIUM 7 PIECE FLUE BRUSH SET**

- 1 x 305mm handle.
- 1 x 305mm handle extension rod.
- 1 x brush head, nylon, 15mm dia x 150mm long.
- 1 x brush head, nylon, 25mm dia x 72mm long.
- 1 x brush head, nylon, 50mm dia x 150mm long.
- 1 x brush head, steel, 20mm dia x 56mm long.
- 1 x brush head, soft bronze, 15mm dia x 56mm long.

• CODE: 664109- Premium flue brushes set of 7

### **DOMESTIC 7 PIECE FLUE BRUSH SET**

- 1 x 305mm handle.
- 1 x 125mm handle.
- 1 x 305mm extension rod.
- 1 x brush elliptical head, nylon, 50mm dia x 305mm long.
- 1 x brush head, nylon, 50mm dia x 203mm long.
- 1 x brush head, nylon, 50mm dia x 12.5mm long.
- 1 x 305mm flat cleaning blade.



• CODE: 664107- Domestic flue brushes set of 7

#### INDUSTRIAL / COMMERCIAL 9 FLUE BRUSH SET

- 1 x 305mm handle.
- 1 x 125mm handle.
- 1 x 305mm extension rod.
- 1 x brush elliptical head, nylon, 85mm dia x 305mm long.
- 1 x brush head, nylon, 85mm dia x 305mm long.
- 1 x brush head, nylon, 65mm dia x 241mm long.
- 1 x brush head, stainless, 50mm dia x 240mm long.
- 1 x brush head, nylon, 25mm dia x 203mm long.
- 1 x 305mm flat cleaning blade.



• CODE: 664108- Industrial / Commercial flue brushes set of 9

# **SERVICING TOOLS**

A range of premium quality tools designed to make the job easier.

#### **SERVICING TOOLS**

View the full range of servicing tools for heating and plumbing engineers.



ARCTIC

### **U-CUT PIPE CUTTERS**

Don't waste time trying to cut pipes you can't get to with conventional blades! Get quick, neat cuts with these specially designed pipe cutters. Small body size allows movement in tight jobs.

- Heavy duty zinc die-cast body.
- Hardened & tempered Steel cutting wheel.
- Perform quick, neat cuts in copper pipe.
- Supplied with spare cutting wheel.
- Available in 15mm,22mm,28mm.



ARCTIC

#### 15mm U-Cut pipe cutter & spare wheel.



• CODE: 443001

### 22mm U-Cut pipe cutter & spare wheel.



• CODE: 443002

#### 28mm U-Cut pipe cutter & spare wheel.



15 & 22mm U-Cut pipe cutter & spare wheels



• CODE: 443003

15 & 22mm U-Cut spare wheels.



• CODE: 443005

#### 28mm U-Cut spare wheels.



• CODE: 443006

+44(0)113 271 5245

### **ADJUSTABLE PIPE CUTTERS**

ers ty.

Ideal for plumbers, gas engineers, underfloor heating installers and general DIY use. Competitively priced and premium quality.

- No tools required for instant blade change.
- Spare cutting wheel in knob.
- No tool required for instant blade change.

- CODE: 443011- 3-30mm
- CODE: 443012- 3-35mm
- CODE: 443013- 3-45mm

### **26mm PLASTIC PIPE CUTTER**

- Stainless steel straight cut blade with PTFE coating.
- No tools required for instant blade change.
- Magnesium alloy die cast.
- Used on 26mm plastic pipes.

#### • CODE: 443007 - 26mm

### **42mm PLASTIC PIPE CUTTER**

- Superior quality edge geometry blade.
- No tools required for instant blade change.
- Automatic blade release.
- Safe, fully retractable blade.
- Used on 42mm plastic pipes.

#### • CODE: 443009 - 42mm

### **SPARE CUTTER BLADES / WHEEL**

- CODE: 443008- 26mm spare blade
- CODE: 443010- 42mm spare blade
- CODE: 443014- Spare cutter wheels



### **PRESSURE VESSEL HAND PUMP**

Pressure vessel hand-pump with 3 metre hose, suitable for pressure valves on central heating systems.

- Heavy duty construction.
- 3m Hose.
- Double sided non-slip foot stand.



Twin port connector head. Fits Schrader, Presta & Dunlop Valves



With grey lever folded as shown. Push connector head onto valve stem.



Pull grey lever to position shown to lock on the valve stem.



Easy to read gauge with 0-14Bar / 200 PSI Scale



Other accessories include: • 1 x ball pin needle valve.

• 2 x air mattress valve.



#### • CODE: 221003- Pressure vessel hand pump

### **PRESSURE VESSEL EXPANSION KIT**

- Valve core remover tool.
- 3x spare valve cores.
- Pressure vessel angle adaptor-short 180mm.
- To be used in conjunction with 221003 Pressure Vessel Pump.



• CODE: 221004 - Pressure vessel service kit

### **PRESSURE VESSEL LONG ADAPTOR**

- Helps access those difficult to reach pressure vessel valves.
- Long length 1100mm.
- To be used in conjunction with 221003 pressure vessel pump.





• CODE: 221001 - Pressure vessel long adaptor

#### **SERVICING TOOLS**

### **PRESSURE VESSEL ADAPTOR**

- Help access those difficult to reach pressure vessel valves.
- Length: 180mm.
- To be used in conjunction with 221003 Pressure Vessel Pump.



• CODE: 221000 - Pressure vessel angled adaptor

### **GAS PRESSURE TEST TEE KIT**

- 3 way pressure test tee with pump & hose.
- This unit consists of a 1/4" BSPT fitting on a 3 way test tee with 200mm of hose and a hand pump.
- Used to pressurise and check the soundness of gas pipework in conjunction with a U-Gauge.



### **HEAVY DUTY CONTINUITY BOND**

- Provide a temporary continuity to earth when disconnecting or connecting gas pipes.
- Manufactured using flexible multi-strand 10mm<sup>2</sup> cable to conform to current Gas Safety Regulations.
- Heavy-duty fully insulated crocodile clips.
- British Gas specification.
- 1.2m PVC cable.
- For pipes up to 25mm diameter.
- Rated to 150A / 250V.
- CODE: 664015-BG Heavy duty continuity bond

### **ECONOMY CONTINUITY BOND**

- Provide a temporary continuity to earth when disconnecting or connecting gas pipes.
- 0.D.1.33mm (one piece copper dia).
- Copper shares 7 wires.
- NEW improved strength clips.
- 1.2m PVC cable.
- For pipes up to 25mm diameter.
- Rated to 150A / 250V.
- CODE: 664016 Temporary eco continuity bond

#### LONG REACH SCREWDRIVERS

- Set of 2 Long Reach Screwdrivers.
- Slotted and PZD.
- 300mm long reach.
- Chrome vanadium steel blade.
- Twin density handle for better grip.
- Magnetic tip.

• **CODE: 66008** - Long reach screwdrivers

#### **SERVICING TOOLS**

### **BRASS QUAD KEY 4 in 1 TOOL**

- Multi purpose radiator and meter key.
- 4 in1 key fits three sizes of lock-shield radiator valve (1/2", 3/4" & 1") but also has a meter box key for opening both gas & electric meter boxes.
- CODE: 66022 Quad key 4 in 1

### **BRASS METER BOX KEY**

A durable brass meter box key that opens both gas and electric meter boxes.

• CODE: 664125 - Brass meter box key

### **PLASTIC METER BOX KEYS**



#### **RADIATOR BLEED KEY**

Brass radiator air vent keys with easy to turn clock key type handle for releasing air from water filled radiators.

• CODE: 66058 - Radiator brass bleed key







### **PRESSURE TEST NIPPLES**

- 1/8" BSP Pressure Test Nipples (pack of 3) - 664040.
- These brass nipples facilitate the checking of pressure and the setting of governors.
- A small hole restricts the gas flow during the removal of the screw and the fitting of the hose.



- CODE: 664040 Pressure test nipples 3 pack
- CODE: 664040-U Single pressure test nipple

### **TELESCOPIC MAGNETIC PICK UP TOOL**

- Pocket clip.
- Strong magnet.
- Telescopic.
- Length: 600mm (including handle)

• CODE: 664000 - Magnetic pick up tool

### **COOKER STABILITY CHAIN QUICK RELEASE**

- Chain assembly as used by British Gas.
- For installation of domestic gas cooking appliances. (1st, 2nd & 3rd family) illustrated in BS6172.
- Fitted with snap hook for quick release.
- Complete with wall plug.
- CODE: 663100 Cooker stability chain quick release



# **TEST EQUIPMENT**

In Auto

MINMAX

AutoHOLD

HOLD

For all your Gas, Pressure, Temperature and Electrical testing needs.

OFF



View the full range of Testing products including temperature, gas, electrical and calibration.



### **IR-99 3 in 1 THERMOMETER**

The IR-99 3-in-1 thermometer is a clamp thermometer, infrared thermometer and stem thermometer, all in one instrument.



• CODE: 998724 - IR-99 3 in 1 thermometer

### **STEM THERMOMETER**

An easy to use digital stem thermometer which provides accurate temperature measurements. (both Celsius and Fahrenheit).


- Max / Min memory (°F/°C).
- Measurement Range: -50°C to 150°C / -58°F to 302°F.
- Temperature unit °F or °C selectable.
- Data hold/test function selectable.
- 1 sec. normal temperature sensing time.
- One hour auto shut off.
- Low battery indicator.
- 133mm stainless steel sensor probe.



#### • CODE: 998731 - Stem thermometer

#### MINI INFRARED THERMOMETER

- User selectable °C or °F.
- Temp range -30°C to 260°C / -22°F to 500°F.
- Max / Min temperature displays.
- Automatic data hold, power off.
- Precise non contact measurements.
- Trigger lock.
- Non-Contact.



• CODE: 998738 - Mini infrared thermometer

Supplied with protect sheath.

#### DIFFERENTIAL THERMOMETER KIT & TEMPERATURE PROBES

#### Kit Contains.

- 1 x 3630 Differential thermometer.
- 1 x Standard Surface probe.
- 1 x Air Liquid probe.
- 2 x TCP100 Pipe Clamp probes.
- 2 x 1m Thermocouple probes.



• CODE: 998753 - Differential thermometer kit

### **TEMPERATURE PROBES**

#### Pipe clamp probe TCP100 K Type.

- Spring loaded jaw for secure grip.
- Operating temp: -40°C to 100 °C.
- Clamp jaw opening: 1-3/8" (3.5cm).
- Wire Length: 40" (102cm).
- Operating temp: -40°C to 100 °C.
- CODE: 8161 Pipe clamp probe TCP100

#### 1m Thermocouple Probe K Type.

- Semi flexible thermocouple with exposed tip.
- Ideal for air or liquid temperatures.
- Very fast response time.
- 1 metre length with mini plug.
- Max temp. 250°C.
- CODE: 998728 1m thermocouple probe K Type





#### Velcro Pipe Strap Probe K Type.

- Ideal for various size pipe measurements.
- 320mm x 20mm Velcro strap.
- 2 metre long lead.
- Max temperature 150°C.
- CODE: 8125 Velcro pipe strap probe K Type

#### Heavy Duty Surface Probe K Type.

- 10mm Dia ceramic tip for surface temperature measurement.
- Max exposure time: 5 minutes @ +250°C.
- Supplied with 1m coiled cable and fitted mini plug.
- Max temperature 1000°C.
- CODE: 8115 Heavy duty surface probe K Type

#### Standard surface Probe K Type.

- 5mm Dia ceramic tip for surface temperature measurement.
- Max exposure time: 1 minutes @ +250°C.
- Supplied with 1m cable and fitted mini plug.
- Max temperature 850°C.
- CODE: 998727 Standard surface probe K Type

#### Standard Air / Liquid Probe K Type.

- Probe length 100mm.
- Diameter 3.2mm.
- Supplied with handle, 1m coiled.
- Cable and fitted mini plug.
- Max temperature 350°C.
- CODE: 998726 Standard air / liquid probe K Type





**TEST EQUIPMENT** 

#### SINGLE INPUT DIFFERENTIAL THERMOMETER

- Temp range -200°C to 1372 / -328°F to 2501°F.
- User selectable °C / °F or K (Kelvin).
- K Type / J Type single input.
- Max / Min / Avg hold and data function.
- LCD display with back light.
- Thermocouple probes with auto power off.
- Thermometer offers fast response laboratory accuracy.
- Includes 3 x 1.5 AAA batteries.
- Includes 1 x 1m K Type thermocouples.



#### • CODE: 998752 - Single input differential thermometer

#### DUAL INPUT DIFFERENTIAL THERMOMETER

- Temp range -200°C to 1372 / -328°F to 2501°F.
- User selectable °C / °F or K (Kelvin).
- K Type / J Type dual input.
- Max / Min / Avg hold and data function.
- LCD display with back light.
- Thermocouple probes with auto power off.
- Thermometer offers fast response laboratory accuracy.
- Includes 3 x 1.5 AAA batteries.
- Includes 2 x 1m K Type thermocouples.



#### DIGITAL DIFFERENTIAL PRESSURE METER KIT

Pressure test kit with a digital display and is ideal for domestic tightness testing.

- 11 pressure units Mbar, psi, inches, H20, bar, KPa, inHg, mmHg, ozin, ftH20, kgcm2.
- Max / Min pressure feature.
- Back-light display.
- Auto power off, low battery indicator.
- Digital display gauge or differential.
- Hold data, record function.

#### Kit Contains.

- 1 x Digital differential pressure meter.
- 2 x Connection hose.
- 1 x Battery.
- 1 x Robust carry case.
- 1 x Instruction manual.
- 9V battery included.





• CODE: 998673 - Digital differential pressure meter kit

### **COMBUSTIBLE GAS LEAK DETECTOR**

Newly developed heated semi-conductor gas sensor and micro-processor control to provide reliable digital signal processing during testing. An essential testing tool for high performance electronic detection of combustible gases.

- Sensitivity to all combustible gases.
- 7 LED visual indicators.
- Audible and visual alarm.
- Easy to use.
- Adjustable goose-neck.
- Hi and Low sensitivity options.

#### Kit Contains.

- 1 x Combustible gas leak detector.
- 1 x Specialised gas test bottle.
- 1 x Robust carry case.
- 1 x Instruction manual.
- 4 x AA batteries included.



Hayesuk 383 COMBUSTIBLE GAS DETECTOR

• CODE: 998721 - Combustible gas leak detector

### **MULTIMETER WITH TEMP PROBE**

Measure and test DC voltage, AC and DC current. Supplied with K-type temperature thermocouple with adapter.

- Complies with EN61010-1 insulation.
- Class 2, double insulation.
- Overload category: CATIII 600v.
- Display: 2000 counts LCD display.
- DC Voltage: (auto-ranging except 200mV).
- DC Current: (auto-ranging for uA and mA).
- AC Current: (auto-ranging for uA and mA).
- Temperature range up to 760°C.
- GS38 Compliant test leads.
- 9V battery included.



#### • CODE: 998722 - Multimeter with temp function

### **FUSED MULTIMETER TEST LEADS**

Fully compliant fuse leads which conform to the requirements of EN61010 and HSE GS38 regulations.

- Slim body with 4mm plug in connector with 2mm probe lip.
- Complete with 1.2m o/d double insulated silicone cable.
- 600V CAT III rated to EN61010.
- 500mA fast blow fuse.
- Can be used with all multi-meters.
- Complete with snap on crocodile clips.

• CODE: 998780 - Fused multimeter test leads



### **AC9 VOLTAGE DETECTOR WITH TORCH**

Easy to use voltage detector, suitable for noncontact detection of AC voltage. Check and test outlets and wire insulation. Every electrician needs one of these.

- Non contact detection of AC voltage.
- Suitable for outlets and wire insulation testing.
- For use on 50/60Hz circuits.
- CAT III 1000V EN 61010-1.
- Convenient size with pocket clip.
- Built in bright flashlight.
- Rugged double case mould.
- 2 x AAA batteries included.

• CODE: 998715 - AC9 voltage detector with torch

### **MULTI-FUNCTION SCREWDRIVER**

Perform all essential testing to outlets and small electrical appliances with this multi-function screw driver.

- AC voltage test-contact, 70 to 250VAC.
- AC voltage test-non-contact, 70 to 600VAC.
- DC voltage test-up to 250VDC.
- Polarity test, 1.5V to 36VDC.
- Continuity check, 0 to 50M ohM.
- Detects Microwave leakage,≥ 5MW/sq cm2.
- Self-test; Extra-safe.
- 2 x LR41 button batteries included.
- CODE: 664072 Multi function screwdriver



AC CLAWP METER

ESIX FC-31

### **MINI AC CLAMP METER**

- Designed to verify the presence of load current.
- Digital clamp meter.
- Non-Contact voltage detector.
- Flashlight function.
- Large backlit display easy to use.
- Digital display 2000 count.
- Data hold function.
- Max hold function.
- Auto power off.
- Low battery indication.
- Back-light display.
- Fits perfectly in your hand.
- 2 x AAA batteries included.
- CODE: 998782 Mini AC clamp meter

### **PROFESSIONAL CLAMP METER**

- AC/DC clamp meter.
- AC/DC measurements include resistance.
- Capacitance and diode test.
- Digital display 4000 count.
- Electronic overload protection.
- Continuity buzzer & diode check.
- Data hold function.
- DCA zero function.
- Auto power off.
- Low battery indicator.
- 1.2" tear drop shape jaw opening.
- 9V battery included.

• CODE: 8053 - Professional digital clamp meter

### **DIGITAL STOPWATCH**

- 1/100 second (for first 30mins), 1 second thereafter.
- Calendar & time (12 or 24 hour format).
- Daily alarm.
- Hourly chime.
- Big digital display (digital height 7.2mm).
- Case size: 64 x 53 x 19mm.
- Supplied with battery and neck cord.

• CODE: 998735 - TM136 digital stopwatch



# **REPAIR AND CALIBRATION**

Arctic Hayes offers a comprehensive range of calibration and repair services aimed at keeping your test equipment maintained, accurate and functional to the highest standards and at very competitive prices.

Our professional calibration service is staffed by accredited engineers and our service laboratories are fully equipped with the latest calibration instrumentation.

All our calibration certificates and in house test equipment are traceable to National Standards. Any test equipment repaired by us will also be fully calibrated before being dispatched to ensure the repair was successful and the meter is operating correctly. All instruments calibrated or repaired at our laboratory are cleaned, adjusted (where necessary) and test leads (where supplied) are also checked to ensure that your meter is operating at its full potential.

We offer a calibration recall service and we aim to have all instruments tested within 7 working days from receipt, and we can tailor our service to suit your specific requirements.



Service enquiries please contact us on Tel: 0113 271 5245 Email: calibration@arctic-hayes.com

# CHECK OUT OUR BRAND NEW WEBSITE!

- Merchant Login. Check price and availability instantly.
- Manage Account Online. Check order history and see Special Offers
- Access Safety Data Sheets and Technical Information.
- Build Orders over a period of time.

### INTERESTED IN BECOMING A STOCKIST?

Merchant login facility! VEII.



#### www.arctic-hayes.com

## **FIX IT FAST & WASHERS** Perfect for every day jobs.

www.arctic-hayes.com

### **FIX IT FAST & WASHERS**

### View the full range of fixings, washers, O'rings, Split-Klick, fuses individually and in kits.



### **FIBRE WASHER KIT**

330 piece fibre washers ideal to suit a variety of jobs. Contains a mix of 14 of the most common size washers.

#### Kit Contains.

- 270 x red fibre washers 7 sizes: 9 x 6.4mm, 12.6 x 8.3mm, 16 x 10mm, 15.5 x 11.5mm, 19 x 13.5mm, 22 x 14.6mm, 22 x 17mm.
- 35 x fibre washers: 3 sizes: 1", 1.2", 3/4".
- 15 x ball valve seating washers: 2 sizes 1.2", 3/4".
- 10 x top body washers: 2 sizes No.3, No.4.



#### • CODE: FWKIT - 330 piece

### TAP WASHER KIT

170 piece tap washer kit with a variety of the most commonly used tap washers in different materials.

#### Kit Contains.

- 55 x vacca washer flat 4 sizes: 3.8", 1/2", 5/8", 3/4".
- 15 x vacca washer dome 2 sizes: 1/2", 3/4".
- 30 x dome delta/arm washers 2 sizes: 1/2", 3/4".
- 20 x tantofex tap washers 2 sizes: 1/2", 3/4".
- 50 x cap & lining washer fibre 2 sizes: 1/2", 3/4".



• CODE: TWKIT - 170 piece

### **BALL VALVE WASHER KIT**

#### Kit Contains.

- 20 x black ball tap washers 2 sizes: 1/2" x 1/8", 3/4" x 1/8".
- 40 x red ball tap washers 2 sizes: 1/2" x 1/8", 3/4" x 1/8".
- 3 x high pressure seats white.
- 3 x low pressure seats red.
- 20 x fibre washer ball seat 1/2".
- 10 x cotton pins 2 sizes: 1/8" x 7/8", 7/8" x 3/16".
- 5 x diaphragm washers 1 1/4".
- 2 x armstrong diaphragm washer.
- 2 x torbeck diaphragm washer.
- 1 x fluid master seal.
- CODE: BVKIT 106 piece

### **FIBRE & RUBBER WASHER KIT**

#### Kit Contains.

- 30 x fibre washer Y.I.F 1/2".
- 20 x MT cock washer 1/2".
- 20 x fibre ball valve seat washer 1/2".
- 10 x rubber bottle trap washers 2 sizes: 1 1/4", 1 1/2".
- 50 x cap & lining washers 2 sizes: 1/2", 3/4".
- 20 x rubber shower flex washers 1/2".
- 10 x washing machine hose washers 3/4".
- 35 x fibre Flexi tap con washers 2 sizes: 1/2", 3/4".
- 15 x compression olives 2 sizes: 15 & 22mm.
- CODE: FRWKIT 210 piece





### PLUMBERS WASHER & O RING KITS

#### Plumbers Washer Kit Contains.

- 12 pcs 16.5\* 6mm.
- 12 pcs 24\* 11mm.
- 12 pcs 19.5\* 5mm.
- 12 pcs 15.5\* 4mm.
- 12 pcs 12\* 4mm.
- 12 pcs 32\* 5mm.
- 12 pcs 19\* 10mm.
- 12 pcs 19\* 11mm.
- 12 pcs 24\* 15mm.
- 12 pcs 22\* 12mm.
- 12 pcs 18\* 15mm.
- 12 pcs 24\* 20mm.

#### O RING Kit Contains.

- 12 pcs 22\* 1.8mm.
- 12 pcs 14\* 2.65mm.
- 12 pcs 24\* 1.8mm.
- 12 pcs 26\* 2.65mm.
- 12 pcs 27\* 2.65mm.
- 12 pcs 32\* 2.65mm.
- 12 pcs 30\* 3.5mm.
- 12 pcs 22\* 2.65mm.
- 24 pcs 29\* 2.65mm.
- 12 pcs 29\* 3.5mm.
- 12 pcs 33\* 1.8mm.



- CODE: 557000 144 piece
- CODE: 557001 144 piece

#### **WASHER BOX**

- Small & practical.
- Portable tool case for accessories.
- Removable dividers.
- Integral handle.
- Two sturdy/strong closure clips.
- Size: 312 x 238 x 51mm (664133).
- Size: 320 x 260 x 50mm (664143).
- CODE: 664133 Washer kit box
- CODE: 664143 Accessories case



# PIECES

### **IMPERIAL / METRIC ASSORTMENT**

- 18 Universal O-Ring sizes in one sturdy case.
- Nitrile rings resist heat, most petroleum and silicone fluids, hydraulic and non-aromatic fuels and solvents.

#### Metric Washer Kit:

- 3mm x 1mm 20 PCS.
- 4mm x 1mm 20 PCS.
- 4.5mm x 2mm 20 PCS.
- 5mm x 2mm 20 PCS.
- 6mm x 2mm 20 PCS.
- 6mm x 2.5mm 20 PCS.
- 6mm x 3mm 20 PCS.
- 7mm x 2mm 20 PCS.
- 8mm x 2mm 20 PCS.
- 9mm x 2mm 5 PCS.
- 10mm x 2mm 5 PCS.
- 12mm x 3mm 5 PCS.
- 13mm x 3mm 5 PCS.
- 14mm x 2.5mm 5 PCS.
- 17mm x 2.5mm 5 PCS.
- 18mm x 4mm 5 PCS.
- 20mm x 2mm 5 PCS.
- 22mm x 2mm 5 PCS.

#### **Imperial Washer Kit**

- 3/32" x 15/64" 10 PCS.
- 1/8" x 1/4" 20 PCS.
- 5/32" x 9/32" 20 PCS.
- 3/16" x 5/16" 20 PCS.
- 7/32" x 11/32" 15 PCS.
- 1/4" x 3/8" 15 PCS.
- 5/16" x 7/16" 15 PCS.
- 3/8" x 1/2" 10 PCS.
- 5/8" x 3/4" 10 PCS.
- 3/8" x 9/16" 10 PCS.
- 7/16" x 5/8" 10 PCS.
- 1/2" x 11/16" 10 PCS.
- 9/16" x 3/4" 10 PCS.
- 5/8" x 13/16" 10 PCS.
- 11/16" x 7/8" 10 PCS.
- 3/4" x 15/16" 10 PCS.
- 3/4" x 1" 10 PCS.
- 13/16" x 1-1/16" 10 PCS.
- CODE: BOXM 225 piece metric washer kit
- CODE: BOXP 225 piece imperial washer kit





#### O RING METRIC SERVICE KIT Imperial



• NBR 70° Shore A.

20 lots of: 2.9 x 1.79, 3.68 x 1.78, 4.48 x 1.78, 5.28 x 1.76, 6.07 x 1.76, 7.65 x 1.78, 9.25 x 1.78.
13 lots of: 13.95 x 2.62, 12.37 x 2.62, 10.78 x 2.62, 9.19 x 2.62, 15.54 x 2.62, 17.3 x 2.62.
10 lots of: 18.64 x 3.53, 37.69 x 3.53, 36.10 x 3.53, 34.52 x 3.53, 32.93 x 3.53, 31.34 x 3.53, 29.75 x 3.53, 20.22 x 3.53, 21.82 x 3.53, 23.40 x 3.53, 24.99 x 3.53, 26.58 x 3.58, 28.17 x 3.53.
7 lots of: 37.47 x 5.33, 40.65 x 5.33, 43.82 x 5.33.



#### • CODE: PHRINGMET - 382 piece metric washer kit

#### O RING METRIC SERVICE KIT METRIC

• NBR 70° Shore A.

18 lots of: 3 x 2, 4 x 2, 5 x 2, 6 x 2.
17 lots of: 7 x 2, 8, 10 x 2.
14 lots of: 16 x 2.5, 12 x 2.5, 11 x 2.5, 10 x 2.5, 16 x 2.5, 17 x 2.5, 19 x 2.5.
12 lots of: 19 x 3, 38 x 3, 36 x 3, 35 x 3, 33 x 3, 32 x 3, 30 x 3, 20 x 3, 22 x 3, 24 x 3, 25 x 3, 27 x 3, 27 x 3, 28 x 3.
9 lots of: 38 x 4, 42 x 4, 45 x 4.



#### • CODE: PHRINGIMP - 404 piece imperial



saves time & money strong, long lasting fit no need to disconnect pipework



#### Split Klick 1 Top Hat Washers.

Suitaberty Taps

The Split Klick Top Hat Washer offers a far stronger installation than conventional methods. Allows you to replace old washers without disconnecting pipe-work, saving you valuable time. Ideal for use under baths or fittings in sinks.

- Single top hat washer to suit either 1/2" or 3/4" pipe.
- No need to disconnect water supply or tap.
- Long-lasting plastic.
- Revolutionary cut-out design means washer can be cut or filed to fit 22mm / 3/4" taps.



- CODE: SK1/001 Single
- CODE: SK1/002 Twin pack
- CODE: SK1/010 Pack of 10



Loosen the retaining back nut and cut away the damaged conventional top hat washer.



Without turning off the water supply or disconnecting the tap, simply open the SPLITKLICK Top Hat washer and position it around tap stem.



Once in position, click the SPLITKLICK top hat washer together and re-tighten the back nut.







#### **FIX IT FAST & WASHERS**

#### Split Klick 2 - Centralising Washers.



When fitting taps onto ceramic baths & basins, a major problem is positioning the tap centrally and getting a solid fit





Simply slide the SPLIT KLICK centralising washer up the stem of the tap and tighten the back nut.





The patented tabs will be guided into place automatically centralising the tap.



Centralises taps with no mess.
Easy and quick to fit.
Fits 1/2" taps.

• File internal ring to suit 3/4" taps.

- CODE: SK2/001 Single
- CODE: SK2/002 Twin pack
- CODE: SK2/010 Pack of 10
- CODE: SK2/050 Pack of 50

#### Split Klick 3 Monobloc Single Bar Fixing.

Monobloc Washers centralise the tap during installation. No more slipping, no more frustration and a far stronger and professional result.

- CODE: SK3/001 Single
- CODE: SK3/050 Pack of 50

#### Split Klick 4 Monobloc Double Bar Fixing.

Monobloc Washers centralise the tap during installation. No more slipping, no more frustration and a far stronger and professional result.

- CODE: SK4/001 Single
- CODE: SK4/050 Pack of 50









### **FIX IT FAST RANGE**





• CODE: 556016 - 3/4" • CODE: 556017 - 1"

Quick Blow Glass Fuses.

CODE: 556022 - 32mm 3A
CODE: 556023 - 32mm 1A



CODE: 556021 - 20mm 3A
CODE: 556072 - 20mm 500mA



• 4.8mm x 200mm.



• CODE: 666095

**Electrical Connector & Socket.** 





• CODE: 556093 - 3 way • CODE: 556094 - 5 way

Sealing Brass Disks.



- CODE: 556028 1" meter pack of 3
- CODE: 556029 3/4" meter pack of 4
- CODE: 556029-B50 3/4" meter pack of 50




+44(0)113 271 5245

#### **FIX IT FAST & WASHERS**



www.arctic-hayes.com

#### **FIX IT FAST & WASHERS**



+44(0)113 271 5245



# **ACCESS PANELS**

High quality access panels, compliant to Building Regulations Approved Document part J:2010.



### **ACCESS PANELS**

- Slim profile lightweight solution.
- Easy fit installation.
- UV stable ABS.
- Held closed by a snap friction catch.
- Can be fastened easily into position with a suitable glue.
- Can be over-painted to match surface.
- Sizes from 150mm to 560mm.
- Building Regulations Part J Compliant.

- CODE: APS100 100mm x 150mm
- CODE: APS150 150mm x 230mm
- CODE: APS200 200mm x 200mm
- CODE: APS300 300mm x 300mm
- CODE: APS350 350mm x 350mm
- CODE: APS560 560mm x 560mm

### **FIRE RATED ACCESS PANELS**

- 1 hour fire rated robust steel panel certified to BS EN 1634-1:2008 & BS EN 1634-2:1999
- Smoke tested to BS EN 1634-3:2004.
- UKAS acoustic test to 34dB reduction.
- Suitable for walls and ceilings.
- Powdered coated white satin RAL 9010.
- Tamper-proof lock.
- CODE: FRPS1 300mm x 300mm
- CODE: FRPS2 450mm x 450mm
- CODE: FRPS3 600mm x 600mm






\*Please note this size is the door size/ size of hole to be cut not the full panel size.



# **STOVE MAINTENANCE** & HEAT RESISTANT PRODUCTS

Quality restoration and maintenance products.



#### **STOVE MAINTENANCE & HEAT RESISTANT PRODUCTS**

### **STOVE GLASS CLEANER**

- Dissolves soot, tar and creosote.
- Removes burnt residue.
- For best results use on cold glass.
- Complete glass renovation by using in conjunction with Arctic Glass Polish.
- Only to be used on cold glass.
- Apply with paper towel and buff with clean paper towel.
- CODE: SGC1 250ml bottle with atomiser spray.

### **STOVE GLASS POLISH**

- Suitable for use on all types of stoves.
- Ideal for restorations.
- Non-corrosive.
- For optimum results, use after cleaning.
- Only to be used on cold glass.
- Apply with paper towel and buff with clean paper towel. stove glass with Arctic Stove Glass Cleaner (SGC1).
- CODE: SGP1 250ml Bottle.

### **STOVE GLASS RENOVATION KIT**

- One 250ml bottle of Stove bottle cleaner.
- One 250ml bottle of Stove glass polish.
- Suitable for all stoves.
- Cleans and restores glass and ceramic.

• CODE: SGK1 - Stove glass care kit







#### **STOVE MAINTENANCE & HEAT RESISTANT PRODUCTS**

#### BLACK STOVE / COAL Spray Paint

Suitable for internal or external use on surfaces. High temperature fast drying and gives a matt finish.

#### • CODE: HTP1 - 500ml can

### **RADIATOR PAINT SPRAY**

- Ideal for interior use on radiator surfaces.
- Excellent smooth coverage.
- Rust resistant enamel.
- No primer needed.
- Quick and easy paint coverage for radiators.
- Provides a fast, dry finish that will not yellow over time.
- White in colour.
- CODE: HTP2 400ml can

### **HEAT RESISTANT GLOVES**

- A heavy weight, ambidextrous knitted 13" gauntlet.
- Extended cuff for additional protection to the wrist.
- Cut level 5 protection.
- Heat protection up to 350°C.
- Large size only.
- CODE: 445039 Heat resistant gloves



- CODE: LIGHTER1 Gas lighter
- CODE: LIGHTER4 20 x Wind-proof









#### STOVE MAINTENANCE & HEAT RESISTANT PRODUCTS

# **SEALANT GUN G4**

- Sturdy skeleton gun with hexagonal rod, Reinforced ring and hook end.
- Holds up to 400ml cartridges.
- CODE: 665216 Sealant gun G4

# **FIRE CEMENT**

- Easy to use material.
- Provides extremely tight joints to fumes and smoke.
- Cures and forms a hardened seal when exposed to heat.
- Very strong properties of adhesive even at very extreme temperatures up to 1250°C.
- Can be used on a variety of surfaces wherever there is high amount of heat.
- CODE: 665207 300ml black

# **ROPE SEAL ADHESIVE**

- Easy to use liquid adhesive water clean up.
- Temperature resistant up to 1000°C.
- Adheres to most glass, metal, fibre rope & ceramic materials
- Use with Braided Glass Yarn (as seen below).

#### • CODE: 661014 - 125ml bottle.

### **BRAIDED GLASS YARN**

- Asbestos free braided glass yarn.
- A high temperature sealing yarn for use in flues, boilers, stoves, ovens and other heating applications.
- Maximum working temperature 600°C.
- CODE: 661020 6mm x 5m
- CODE: 661021 6mm x 10m
- CODE: 661022 10mm x 5m
- CODE: 661023 10mm x10m
- CODE: 661024 12mm x 5m









# REPORT PADS, TAGS & LABELS

Stay safe, organised and compliant.



## **REPORT PADS, TAGS & LABELS**

View the full range of report pads, tags and labels including gas safety pads, danger do not use tags and more.



### LANDLORD / HOME OWNER GAS SAFETY RECORD PAD

- Pad of 25 A4 forms in triplicate suitable for all landlords.
- Complies with The Gas Safety Installation and Use Regulations.
- Use for inspections, gas servicing and appliance checks.
- Sequentially numbered.

							A H	R A	C'. Y	ГІ( Е	C S							
	L		N D G A												NE D			
				IN AC	COR						AS S, D US		Y REC	GULA	TIONS CODE:	66301	0-NUM	4
GAS	DLOR SAFE	TY	RECO	ORD			P	lame: .ddress: lost code		R: (Trading	Title)			Gas Inst Date of Time of	Issue:			
GAS his inspection dition of the G isually and che ternal inspecti	SAFE is for gas safet as Safety (Insti closed for satisfi on of the flue i Owner" Nan	ETY I y purposes or allation and U actory evacua regrity, const TENANT	RECO	DRD noe with the c rs. Fibas were ts of combust ring has not b	current a inspecte ion. A det een carrie	d ailed ad out.	A	lame: .ddress: lost code			Title) (Agent* N		LORD//	Gas Inst Date of Time of Enginee	aller Ref. No : Issue:	plicable	)	
GAS his inspection dition of the G isually and che nemal inspection Tennant/Home Property Add	SAFE is for gas safet as Safety (Instr closed for satisfi on of the flue is Owner* Nam ress:	y purposes or aliation and U actory evacual negrity, const (INANI)/ te:	RECO rly in accordance se) Regulation tion of product truction and line HOMIEOT Tel:	DRD noe with the c rs. Fibas were ts of combust ring has not b	current a inspecta ion. A dat sen carris	d ailed id out	P	lame: .ddress: lost code		Landlord Address	(Agent" N	lame:		Gas Inst Date of Time of Enginee AGENT	aller Ret. No : Issue: Issue: rs Name: (print) DETAILS (if e			
GAS his inspection dition of the G issuity and char issuity and char issuity and char renant/Home Property Add Post Code Tenant/Home	SAFE is for gas safet as Safety (Inst. closed for satisfy on of the fae i Owner* Nan ress:	y purposes or aliation and U actory evacual negrity, const (INANI)/ te:	RECO rly in accordance se) Regulation tion of product nuccion and lin HOME OV Tel: nspection	DRD noe with the c rs. Fibas were ts of combust ring has not b	current a inspecta ion. A dat sen carris	d alled ad out.	P	lame: .ddress: lost code		Landlord Address: Post Coc Landlord	(Agent" N	lame: resent dur		Gas Inst Date of Time of Enginee AGENT Te tion	aller Ret. No : Issue: Issue: rs Name: (print) DETAILS (if e	YES/N		s
GAS his inspection dition of the G isually and che nemal inspection Tennant/Home Property Add	SAFE is for gas safet as Safety (Inst. closed for satisfy on of the fae i Owner* Nan ress:	y purposes or allation and U actory evacual megrity, const TENANT/ te:	RECO rly in accordance se) Regulation tion of product nuccion and lin HOME OV Tel: nspection	DRD noe with the c rs. Fibas were ts of combust ring has not b	vument e inspecte ion. A det een carrie	d alled ad out.	P	lame: ddress: lost code el:		Landlord Address: Post Coc Landlord	(Agent" N	lame: resent dur	ing inspec	Gas Inst Date of Time of Enginee AGENT Te tion	aller Ret. No : Issue: Issue: rs Name: (print) DETAILS (if e	YES/N	0	S ViteNo
GAS his inspection dition of the G issuity and char issuity and char issuity and char renant/Home Property Add Post Code Tenant/Home	SAFE is for gas safet as Safety (Inst. closed for satisfy on of the fae i Owner* Nan ress:	y purposes or allation and U actory evacual megrity, const TENANT/ te:	RECO rly in accordance se) Regulation tion of product nuccion and lin HOME OV Tel: nspection	ORD nose with the or to. Flass were to of combust ing has not b	vument e inspecte ion. A det een carrie	d ailed id out. S/NO INSP		lame: ddress: lost code el:		Landlord Address Post Coc Landlord	(Agent" N te (Agent" p	lame: resent dut	ing inspec	Gas Inst Date of Time of Enginee AGENT	alter Ret. No : Issue: Issue: rs Name: (print) DETAILS ((f e I: Contustion Petermance Reading	YESIN	D RISSULT	
GAS his inspection dition of the G sualty and che sualty and che s	SAFE is for gas safet as Safety (Inst. closed for satisfy on of the fae i Owner* Nan ress:	y purposes or allation and U actory evacual megrity, const TENANT/ te:	RECO rly in accordance se) Regulation tion of product nuccion and lin HOME OV Tel: nspection	ORD nose with the or to. Flass were to of combust ing has not b	vument e inspecte ion. A det een carrie	d ailed id out. S/NO INSP		lame: ddress: lost code el:		Landlord Address Post Coc Landlord	(Agent" N te (Agent" p	lame: resent dut	ing inspec	Gas Inst Date of Time of Enginee AGENT	alter Ret. No : Issue: Issue: rs Name: (print) DETAILS ((f e I: Contustion Petermance Reading	YESIN	D RISSULT	
GASS his inspection disting of the distinguishing of the sound y and characterial inspection freenant/Home Property Add Ost Code Fenant/Home LOCATON L	SAFE is for gas safet as Safety (Inst. closed for satisfy on of the fae i Owner* Nan ress:	ETY II y purposes or aliason and Us actory walcula tectory walcula tectory walcula TENANT/ TENANT/ TENANT/ TENANT/ TENANT/ TENANT/ TENANT/ TENANT/ TENANT/	REC() rty in accordance (Regulation faion of produce interim and interim HOMIE OV Tell: Trail: Trail:	ORD nose with the or to. Flass were to of combust ing has not b	vument e inspecte ion. A det een carrie	d ailed id out. S/NO INSP	N A P Ti Ti	lame: ddress: lost code el: Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions V	C CO Alan Statistic	Landlord Address: Post Coc Landlord In tead (1 tead) 1 teation	(Agent" N te (Agent" p	tame: resent dut Splage Tec PassFal	ing inspec UENES Terreination Satisfactory NeuNo	Gas Inst Date of Time of Enginee AGENT Te tion Te	alter Ret. No : Issue: Issue: rs Name: (print) DETAILS ((f e I: Contustion Petermance Reading	YESIN Applance Saite To Lise VesiNo	D RISSULT	
GASS his inspection disting of the distinguishing of the sound y and characterial inspection freenant/Home Property Add Ost Code Fenant/Home LOCATON L	SAFE is for gas safets is so right safety is so right safety is safety (income in the label is of the label is is of the label	ETY II y purposes or aliason and Us actory walcula tectory walcula tectory walcula TENANT/ TE: tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory	REC() rty in accordance (Regulation faion of produce interim and interim HOMIE OV Tell: Trail: Trail:	ORD nose with the or to. Flass were to of combust ing has not b	vument e inspecte ion. A det een carrie	d alied ad out. SNVO INSP Ke	N A P Ti Ti	lame: ddress: lost code el: Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions V	C CO Alan Statistic	Landlord Address: Post Coc Landlord In tead (1 tead) 1 teation	(Agent" N te (Agent" p	tame: resent dut Splage Tec PassFal	ing inspec UENES Terreination Satisfactory NeuNo	Gas Inst Date of Time of Enginee AGENT Te tion Te	aller Ret. No : ssue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue:	YESIN Applance Saite To Lise VesiNo	D RESULTS Landords Applance ManNo	Inspecta VisaNo
GASS his inspection disting of the distinguishing of the sound y and characterial inspection freenant/Home Property Add Ost Code Fenant/Home LOCATON L	SAFE is for gas safets is so right safety is so right safety is safety (income in the label is of the label is is of the label	ETY II y purposes or aliason and Us actory walcula tectory walcula tectory walcula TENANT/ TE: tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory	REC() rty in accordance (Regulation faion of produce interim and interim HOMIE OV Tell: Trail: Trail:	ORD nose with the or to. Flass were to of combust ing has not b	vument e inspecte ion. A det een carrie	d alied ad out. SNVO INSP Ke	N A P Ti Ti	lame: ddress: lost code el: Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions V	C CO Alan Statistic	Landlord Address: Post Coc Landlord In tead (1 tead) 1 teation	(Agent" N te (Agent" p	tame: resent dut Splage Tec PassFal	ing inspec UENES Terreination Satisfactory NeuNo	Gas Inst Date of Time of Enginee AGENT Te tion Te	aller Ret. No : ssue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue:	YESIN Applance Saite To Lise VesiNo	D RESULT Ladords Applance Manio	Inspecta Yes/No
GASS his inspection disting of the distinguishing of the sound y and characterial inspection freenant/Home Property Add Ost Code Fenant/Home LOCATON L	SAFE is for gas safets is so right safety is so right safety is safety (income in the label is of the label is is of the label	ETY II y purposes or aliason and Us actory walcula tectory walcula tectory walcula TENANT/ TE: tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory tectory	REC() rty in accordance (Regulation faion of produce interim and interim HOMIE OV Tell: Trail: Trail:	ORD nose with the or to. Flass were to of combust ing has not b	vument e inspecte ion. A det een carrie	d alied ad out. SNVO INSP Ke	N A P Ti Ti	lame: ddress: lost code el: Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions Verstions V	C CO Alan Statistic	Landlord Address: Post Coc Landlord In tead (1 tead) 1 teation	(Agent" N te (Agent" p	tame: resent dut Splage Tec PassFal	ing inspec UENES Terreination Satisfactory NeuNo	Gas Inst Date of Time of Enginee AGENT Te tion Te	aller Ret. No : ssue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue:	YESIN Applance Saite To Lise VesiNo	D RESULT Ladords Applance Manio	Inspecta Yes/No
GASS his inspection dation of the G suby and these his inspection dation of the G suby and these his inspection inspectio	SAFE is br gas safetile is br gas installate gas installate	ETTY II y purpose of a provide the second second second second second second second second	RECCI The second and the second and	Constant of the second se	VE VE	d alaid d duit.		Iame: cont code id: ont code id:	CO Alan Bashed VenNo	Landlord Post Cocc Indiced (f fisse) Warke	Agent" N	resent dur PassFal	Ing Inspect UETTES Satisfactory Nanio	Gas Inst Date of Time of Fingineee Engineeee Figureeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeee	aller Ret. No : ssue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue:	YESIN Applance Saite To Lise VesiNo	D RESULT Ladords Applance Manio	Inspecta Yes/No
GAAS GAAS The inspection of th	SAFEE as address of the second	ETTY II was a second se	RECCIO ry the haconductor of production of production of production of production and the haconductor and the hyperbolic of the hyperboli	Plan beam of the second	VENT	d alad ad out.		Iame: Iost code st:	CO Alars	Landlord Address: Post Coc I Landlord (1 Titel) WerVe KKEN	Agent" N	iame: resent duur Passfai DE DE	Ing Inspect UETTES Satisfactory Nanio	Gas Inst Date of Time of Fingineee Engineeee Figureeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeee	aller Ret. No : ssue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue:	YESIN Applance Saite To Lise VesiNo	D RESULT Ladords Applance Manio	Inspecta Yes/No
GAAS Its insection Its insecti	SAFE is br gas safetile is br gas installate gas installate	ETTY II was a second se	RECCUPATION AND A CONTRACT AND A CON	PARD THE	Viewent is inspection VE VE VE VE VE VE VE VE VE VE	d alabd alabd al d out.	NA P T T	iame: ddress: tost code iel: Veralized Veralized Veralized This Sa Receive Tonant/	CO Alama Washod VisaNo DN T/A	Landlord Address: Post Coc I Landlord (1 Titel) WerVe KKEN	Agent" N Fas Flow Partial Sued by /i	Iame: Fesent dudy Pasifal DB DB DB DB DB DB DB DB DB DB	Ing inspect UE TESS Selencory Nario TAILS ( TAILS ( PT (00062)	Gas Inst Date of Enginee Enginee ACENT Tree Veature Paus Fal Condition	aller Ret. No : ssue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue: Issue:	YESIN Agliusos Yusho Yusho	D RESULTS Landords Marko Morris Yes	Ingeda Verko

• CODE: 663010-NUM - UK gas safety / landlord record pad

# **GAS SAFETY / LANDLORD CERTIFICATE PAD**

3 in 1 official record pad combining the landlords / homeowners record, Gas safety inspection and service check list.


- Pad of 25 A4 forms in triplicate suitable for all landlords.
- Complies with The Gas Safety Installation and Use Regulations.



• CODE: PH091 - Gas safety / landlord certificate pad

# **DANGER DO NOT USE NOTICE PAD**


- Pad of 25 A4 forms in triplicate.
- Combining warning notice & the electrical bonding report.
- Includes at risk / Immediate danger not to current standards notice.
- Complies with The Gas Safety Installation and Use Regulations.



• CODE: 663029 - Danger do not use notice pad

# **NON DOMESTIC GAS PIPEWORK PAD**


- Pad of 25 A4 forms in duplicate.
- Complies with The Gas Safety Installation and Use Regulations.



• CODE: 663014 - Non domestic gas pipework pad

# **PLUMBING INSPECTION SAFETY RECORD PAD**

- Pad of 25 A4 forms in duplicate.
- Check list for noting condition of plumbing fittings.
- Ideal for estate agency / housing association work.
- Complies with The Gas Safety installation and Use Regulations.



• CODE: 663017 - Plumbing inspection safety record pad

# TAGS & LABELS

All tags are stringed and ready for use, labels are easy peel and self adhesive.



# TAPES

Various tapes used daily by trade professionals.



View the full range of tapes including PTFE, warning, identification and more.



# **STANDARD PTFE**

- BS7786:2006 Grade L Potable Water approved.
- BS EN 751-3:1997 approved.
- Resistant to acids, alkalis and solvents.
- Suitable for use with oxygen and drinking water.
- WRAS approved.
- CODE: 662016 12mm x 12m

# **GAS PTFE**

- BS EN 751-3:1997 approved.
- High density.
- For all BS21 threads up to 50mm (2").
- WRAS approved.
- CODE: 662014 12mm x 12m

# **ALUMINIUM FOIL**

- Recommended where a moisture barrier is required.
- Use in any situation where long life and great resistance is needed.
- CODE: 662021 50mm x 45m
- CODE: 662021-40MIC 50mm x 45m

# **IDENTIFICATION**

- The identification tapes shown here are printed with the basic identification colours as emphasised by the health and safety regulations.
- 50mm x 33m.
- CODE: 662030 'GAS'
- CODE: 662031 'LPG'









# E

# **SILICONE REPAIR**

- Resistant to petrol, oils, acids, solvents, salt water and UV rays.
- Withstands extreme temperatures from -65°C to 260°C and has the ability to withstand pressure up to 700psi.
- Excellent electrical insulator up to 8000V.





#### • CODE: 662018 - 25mm x 3m

# **ANTI-CORROSION**

- Corrosion protection for: oil, gas, water and waste pipelines, buried and exposed pipework, pipeline joints and fittings, valves, couplings, flanges, along with tie bars, rods, cables and structural steal work.
- Resistant to mineral acids, alkalis, salts and bacterial attack.
- Remain flexible and highly impermeable to water vapour.
- Conforms to BGC/PS/CW2.
- 10 metre rolls.
- CODE: 662024 50mm x 10m
- CODE: 662025 75mm x 10m
- CODE: 662026 100mm x 10m

## **SEALING CLOTH**

- Service temperature range: -20°C to 60°C.
- **CODE: 662020** 50mm x 50m
- CODE: 662020-25 25mm x 50m





# **HAZARD WARNING**

- Mark and highlight floor areas, pipes,workstation and walkways.
- Heavy duty.
- Abrasion resistant.
- Tear proof.
- Strong adhesion.
- 50mm x 33m.
- CODE: ATAPE24 Black / yellow
- CODE: ATAPE25 Red / white

# **PVC ELECTRICAL INSULATION**

- Flame retardant, self extinguishing.
- Wide range of colour.
- RoHs compliant, Water & UV resistant.
- Non corrosive adhesive.
- 19mm x 33m.
- CODE: 662050R Red
- CODE: 662050Y Yellow
- CODE: 662050YG Green / yellow
- CODE: 662050BK Black
- CODE: 662050G Grey

# **PRS10 ISSUE 2 CLOSURE PLATE**

- Meets requirements of 10.3.2.1A.
- Service Temp 5 to 100°C.
- Complies with British Gas sealing tape.
- Specifications (PRS10) for gas fire closure plate fitting.
- CODE: 662011 50mm x 10m
- CODE: 662012 50mm x 25m

156







# **IDENTIFICATION TAPES**

Printed with the basic identification colours as emphasised by the Health and Safety Regulations. Tapes measure 38mm x 33m.

Arrows black / yellow.	Arrows black / green.	Gas.
	44	GAS GAS GAS GAS GAS GAS
CODE: 662032	CODE: 662033	CODE: 662036
Cold water.	Heating.	Hot water.
COLD	EATIN	HOT WA
CODE: 662035	CODE: 662038	CODE: 662040
Unsafe appliance.	Do Not Use -Work in progress.	Danger.
UNSAFE AP	ONOT USE -W	DANGER-DO
CODE: 662042	CODE: 662043	CODE: 662041
On-Off.	Domestic Hot Water.	Domestic Cold Water.
	DOMES HOT WAT	IN MESTIC
		NED VVPIL


+44(0)113 271 5245

# HEALTH & SAFETY, CLEANING & HYGIENE

Ideal for a range of heating, plumbing and professional jobs.

## **HEALTH & SAFETY, CLEANING & HYGIENE**

View the full range of health & safety, cleaning & hygiene including first aid and more.



# **VEHICLE FIRST AID KIT**

- Essential in every work vehicle.
- 1 x Emergency first aid sterile dressing 12 x 12cm.
- 1 x Triangular non-sterile bandage 90 x 90 x 130cm.
- 1 x First aid guidance leaflet.
- 1 x Contents list.
- 1 x Trauma dressing 10 x 10cm.
- 10 x Sterile cleansing wipes.
- 10 x Waterproof adhesive plasters.
- 2 x Nitrile disposable gloves.
- 1 x Resuscitation face shield.
- 1 x Foil blanket.
- 1 x Adherent dressing 10 x 8cm.
- 2 x Burn dressing 10 x 10cm.
- 1 x Clothing cutting scissors.
- Conforms to BS 8599 Standards.
- Singles or CDU of 6 units available.

#### • CODE: 994020 - Vehicle first aid kit

### 1 - 10 EMPLOYEE STATUTORY FIRST AID KIT

- 1 x First aid kit guidance leaflet.
- 20 x Sterile wash proof plasters.
- 2 x Sterile eye pad with bandage.
- 4 x Triangle bandages.
- 6 x Safety pins.
- 6 x Sterile dressing with pad (medium).
- 2 x Sterile dressing with pad (Large).
- 10 x Moist wipes.
- 1 x Disposable gloves (pair).
- Conforms to BS 8599 Standards.
- CODE: 994010 1 10 employee first aid kit





Hayesuk

# **FIRE BLANKETS**

- 300g cloth.
- Environmentally friendly, water based coating.
- Suppleness & strength ensure user confidence as it is well insulated, yet easy drapes over the fire.
- Full traceability through individual blanket batch number.
- Flush end caps for easy cleaning.
- Compiles with BS EN 18:69:1997 KM & European standards.



#### • CODE: 997180 - 1.8m x 1.2m

# **ABC DRY FIRE EXTINGUISHER**

- A combination of Mono Ammonium Phosphate & Ammonium Sulphate.
- Suitable for multi-risk environment A,B & C fire classification.
- Aluminium lightweight body with secure transport bracket.
- Safe for use on electrical equipment.
- Approved & certified to BS EN3.
- Kite-marked.



• CODE: 999001 - 1Kg extinguisher

# **HEAVY DUTY HAND CLEANING WIPES**

- 80 wipes per tub.
- Cleans paint, adhesive, PU foam, silicone, gap fill, oil, grime & more.
- Super touch absorbent wipes.
- Derma tested, Kind to your hands (anti-bacterial).
- Wipe size: 200mm x 240mm.





• CODE: 445033 - Heavy duty hand cleaning wipes.

# **MULTI-PURPOSE WIPES**

- 80 multipurpose wipes per tub.
- Cleans paint, adhesive, PU foam, silicone, gap fill, oil, grime & more.
- Super touch absorbent wipes.
- 4x4 formula tough on grime.
- Derma tested, kind to your hands (anti-bacterial).



• CODE: PHWIPES - Multi-purpose hand wipes

### **BLACK RUBBLE SACKS**

- Heavy duty / 440 gauge.
- 10 Per roll.



• CODE: BRS1 - 500mm x 760mm

# **HEAVY DUTY RUBBLE SACKS**

- Heavy duty / 500 gauge.
- 100 Bags per box.



• CODE: 998734 - 500mm x 800mm

## **CLEAR RUBBLE WASTE BAGS**

- 21" x 30" 500 gauge.
- 10 Bags per box.



# **POLISHING CLOTHS**

- Cotton/mixed fibre stockinette cloth roll.
- Smooth, multi-purpose cloth.
- CODE: AWC1 750g

## **3PLY BLUE PAPER ROLL**

- 3ply.
- 97 Sheets per roll.
- Highly absorbent, heavy duty.
- CODE: 445031 250mm x 36m

## **2PLY BLUE PAPER ROLL**

- 2ply.
- 379 Sheets per roll.
- Highly absorbent, heavy duty.
- Pack of 6.
- CODE: 445034 200mm x 150m

### OPTIBOX DISPENSER PAPER ROLL

- Large centre feed roll.
- 500 Sheets.
- CODE: 445028 250mm x 190mm









### **BASIC COLOURED INDUSTRIAL RAGS**

- Durable & reusable.
- Mixture of cotton rich material.
- Ideal for heavy industrial cleaning.
- Cost effective cleaning solution.
- NOT recommended for polishing.
- CODE: RAG1 10kg industrial rags

### WHITE COTTON 'RAGS IN A BAG'

- Absorbent.
- Durable & Reusable.
- Manufactured from poly cotton sheeting & shirts.
- CODE: RAG2 10kg high quality rags

## **MAINTENANCE SPILL KIT**

- 15 x Absorbent Maintenance Pads 500 x 400mm.
- 1 x Absorbent Sock 80mm x 1200mm.
- 2 x Robust bags & Cable Ties.
- Guideline/report sheet.
- Absorbs Non-aggressive oils, water & water based fluids.

CODE: 445003 - 15L maintenance spill kit



165







# PERSONAL PROTECTIVE EQUIPMENT

A high quality range of personal protective equipment.

# **PERSONAL PROTECTIVE EQUIPMENT**

View the full range of PPE including Gloves, Dust Masks, Overshoes and more.



# **HEAT RESISTANT GLOVES**

- A heavy weight, ambidextrous knitted 13" gauntlet.
- Incorporates a separate heavy knitted cotton lining attached to the inside for added insulation.
- Extended cuff for additional protection to the wrist.
- Cut level 5 protection.
- Heat protection up to 350°C.
- Large size only.

#### • CODE: 445039 - Heat resistant gloves

### PUGGY PU COATED HANDLING GLOVES

- Ideal for all trades.
- Nylon glove.
- Polyurethane palm coated.
- Machine knitted.
- Integral elasticated wrist.
- Glove rating 4131.
- Large size only.



• CODE: 445036 - PU coated handling gloves

#### PERSONAL PROTECTIVE EQUIPMENT

### **NITRILE DISPOSABLE GLOVES**

- Powder free nitrile gloves.
- High quality disposable gloves.
- Ideal for general lightweight handling including foodstuff.
- Oil resistant.
- CODE: 445044S Small
- CODE: 445044M Medium
- CODE: 445044 Large
- CODE: 445044XL Extra large

# **VINYL DISPOSABLE GLOVES**

- Pre powdered vinyl disposable gloves.
- 100% synthetic PVC, contains no Latex/Protein.
- Ambidextrous, easy to pull on beaded cuff.
- Medical grade.
- Also suitable for food handling.
- CODE: 445035S Small
- CODE: 445035M Medium
- CODE: 445035 Large
- CODE: 445035XL Extra large

# LATEX GLOVES

- Convenient dispenser box.
- Pre-powdered non-sterile latex.
- CODE: 445030S Small
- CODE: 445030M Medium
- CODE: 445030 Large
- CODE: 445030XL Extra large







# **OVERSHOE CARPET PROTECTORS**

- High quality overshoes.
- Elasticated for extra grip around shoes.
- Anti-slip textured surface at the bottom.
- Waterproof.
- Ideal for decorating to protect carpets.
- CODE: 445040 Overshoes / carpet protectors

# **PREMIUM RE-USABLE NON-SLIP OVERSHOE**

- Non slip.
- Type 5 & 6.
- Anti static.
- One size fits all.
- CODE: 7775NON Premium non-slip overshoes

# **SAFETY HELMET**

- Slip-rachet headband adjustment slots for attachments.
- Plastic 6 point suspension harness.
- Supplied complete with sweatband.
- Colours available with MOQ.
- CODE: 445041 Safety helmet

# **SAFETY GOGGLES**

- Conforms to EN166:.
- Optical class: 1.
- B (medium impact energy).
- Comfortable.
- Light weight with direct vent.
- Polycarbonate lens with PVC frame.
- CODE: 445010 Safety goggles











#### PERSONAL PROTECTIVE EQUIPMENT

# **BOLLE SAFETY GLASSES**

- Conforms to EN166 1 FT CE.
- Ultra light weight.
- Wrap around fit.
- Maximum field of vision.
- Anti-scratch lens.
- Supplied with adjustable cord.
- CODE: 445029 Bolle safety glasses

# **NUISANCE DUST MASK**

- This dust mask features a compact design easily worn with glasses and goggles.
- Low breathing resistance and non-irritating to the skin.
- The soft, flexible nose-piece permits individual facial adjustments.
- Provides relief from coarse non-toxic or nuisance dust.
- Non rated nuisance mask.
- CODE: 445020 Nuisance dust mask

# **VALVED DUST MASK FFP3**

- Conforms to EN149:2001 +A1:2009 FFP3 NR.
- Polypropylene outer layer provides smooth lining and avoids loose fibres.
- Adjustable head strap ensures the best facial seal with minimum leakage.
- Contour design ensures the compatibility of glasses goggles and reduces fogging.
- Protection level FFP3 with exhalation valve.
- Full facial closed-sell foam and adjustable nose piece ensures increased worker comfort.
- CODE: 445023 Valved dust mask FFP3







# **HEATING APPLIANCES**

A high quality range for commercial & domestic use.

## **HEATING APPLIANCES**

View the full range of Heating appliances including fan, convector, and oil filled.



# **2kW FAN HEATER**

- BEAB approved.
- Ideal for temporary heating for councils, housing associations and social housing.
- Certified to European Standards.
- 2 heat settings 1000W , 2000W.
- Cool/warm/hot heater settings.
- Power indicator light.
- Adjustable thermostat.
- Thermal automatic cut-out.
- Overheating protection.
- Safety thermal fuse built in.
- Dual thermal automatic cut out.
- Integral carry handle.
- Can be used in both positions horizontal & vertical.
- This product is for use in well insulated spaces or occasional use.

#### Manufactured with additional safety features





DO NOT COVER

• **CODE: 998770** - 2kW fan heater

# **2kW CONVECTOR HEATER**

- Adjustable thermostat.
- On-Off control.
- Floor standing.
- Thermostatic on/off control.
- Anti-frost setting.
- Resettable overheat cut-out.
- Ideal for temporary heating for councils, housing associations and social housing.
- Certified to European Standards.
- This product is for use in well insulated spaces or occasional use.



• CODE: 998730 - 2kW convector heater

## **2kW OIL FILLED RADIATOR**

- 220~240V, 50Hz, 2Kw.
- With 9 fins, fin size: 125 x 580mm.
- 3 heat settings (800,1200,2000W).
- Adjustable thermostat.
- Automatic thermal cut-off, thermal fuse.
- Anti-tip switch.
- Cable length: 1.6M with cord storage.
- Integrated handle.
- Castors for easy movement.
- This product is for use in well insulated spaces or occasional use.



• CODE: 998775 - 2kW oil filled radiator

# WORKWEAR

#### For The Professional.






View the full range of Work-Wear including T-Shirts, Jumpers, Jackets, Hi-Viz and more.



\*Print & Embroidery service available.

# **CLASSIC T-SHIRT**


- 180 190gsm.
- 100% cotton.
- Crew neck.
- Reactive dyed.
- Taped shoulder to shoulder.
- Twin needle stitching on neck and shoulders.
- Sizes: XS-4XL.



• CODE: 6640 - Classic t-shirt

# **CLASSIC POLO SHIRT**

- 50% polyester, 50% cotton 200gsm.
- Reactive dyed.
- Knitted collar.
- Taped neck.
- Hemmed sleeve and bottom.
- 3 Button placket.
- Unisex.
- Sizes: XS 4XL.



• CODE: 6641 - Classic polo shirt





**ADD YOUR** 

LOGO!

**ADD YOUR** 

LOGO!

# **CLASSIC SWEATSHIRT**

- 50% polyester, 50% cotton 300gsm.
- Reactive dyed.
- Set-in sleeve.
- Lycra ribbed cuffs, welt and neck.
- Twin needle stitching at neck, shoulders, arm holes and sleeves.
- Sizes: XS 4XL.



• CODE: 6642 - Classic sweatshirt

# **PREMIUM FLEECE JACKET**

- Cadet style collar.
- Elasticated pull cords and toggles.
- Twin needle stitching.
- Elasticated cuffs.
- Full self coloured zip.
- 2 self covered zipped pockets.
- Reactive dyed.
- 100% polyester super anti-pill micro fleece 380gsm.
- Sizes: XS 4XL.
- 7 Colours available.



• CODE: 5645 - Premium fleece jacket

# **CLASSIC HOODIE**

- Fabric 50% polyester, 50% cotton 300gsm.
- Reactive dyed.
- Lycra ribbed cuffs and welt.
- Twin needle stitching and taped neck.
- Front pouch pocket.
- Double fabric hood with self coloured cord.
- Sizes: XS 4XL.



• CODE: 6647 - Classic hoodie

# **SELKIRK SOFTSHELL**

- Waterproof, wind-proof & breathable fleece lined.
- High stretch fabric.
- Adjustable cuffs.
- Zip fastening front pockets.
- Sizes: S 3XL.
- Black, Navy.

2 Colours available

• CODE: 6676 - Selkirk softshell



**ADD YOUR** 

LOGO!

**ADD YOUR** 

LOGO!

180

# **TUFF STUFF PRO WORK TROUSERS**

- 330gsm polyester/cotton fabric.
- Triple stitched.
- Double thickness on back pockets.
- Tuck away nail pockets.
- Knee pad pockets.
- Mobile phone pocket.
- Waist size: Regular: 28"- 44" leg. Large: 30" - 32.5" leg.
- Black, Navy, Grey, Stone.



• CODE: 6975 - Pro work trousers

# **KNEE-PADS**

- E20 High elastic Eva.
- Twenty piece segment design.
- Increased comfort and flexibility.
- One size.
- knee-pad to fit knee-pad pocket in work trousers.



• CODE: 6603KNP - Knee-pads

# **HI VIS HOODIE**

- Conforms to EN ISO 20471 Class 3 high visibility.
- 280gsm fleece fabric.
- 100% polyester.
- Full length front zip.
- Handwarmer pockets.
- Retro-reflective sew on tape.
- Two band and brace.



**ADD YOUR** 

LOGO!

#### • CODE: HV4022 - Hi vis hoodie

### **HI VIS BOMBER JACKET**

- PU coated polyester EN471 Class 3.
- Orange material certified to GO/RT 3279.
- Quilted lining with heavy weight polyester filling.
- Concealed hood.
- Two-way heavy duty zip front with storm flap and security pocket.
- 2 lower pockets with flaps.
- Inside breast pocket.
- Knitted storm cuffs.
- Fully taped seams.
- Size: S 4XL.



• CODE: 7726 - Hi vis bomber jacket

# **HI VIS WAISTCOAT**

- Conforms to EN471 Class 2.
- 100% polyester tricot waistcoat.
- Sizes: S 4XL.



• CODE: 5673 - Hi vis waistcoat

### **HI VIS TRAFFIC JACKET**

- Conforms to EN471 Class 3.
- Orange material certified to GO/RT 3279.
- PU coated polyester. Quilted lining with heavyweight polyester filling.
- Two-way heavy duty zip front with storm flap.
- Inside breast pocket.
- 2 lower pockets with flap and security pocket.
- Knitted storm cuffs.
- Concealed hood.
- Internal 'wicking' strip.
- Sizes: S 5XL.



• CODE: 5668 - Hi vis traffic jacket



ADD YOUR

LOGO!

#### WORKWEAR

# **SNAPE WORK JACKET**

- Nylon ripstop & softshell outer.
- Zipped handwarmer pockets.
- Zipped chest pockets.
- Adjustable cuffs.
- Thermofort insulation.
- Size: M 3XL.
- Black or grey.



• CODE: J4256 - Pro work jacket

# **THERMAL CLOTHING**

#### Thermal Vest Long & Short Sleeved.

- Size: S-XXL.
- Colours: White or Light blue.
- High performance thermal fabric.
- Good insulation against cold conditions.
- Lightweight, comfortable material.

#### Thermal Long Johns.

- Sizes: S- XXL.
- Colours: White or Light blue.
- High performance thermal fabric.
- Good insulation against cold conditions.
- Lightweight, comfortable material.
- CODE: 9286LS Long sleeve thermal vest
- CODE: 9286SS Short sleeve thermal vest
- CODE: 9284 Thermal long johns





### THERMAL GLOVES, FINGERLESS GLOVES

- Material micro fibre 40gram Thinsulate lining.
- For high activity levels.
- Traps and holds body heat.
- CODE: 5920 Thermal gloves black
- CODE: 6674BK Fingerless gloves black
- CODE: 6674GY Fingerless gloves grey

## THERMAL SKI HAT

- Material micro fibre 3M Thinsulate lining.
- Excellent comfort.
- Superior active-breathing performance.
- Effective even when wet.
- Dries quickly.
- Great give away.
- CODE: 5945BK Thermal ski hat

# THERMAL SOCKS

- Material micro fibre 40gram Thinsulate lining.
- One size 6 11.
- Comfortable and warm.
- Holds in heat.
- CODE: 4551 Thermal socks

# WINTER PACK

- 1 x 300ml De-icer spray.
- 1 x 500ml Screen wash.
- 1 x Easy grip ice scraper.
- CODE: WGP100 Winter pack









# CHECK OUT OUR BRAND NEW WEBSITE!

- Merchant Login. Check price and availability instantly.
- Manage Account Online. Check order history and see Special Offers
- Access Safety Data Sheets and Technical Information.
- Build Orders over a period of time.

# INTERESTED IN BECOMING A STOCKIST?

Merchant login facility!

VEI,



#### www.arctic-hayes.com

# **HOW TO ORDER**

Before you call or email us, our frequently asked questions section on our website could help you find a quick solution?

# PHONE

You can reach our sales office during the following hours:

Mon-Thur ..... 8:30am - 5pm Fri ...... 8:30am - 4pm

#### Tel: +44(0)113 271 5245 Faz: +44(0)113 271 5779



We aim to reply to all enquiries the same day.



#### sales@arctic-hayes.com

# ONLINE

You can now order direct from us on our new website.

- Check stock for delivery.
- Quick order history to save time.
- View more product details.
- Suggested products.
- Manage your account.
- Mobile friendly.

Order Now! www.arctic-hayes.com

# IN BRANCH

We supply thousands of branches across the UK from large national merchants to small independent businesses across the UK.

Contact our Sales Office to find your nearest stockist.





www.arctic-hayes.com | Call us on: +44(0)113 271 5245

Glover Way, Leeds, LS11 5JP