


PRODUCT CATALOGUE



ARCTIC HAVES A DIVERSITECH® CORPORATION BRAND

Arctic Hayes stands as an integral part of DiversiTech® Corporation, bringing its portfolio of well-established and trusted products to the group. These include pipe freezing solutions, Vortex gas detectors, and Sleepsafe carbon monoxide & smoke alarms.

Arctic Hayes comprehensive product range is now integrated into DiversiTech®'s broader offerings, a result of continuous investment in product development, robust quality systems, and a dedicated team.

We manage the entire production and sourcing process, from manufacturing support and rigorous factory inspections to seamless shipping and logistics. This ensures that our customers consistently receive high-quality products, delivered on time and at competitive prices. We are committed to upholding the highest social and ethical standards, both within our own operations and in collaboration with our manufacturing partners. We adhere to BSCI and SEDEX guidelines across our supply chain.

Arctic Hayes is ISO 9001:2015 certified, demonstrating our unwavering customer focus and the dedication of our quality management systems to ongoing development and enhancement.

By implementing ISO 14001:2015, we are committed to reducing our environmental impact, increasing the reuse and recycling of waste materials, enhancing resource efficiency, and protecting the environment. Arctic Hayes customers can expect to work with a highly knowledgeable team focused on delivering efficient and dependable service.





DIVERSITECH®,


DiversiTech® Europe brings together leading European companies in the HVAC-R, fixing, and plumbing markets. Together, we provide an unmatched selection of components, making DiversiTech® Europe the one-stop shop for quality, innovation, service, and comprehensive solutions to meet the sophisticated needs of international customers.

Founded in 1971, DiversiTech® Corporation is the leading manufacturer of HVAC/R components in North America, with a varied portfolio of more than 200 product categories. With a diversified offering that is constantly being improved and designed to meet the specific needs of HVAC/R professionals, DiversiTech® is distinguished by quality manufacturing and outstanding customer service.

Building on our robust manufacturing foundation, DiversiTech® is dedicated to enhancing the efficiency of our customers' workflows. Through the provision of a comprehensive system of accessories, we effectively remove the inefficiencies associated with procurement and supply chain management. This strategic integration of our products empowers our customers to operate smoothly and efficiently.

Ultimately, this enables a sharper focus on delivering exceptional service and value to their clients, ensuring that quality and reliability remain at the forefront of their operations.





www.arctic-hayes.com

HOW TO ORDER?

Before you call or email us, our frequently asked questions section on our website could help you find a quick solution?

EMAIL

We aim to reply to all enquiries the same day sales@arctic-hayes.com

PHONE

You can reach our sales office during the following hours:

Mon-Thur 8:30am - 5pm Fri 8:30am - 4pm

Tel: +44(0)113 271 5245

ONLINE

Set up your online account now for easy ordering.

- Check stock for delivery.
- Quick order history to save time.
 - View more product details.
 - Suggested products.
 - Manage your account.
 - Mobile friendly.
 - Merchant portal.

www.arctic-hayes.com

IN BRANCH

Arctic Hayes products are available from all good plumbing merchants. **Call for your nearest stockist**



CONTENTS

PIPE FREF7E

SMOKE **PRODUCTS**

AEROSOL **GREASE &** SOLUTION

HVAC/R & RENEWABLE ACCESSORIES

SOLDERING & **BRAZING**

CARBON **MONOXIDE**, HEAT & SMOKE



Aero Freeze Kits & Accessories Pro Freeze Kits & Accessories **Electric Kits & Accessories**

Smoke Matches

Pages 13 - 20 Pages 21 - 29 Pages 30 - 35



Pages 38 - 39 Pages 40 - 42 Smoke Sticks, Refills & Powdered Smoke Pages 43 - 46

Leak Detection Maintenance & Multi-Purpose Silicone & Grease Products

Smoke Cartridges & Pellets

Pages 48 - 49 Pages 50 - 52 Page 53

Pages 56 - 77



CO, Heat & Smoke Alarms

Gauges, Hoses & Buckets

Report Pad & Labels/Tags

Heat Resistant Products Specialist & Identification Tapes

Radiator Servicing

Water Treatment

Asset Protection

Abrasives & Brushes

Aerosol Alarm Testers

Soldering & Heat Mats

Gas & Torches

Air Source Heat Pumps,

Boiler & Heating Products

Pages 90 - 98 Pages 97 - 98

Pages 80 - 86

Pages 87 - 88

Pages 100 - 108 Pages 109 - 111 Page 112 Pages 114 - 124 Pages 125 - 131 Page 132 Page 133 Pages 134 - 136





CONTENTS

SERVICING Tools

TEST

Pipe Cutters & Benders Test Pump & Accessories Servicing Tools

.....

Temperature Gas & Pressure Electrical Pages 138 - 141 Pages 143 - 145 Pages 146 - 150

Pages 152 - 159 Pages 160 - 164

Pages 165 - 171





FIX IT FAST Range

EQUIPMENT

ACCESS PANELS Washers & Kits Split-Klick Washers Washers & Fixings

Lightweight Plastic

1 Hour Fire Rated

Pages 174 - 176 Pages 178 - 180 Pages 181 - 190



Page 192 Page 193

PPE & Cleaning

Personal Protective Equipment Cleaning Products Pages 196 - 203 Pages 204 - 212



WINTER PRODUCTS

Heating Appliances Winter Accessories Pages 214 - 216 Pages 217 - 218





PIPE FREEEE

WHY FREEZE PIPES?

Arctic Hayes pipe freeze products enable repairs and maintenance of pipework without the need to drain down the whole system saving time, effort and money.

Our pipe freeze products form a temporary ice-plug in the pipe so work can be carried out with minimum disruption.

BENEFITS

- Reduces job time, on average, by 85% (based on a 2 hour drain down and refill).
- No need to locate stop-cock or service valves.
- Reduces potential for water spillage and property damage.

PIPE MATERIALS THAT CAN BE FROZEN

Our pipe freeze products can be used on a number of materials including Copper, Plastic, Steel, Lead and Iron.







FREEZE SPRAY CAN BE USED FOR

The safe way to extend or repair pipe work in minutes, without draining down or turning of the mains including Radiator valves, Scale reducers, Magnetic filters, Circulating pumps









HORIZONTAL & VERTICAL

Being able to complete a freeze on both horizontal and vertical pipes, allows our pipe freeze kits to be used in most situations.

Most of our pipe freeze products can create simultaneous dual freezes allowing for sections of pipe to be completely isolated. This means that valves, pumps or branches, can be added or removed with minimal effort or mess.

THE ORIGINAL THE BEST!

Arctic Hayes Pipe Freezer was **invented in 1966** making us the **Original** and the **best** Pipe Freeze on the market.

By using Pipe Freeze as your **first choice** you'll make light work of many plumbing and heating jobs, **increasing** your efficiency, availability and ultimately - **your profit margin.**



WHICH KIT IS RIGHT FOR ME?

We offer a range of pipe freeze products starting with disposable freeze kits perfect for DIY jobs. Most professional kits are capable of dual freeze and electric freeze kits for larger projects where pipes need isolating for a prolonged period of time.

MICTIC

6

REPAR

0 10

Acro: Ideal for professional or DIY use. These disposable kits contain enough refrigerant to perform one freeze on 22mm or 28mm and two freezes on 15mm (ZEK2 only). Suitable for changing radiator valves, stop-cocks, tap washers, showers and many other plumbing tasks.

Pro: Supplied with extra features such as re-usable components and dual freeze capability*. Pro kits are available in different models and can freeze pipes

from 8mm to 61mm external diameter.

View the range (pages 21-29)

View the range (pages 13-20)

*All kits apart from ZESOLO & ZEWA.

Electric: A comprehensive range of electric pipe freeze kits, for every application. Available in various models and voltages (110v & 230v), to freeze pipes from 8mm to 61mm external diameter.

View the range (pages 30-35)

AERO PIPE FREEZE SPRAY

Trusted in the industry for over 59 years. Freezes pipes in as little as 3 minutes with the ice-plug lasting up to 35 minutes.











• CODE: ZE1 - 150ml Can • CODE: ZE2 - 300ml Can

はいたの

SAVE TIME, EFFORT & MONEY

EELE @

AERO DISPOSABLE PIPE FREEZE KITS

- Easy to use, freezes pipes in minutes
- Portable and non-flammable
- Suitable for horizontal or vertical freeze
- No need to locate stop-cock or service valves
- Reduces job time, on average, by 85%



ARCTK

ARCTR

WETT

The original pipe freeze kit. Ideal for small single-use plumbing jobs. Suitable for a single freeze on 8-15mm [½"-½") horizontal or vertical pipes.

CODE: ZEK1

KIT CONTAINS

- 1 x Aero Pipe Freeze 150ml can
- 1 x Freeze jacket
- 2 x Cable ties
- 1 x Instruction manual

The mid-size pipe freeze kit. Suitable for two 15mm (½") freezes or one larger 22 or 28mm (¾" or 1") freeze where more refrigerant may be required.

CODE: ZEK2

- 1 x Aero Pipe Freeze 300ml can
- 2 x Freeze jackets
- 4 x Cable ties
- 1 x Instruction manual



HOW TO USE GUIDE



STEP ONE

Set up involves switching off the pump to ensure the water is not flowing and closing any valves. The system temperature should be cool, ideally below 20°C.



STEP TWO

Attach the freeze jacket to the pipe, ensure it's as secure as possible. Fit the cable ties to each end and tighten.



STEP THREE Make a small incision in the top. Take the can of pipe freeze and add the nozzle to the can and you're ready to go.



STEP FOUR

Insert the straw into the jacket and spray for around 10 seconds. Leave for a few seconds to avoid any flooding in the jacket (you'll see refrigerant leaking out the jacket if you spray too much). Repeat until you have used the dose indicated on the side of the can or you hear the click sound, which indicates the ice plug has formed. Wait a further five minutes, or 10 minutes if the pipe is plastic.

STEP FIVE

Now you can safely carry out your job with no need to drain down. Pipe freeze reduces your total job time by up to 85% on average.



STEP SIX

Always allow the jacket to defrost before removing. Once job is complete, cut the cable ties off and remove the jacket.





Get more out of this kit with the extra freeze spray and re-usable jackets. Suitable for multiple 8, 15, 22, 28 or 1 x 35mm (¼", ½", ¾", 1" or 1¼") freezes • CODE: ZEDUAL835.



- 2 x Aero Pipe Freeze 300ml cans
- 1 x 8-20mm (¼"- ¾") Re-usable Freeze Jacket
- 1 x 22-35mm (¾"-1¼") Re-usable Freeze Jacket
- 1 x Lightweight soft case

AERO ELITE PIPE FREEZE KIT

The largest aero pipe freeze kit. With two re-usable jacket sizes to allow a wider variety of work and three canisters of pipe freeze to perform more longer jobs where more refrigerant is required. Suitable for multiple 8, 15, 22, 28 or 35mm [½", ½", ¾", 1" or 1¼") freezes, with dual freeze capability on horizontal or vertical pipe.

CODE: ZELITE1



- 3 x Aero Pipe Freeze 300ml cans
- 2 x 8-20mm (¼"- ¾") Re-usable Freeze Jackets
- 2 x 22-35mm (¾"-1¼") Re-usable Freeze Jackets
- 1 x Lightweight soft case



- Intended for use with aero freeze sprays
- Rugged construction with rip-stop material
- Fast and secure drawstring toggles
- Suitable for copper, steel, lead, iron & plastic pipes
- Foam insulation



Re-usable jacket for use on 8-20mm (¼"- ¾") pipes. • CODE: ELITE820



Re-usable jacket for use on 22-35mm (¾"-1¼") pipes. • **CODE: ELITE2235**





Disposable jacket for use on 8-28mm pipes (¼"-1") pipes. Supplied with 2 x cable ties. • **CODE: ASM01**

AERO PIPE FREEZE GUIDES

Guides are based on copper pipe work at no more than 20°C (68°F) ambient temperature. For higher temperatures use at least 25% more Arctic Hayes Aero Pipe Freeze. Expected dose time is how long it should take to inject the refrigerant dose.

ТҮРЕ	PIPE Ø	DOSE PER FREEZE	EXPECTED DOSE TIME	PAUSE	ICE PLUG LIFE
Copper, Steel, Lead or Iron	8 - 15mm [¼"-½"]	1 Can	3 min	5 min	30-35 min
	22mm (¾")	2 Cans*	10 min	5 min	30-35 min
	28mm (1")	2 Cans*	10 min	5 min	20-30 min
Plastic	15mm (½")	1 Can	3 min	10 min	35 min
	22mm (¾")	2 Cans*	15 min	10 min	35 min

ZE1 (150ml Can) FREEZE GUIDE

ZE2 (300ml Can) FREEZE GUIDE

ТҮРЕ	PIPE Ø	DOSE PER FREEZE	EXPECTED DOSE TIME	PAUSE	ICE PLUG LIFE
Copper, Steel, Lead or Iron	8 - 15mm [¼"-½"]	½ Can	3 min	5 min	30-35 min
	22mm (¾")	1 Can	10 min	5 min	30-35 min
	28mm (1")	1 Can	10 min	5 min	20-30 min
Plastic	15mm (½")	½ Can	3 min	10 min	35 min
	22mm (¾")	1 Can	15 min	10 min	35 min

ZELITE1 (300ml Can) FREEZE GUIDE

TYPE	PIPE Ø	JACKET VELCRO COLOUR	DOSE PER CAN	EXPECTED DOSE TIME	PAUSE	ICE PLUG LIFE
Copper, Steel, Lead or Iron	8 - 15mm [½"-½"]	GREEN	½ Can	3 min	5 min	30-35 min
	22mm (¾")	GREEN OR RED	1 Can	10 min	5 min	30-35 min
	28mm (1")	RED	1 Can	10 min	5 min	20-30 min
	35mm (11/4")	RED	2 Can	15 min	5 min	15-20 min
Plastic	15mm [½"]	GREEN	½ Can	3 min	10 min	35 min
	22mm (¾")	RED	1 Can	15 min	10 min	35 min

The use of compression, push-fit or press-fittings is recommended. DO NOT solder near ice plug or refrigerant vapour. Where possible open a tap/valve etc, to verify that the pipe is frozen.



PRO PIPE PIPE FREEZE

Pro formulation pipe freeze in a 600g canister. Suitable for use with all Arctic Hayes pro freeze kits.

- Fastest pipe freeze spray on the market
- Freeze pipes in as little as 90 seconds
- Up to 6 freezes per can
- Non-flammable
- Eco-friendly refrigerant
- For use with all Arctic Hayes Pro kits
- CODE: ZEP1 509ml Can

DID YOU Know?

you can create simultaneous dual freezes to isolate sections of pipework.



HOW TO USE VIDEO

8-22mm (1/2"- 3/") PRO PIPE FREEZE KIT

Our most popular professional pipe freeze kit, the ZEPRO, contains everything you need to start regularly freezing the most common pipe sizes. Designed for heating and plumbing engineers with dual freeze capability and reusable components. Freezes $8-22mm[\frac{1}{4}-\frac{3}{4}]$ pipes for up to 30 minutes.

• CODE: ZEPRO



- 1 x Pro Pipe Freeze 600g / 509ml can
- 2 x 8-15mm (¼"-½") Freeze jackets
- 2 x 15-22mm (1/2"-3/4") Freeze jackets
- 2 x 1m Nylon connection hose
- 1 x Regulator valve
- 1 x Digital dosing scale
- 1 x Dual freeze T-connector
- 1 x Instruction manual



This lightweight alternative to our best selling ZEPRO comes in a lightweight soft case. Ideal for heating and plumbing professionals or DIY use. Freezes $8-22mm[\frac{1}{4}-\frac{3}{4}]$ pipes for up to 30 minutes.

CODE: ZESOLO



- 1 x Pro Pipe Freeze 600g / 509ml can
- 1 x 8-15mm (¼"-½") Freeze jacket
- 1 x 15-22mm (1/2"-3/4") Freeze jacket
- 1 x 1m Nylon connection hose
- 1 x Regulator valve
- 1 x Digital dosing scale
- 1 x Instruction manual

8-35mm (1/4"- 11/2") COMMERCIAL PIPE FREEZE KIT

This Pro Commercial Kit comes in a lightweight soft case, and includes three of the most common jacket sizes. Suited to heating and plumbing engineers, it is ideal for commercial plumbing jobs, with dual freeze capability and reusable components. Freezes 8-35mm [¼" - 1¼"] pipes for up to 30 minutes.

• CODE: ZECOM



- 1 x Pro Pipe Freeze 600g / 509ml can
- 2 x 8-15mm (1/4"-1/2") Freeze jackets
- 2 x 15-22mm (1/2"-3/4") Freeze jackets
- 2 x 28-35mm (1" 1¼") Freeze jackets
- 2 x 1m Nylon connection hose
- 1 x Regulator valve
- 1 x Digital dosing scale
- 1 x Dual freeze T-connector
- 1 x Instruction manual

8-35mm (¼"- 1½") UTILITY PIPE FREEZE KIT

Designed primarily for single freeze applications, such as water meter installation or replacement. Freezes 8-35mm (¼"-1¼") pipes for up to 30 minutes.



- 2 x Pro Pipe Freeze 600g / 509ml cans
- 1 x 8-15mm (¼"-½") Freeze jacket
- 1 x 15-22mm (1/2"-3/4") Freeze jacket
- 1 x 28-35mm (1"- 1¼") Freeze jacket
- 1 x 1m Nylon connection hose
- 1 x Regulator valve
- 1 x Digital dosing scale
- 1 x Instruction manual

8-61mm (¼"- 2") INDUSTRIAL PIPE FREEZE KIT

Featuring larger jackets for bigger diameter pipes, this professional kit is ideal for larger commercial and industrial scale pipe freeze projects, with dual freeze capability and reusable components. Freezes 8-61mm (¼"-2") pipes for up to 30 minutes. • CODE: ZEIND



- 2 x Pro Pipe Freeze 600g / 509ml cans
- 2 x 8-15mm (¼"-½") Freeze jackets
- 2 x 15-22mm (1/2"-3/4") Freeze jackets
- 2 x 28-35mm (1"- 1¼") Freeze jackets
- 2 x 35-42mm (1¼"- 1½") Freeze jackets
- 2 x 54-61mm (2") Freeze jackets

- 2 x 1m Nylon connection hose
- 1 x Regulator valve
- 1 x Digital dosing scale
- 1 x Dual freeze T-connector
- 1 x Instruction manual

PRO PIPE FREEZE JACKETS

Re-usable freezing jackets made from high quality rip-stop nylon for use with all pro pipe freeze kits.

> For use on 8-15mm (¼"-½") pipes. **CODE: MUFF0**



For use on 15-22mm (½"-¾") pipes. **CODE: MUFF1**



For use on 28-35mm (1"-1¼") pipes. **CODE: MUFF2**



For use on 35-42mm (11/4"-11/2") pipes. **CODE: MUFF3**



For use on 54-61mm (2") pipes. **CODE: MUFF4**

PRO PIPE FREEZE ACCESSORIES

Professional pipe freeze accessories are available in most kits and can also be purchased individually.



Nylon Connection Hoses

For use with all Pro kits. • CODE: NTB04 (1m length) • CODE: NTB04B30M (30m length)

Dual Freeze T-Connector



Required to carry out dual freeze. For use with all Pro kits. **CODE: ETC04**



Refrigerant dosing digital scale is calibrated to allow accurate dosing of pro freeze spray, minimising refrigerant wastage. • CODE: DIGISCALE

Regulator Valve



Allows for a much more precise application of refrigerant than the press-top disposable kit. **CODE: VPOL**





Can be used for central heating repairs and installations



Installing shower units

Installing & repairing stopcocks and service valves



Plumbing in washing machines or dishwashers



Cistern washer replacements



Installing or replacing taps or washers

PRO PIPE FREEZE GUIDE

Guide is based on copper pipe work at no more than 20°C (68°F) ambient temperature. For higher temperatures use at least 25% more Arctic Hayes pro pipe freeze.

PIPE Ø	DOSE PER FREEZE	JACKET CODE	JACKET VELCRO COLOUR	ICE PLUG LIFE
8 - 15mm [¼-½"] 100g		MUFF0	YELLOW	10 MINS
15mm (½")	200g	MUFF1	GREEN	20 MINS
22mm (3/4")	300g	MUFF1	GREEN	25 MINS
28mm (1")	500g	MUFF2	RED	30 MINS
35mm (11/4")	600g	MUFF2	RED	30 MINS
42mm (11/2")	1000g	MUFF3	WHITE	30 MINS
54mm (2'')	1850g	MUFF4	BLACK	30 MINS
61mm (2")	2250g	MUFF4	BLACK	30 MINS

 $\,^*$ NOTE: empty ZEP1 can with brass valve weighs approx 250g

The use of compression, push-fit or press-fittings is recommended. D0 N0T solder near ice plug or refrigerant vapour. Where possible open a tap/valve etc, to verify that the pipe is frozen.

BENEFITS OF ELECTRIC FREEZE

- Long-term savings No consumable refrigerants required
- Variable voltage 110v or 230v machines
- Flexibility Freeze 8 61mm (1/4" 2") pipes
- Quick Results Initial ice-plug forms in around 10 minutes for 8mm pipes and approx 20 minutes for 28mm pipes.





8

8-28mm (1/4"- 1") MINI ELECTRIC FREEZE KIT

The mini is the smallest and most easily portable of the electric freeze kits. Ideal for domestic or large-scale contract and commercial plumbing jobs up to 28mm (1") diameter pipes. Aluminium freeze heads are designed to fit straight onto a 28mm (1") pipes, adding reducers 8-22mm (¼" - ¾") to the heads allows the freezing of smaller pipes.

- Unit weight: 23.6kg
- CODE: AH28 230V



- 4 x Pairs of clamp head reducers: 8mm (¼"), 10mm (3/8"), 15mm (½"), 22mm (¾")
- 1 x Pair of cotton gloves
- 1 x 200ml freeze cream

- 2 x Optimum freeze towels
- 2 x Fixing straps
- 1 x User Instructions

8-42mm (1/2"- 11/2") DOMESTIC ELECTRIC FREEZE KIT

The 42mm (1½") is the most popular of the electric freeze kits. Ideal for domestic or large-scale contract and commercial plumbing jobs up to 42mm (1½") diameter pipes. Aluminium freeze heads are designed to fit straight onto a 42mm (1½") pipe, adding reducers 8-35mm (¼ -1¼") to the heads allows the freezing of smaller pipes.

- Unit weight: 25.5kg
- CODE: AH42 230V
- CODE: AH42/110 110V



- 6 x Pairs of clamp head reducers: 8mm (¼"), 10mm (3/8"), 15mm (½"), 22mm (3/4"), 28mm (1"), 35mm (114")
- 1 x Pair of cotton gloves
- 1 x 200ml freeze cream

- 2 x Optimum freeze towels
- 2 x Fixing straps
- 1 x User Instructions

8-61mm (1/2"- 2") INDUSTRIAL ELECTRIC FREEZE KIT

The largest of the electric freeze kit, Industrial electric kit will handle large scale plumbing jobs, and come equipped to freeze pipes from 8mm to 61mm ($\frac{1}{2}$ "-2"). Aluminium freeze heads are designed to fit straight onto a 61mm (2") pipe, adding reducers 8-54mm ($\frac{1}{2}$ -2") to the heads allows the freezing of smaller pipes.

- CODE: AH61/110 110V
- CODE: AH61/230 230V

KIT CONTAINS

- 9 x Pairs of clamp head reducers: 8mm (¼"), 10mm (3/8"), 15mm (½"), 22mm (¾"), 28mm (1"), 35mm (1¼") 42mm (1½"), 49mm (1¾"),54mm (2")
- 1 x Pair of cotton gloves
- 1 x 200ml freeze cream
- 2 x Optimum freeze towels
- 2 x Fixing straps
- 1 x Instruction manual

AH61 REPLACEMENT REDUCERS

Replacement 8mm (¼"), 10mm (3/8"), 15mm (½"), 22mm (¾"), 28mm (1"), 35mm (1½"),42mm (1¾"), 49mm (1¾"),54mm (2") (Sold in separate pairs per reducer size)

- CODE: RDC608 8mm (1/4")
- CODE: RDC610 10mm (3/8")
- CODE: RDC615 15mm (1/2")
- CODE: RDC622 22mm (¾")
- CODE: RDC628 28mm(1")
- CODE: RDC635 35mm (11/4")
- CODE: RDC642 42mm (11/2")
- CODE: RDC649 49mm(1¾")
- CODE: RDC654 54mm (2")



ARCTIC

ARCTIC ELECTRIC PIPE FREEZER INSTRUCTIONS

NOTION OF STREET, ST.

All field international and findheast to be fit first and fit for the fit of the second second



A series of the series of the

CONTRACTOR OF THE OWNER OWNER

Subjects 1.1 and control to the second second





And in the Control of the Control of

IT WE MIN

8







Replacement accessories for all electric pipe freeze machines.

Freeze head towel wraps x 2 - **Code: TWL001** Freeze head screws - **Code: FMSK28/42** Freeze cream - **Code: TGS001** Handling gloves x 2 - **Code: GLV001** Freeze straps x 2 - **Code: BLS001**





Replacement 8mm (¼"), 10mm (3/8"), 15mm (½"), 22mm (¾") (Sold in separate pairs per reducer size)

- CODE: RDC208 8mm (1/4")
- CODE: RDC210 10mm (3/8")
- CODE: RDC215 15mm (1/2")
- CODE: RDC222 22mm (¾")



AH42 REPLACEMENT REDUCERS

Replacement 8mm (¼"), 10mm (3/8"), 15mm (½"), 22mm (¾"), 28mm (1"), 35mm (1¼") (Sold in separate pairs per reducer size)

- CODE: RDC408 8mm (1/4")
- CODE: RDC410 10mm (3/8")
- CODE: RDC415 15mm (1/2")
- CODE: RDC422 22mm (3/4")
- CODE: RDC428 28mm(1")
- CODE: RDC435 35mm (11/4")



COLLEGES & TRAINING PARTNERS

Educational Incentives

ARCTIC HAYES supply the premium pipe freezing range for plumbing and heating engineers. Contact us today to discuss our educational incentives on our full range of over 450 products and all the benefits below.

nt Divers and small on

Enhance your Curriculum

migerant to perform

Including pipe freeze training as part of your student's curriculum, enables live demonstrations, a chance to ask questions and attain a certificate of completion to enhance their course qualifications.

Sponsored Bays

Enhance your training bays with branded posters, high quality images and logos.

We can create banners specific to pipe freeze or any other product categories.





MATCHES

With 20 seconds of burn time, our smoke matches are ideal for flue spillage tests on gas appliances, initial flue draw tests, and draft testing on doors. Clean to use and cool to the touch, Arctic Hayes smoke matches produce dense white smoke, with no residue.

KEY FEATURES

- Clean to use, no residue
- Cool to touch after burning
- Protective resealable tubs
- 20 second burn time
- 0.75m³ approx of dense smoke

MOKE MATCHE



- CODE: A333075 Tub of 75
- CODE: 333000B Tub of 100
- CODE: PH009B Box of 12
- CODE: PH009 Display box of 72 boxes

MATCHES

SMOKE MATCH PLUME KIT

Smoke match plume kit is supplied with two tubs of 25 Smoke Matches to aid the installer carrying spillage tests on gas appliances.

- CODE: A338001 Plume kit
- CODE: A338000 Single plume

KIT CONTAINS

- 1 x Smoke plume
- 2 x 25 Smoke matches

SMOKE PELLET & MATCH HOLDER

Used to test for chimney and flue leakages, blockages, air flow visualisation and drain testing. • CODE: PHSPHS

KEY FEATURES

X2

COOL BURN

- Safe and easy to use
- High grade aluminium
- Holds pellets and matches

0

3G WHITE & ORANGE SMOKE CARTRIDGES

- CODE: A333003 Pack of 10
- CODE: 333003C Tub of 50
- CODE: 333003B Tub of 100
- CODE: A334003 Pack of 10 (Orange*)

KEY FEATURES

- 5m³ approx of dense smoke
- 45 second burn time (White)
- 60 second burn time (Orange)
- Complies with BS5440-1

* Coloured smoke may stain surfaces and leave residue

56 WHITE SMOKE PELLETS

- CODE: A333005 Tub of 6
- CODE: 333005B Tub of 15
- CODE: 333005C Tub of 45

KEY FEATURES

- 5m³ approx of dense smoke
- 40 second burn time
- Complies with BS5440-1



ARCING

5G WHITE SMOKE PELLETS

• CODE: PHB006 - Tube of 6



KEY FEATURES

• 7m³ approx of dense smoke

- 30 second burn time
- Complies with BS5440-1

56 WHITE ENCAPSULATED SMOKE PELLETS

- CODE: PH030 Tub of 10
- CODE: PH530 Tub of 50

KEY FEATURES

- 15m³ approx of dense smoke
- 30 second burn time
- Complies with BS5440-1

8G WHITE & RED ENCAPSULATED SMOKE PELLETS

- CODE: PH025 Tub of 10
- CODE: PH025C Tub of 10 (Red*)
- CODE: PH525 Tub of 50
- CODE: PH125 Tub of 100

KEY FEATURES

- 24m³ approx of dense smoke
- 60 second burn time
- Complies with BS5440-1



* Coloured smoke may stain surfaces and leave residue

96 WHITE & ORANGE SMOKE CARTRIDGES

- CODE: A333009 Pack of 10
- CODE: 333009B Tub of 50
- CODE: A334009 Pack of 10 (Orange*)
- CODE: 334009B Pack of 50 (Orange*)

KEY FEATURES

- 8.5m³ approx of dense smoke
- 75 second burn time (White)
- 100 second burn time (Orange)
- Complies with BS5440-1



* Coloured smoke may stain surfaces and leave residue

13G WHITE & RED SMOKE PELLETS

- CODE: PH001 Tube of 6
- CODE: PH118 Tub of 100
- CODE: PH001C Tube of 6 (Red*)

KEY FEATURES

- 18m³ approx of dense smoke
- 40 second burn time
- Complies with BS5440-1



* Coloured smoke may stain surfaces and leave residue

136 WHITE SMOKE PELLETS

- CODE: A333013 Tub of 8
- CODE: 333013B Tub of 20
- CODE: 333013C Tub of 40

KEY FEATURES

- 13m³ approx of dense smoke
- 45 second burn time
- Complies with BS5440-1



and

18G ORANGE SMOKE CARTRIDGES

• CODE: A334018 - Pack of 5 (Orange*)

KEY FEATURES

- 17m³ approx of dense smoke
- 150 second burn time
- Complies with BS5440-1

* Coloured smoke may stain surfaces and leave residue



SMOKE STICKS

Ideal for testing slight air movement, gas spillages and mandatory CO spillage checks for boiler/case spills after fitting or re-fitting smoke alarms, air filters, fume hoods, air balancing, fans, photography, special effects and much more.

• 30 minute burn time per stick





• CODE: A333100 - Refill pack of 6



For the air balancing industry, the energy conservation industry. smoke and fire prevention, special effects. Provides a smoke that looks and reacts just as our successful smoke emitters, in a reliable and simple dispensing system. • CODE: FP-SMOKE201



- Requires no ignition source or flame
- Eco-friendly way to dispense non-toxic smoke
- A small squeeze provides enough smoke for draft detection or negative pressure around a door
- Multiple pumps can provide up to 4m³ (140ft³)

ARCTI

Sh

SMOKE KIT

Smoke products are a vital tool in the heating and ventilation industry. This kit contains a range of smoke products including smoke matches, pellets, cartridges, smoke sticks & refills.

• CODE: MSK100

100 PIECE KIT

DESCRIPTION	QTY	BURN TIME	SMOKE VOLUME
SMOKE MATCHES (CODE: A333000)	25	20 SECONDS	0.75m3
3G WHITE SMOKE CARTRIDGES (CODE: A333003)	10	45 SECONDS	5m3
3G ORANGE SMOKE CARTRIDGES (CODE: A334003)*	10	60 SECONDS	5m3
5G WHITE SMOKE PELLETS (CODE: A333005)	6	40 SECONDS	5m3
8G WHITE SMOKE CARTRIDGES (CODE: PH025)	10	60 SECONDS	24m3
9G WHITE SMOKE CARTRIDGES CODE: (A333009)	10	75 SECONDS	8.5m3
9G ORANGE SMOKE CARTRIDGES (CODE: A334009)*	10	100 SECONDS	8.5m3
13G WHITE SMOKE PELLETS (CODE: A333013)	8	45 SECONDS	13m3
18G ORANGE SMOKE CARTRIDGES (CODE: A334018)*	5	150 SECONDS	17m3
SMOKE PELLET AND MATCH HOLDER (CODE: PHSPHS)	1	N/A	
SMOKE MATCH PLUME (CODE: A338000)	1	N/A	
SMOKE STICK PEN	1	30 MIN PER STICK	
SMOKE STICK REFILLS (CODE: A333113)	3	30 MIN PER STICK	
SMOKE CARRY CASE	1	N/A	

PELLETS

CURTRIDO

. 00

MHI

CARTRIDGES

CARTRIDGES

0 é

CARTRIDGES

00

CARTRIDGES

CARTRIDGES

PELLETS

08

* Coloured smoke may stain surfaces and leave residue





DETECTOR

Specially formulated to trace positive pressure leaks in pipelines and fittings. No need to submerge parts or lines to test. Non-flammable and non-corrosive, suitable for use on gas, air and nitrogen leaks. The microporous foam instantly highlights the smallest of leaks.

- Safe to use in confined areas
- Meets requirements of BS EN 14921:2004
- CODE: PH026A 250ml atomiser
- CODE: PH026A5 500ml atomiser
- CODE: PH026M 120ml brush on
- CODE: PH026 250ml brush on



CLEAR LEAK DETECTOR SOLUTION

Built in sprinkler for controlled application • **CODE: PH027** - 1 litre bottle



CLEAR LEAK DETECTOR

- CODE: PH027A 250ml with atomiser
- CODE: PH027B 250ml with brush in cap
- CODE: PH027A5 500ml with atomiser



LEAK DETECTOR SPRAY

ARCTIC

Ø

Used to trace costly and potentially dangerous gases and compressed air leaks. Produces a microporous foam designed to identify the smallest leaks.

- Safe to use in confined spaces
- Non-corrosive & non-flammable
- Aerosol delivery for high powered application
- Meets requirements of BS EN 14921:2004
- CODE: PH020 400ml can





SPRAY DUSTER

ARCINC

New eco-friendly non flammable formulation, with a high powered aerosol application, to force dust and debris out of hard to reach areas such as burner jets, heat exchangers or keyboards. Features a detachable nozzle straw.

ARCTIC

ISTER

- 99.5% lower global warming potential
- High powered application
- Non-flammable
- Non-corrosive
- CODE: ZE29 120ml can
- CODE: ZE294 300ml can

* NOTE: Do not invert can whilst in use as liquid will be dispensed

FLAMMABLE!

CILIT IN

CRACK-IT SHOCK FREEZE RELEASE

ARCTIC

First the freeze, then the penetration. Freeze action breaks

the corrosion seal, and allows the penetrating oil to reach the corroded area. Fast working, Crack-It releases seized items in as little as 1-2 minutes. • CODE: CI/400 - 400ml can



WATCH A DEMO





- 1 x Leak detector spray (PH020)
- 1 x Silicone spray (PH040)
- 1 x Crack-it spray (CI/400)
- CODE: AEP3



This non-drip thixotropic solvent based pipe cement is for use on non-pressurised PVC and ABS thermoplastic pipes and conduits. Can be used in low and high temperature soil and waste pipework.

- CODE: PVCC125 125ml
- CODE: PVCC250 250ml





An ideal plumbers grease, designed to lubricate rubber, plastics and other materials. Suitable for use on taps, valves and other water fittings.



- CODE: 665016 100g tube
- CODE: 665016-TUB 100g tub
- CODE: 665017 500g tub
- CODE: PH040 400ml can

PLUMBERS SILICONE GREASE

Designed for use on all static fasteners,bolts, flanges, metal interfaces and other mechanisms prone to seizure. Applying when assembling helps prevent corrosion. Apply a thin film onto dust free, clean surface. • CODE: AHPSG50 - 500g tub








PRO SHOULD HAVE AN ONLINE ACCOUNT

Whether you're on-site, on the move, or stocking up in the van, having quick access to tools, products, and expert support is crucial to keeping your day running smoothly. At Arctic Hayes, we've made it easier than ever to get what you need, when you need it — all by creating a free online account.Here's why setting up your Arctic Hayes account is a smart move for every professional in the trade.

- Access unique trade pricing
- Discover the latest products
- Support, guides & how-to-videos 24/7
- Easy online ordering









2 LITRE BOILER CONDENSATE PUMP

The 5.5 metre discharge lift helps with the flexibility of the installation. Suitable for both floor and wall mounting and comes with a quick release check valve. Suitable for boilers up to 200kW this version comes with 6 metres of 9.5mm (3/8") ID flexible drain hose.






- 650ml drink cycle at 8.5psi
- Typically 30 seconds run time 3-5 times per day
- Outlet 9.5mm (3/8")
- Suitable for 2.8pH boiler condensate
- 6 metres of 9.5mm (3/8") ID flexible hose
- · High level safety switch
- Suitable for boilers up to 200kW
- Handles temps up to 90°C for up to 5 minutes

THE PACKAGE

- 2 litre tank pump
- Quick release 1/4 turn check valve
- 6m of 9.5mm (3/8") hose
- 9.5mm to 22mm adaptor
- Hose clip
- Installation instructions





Part code	Max. lift	Dischar	Discharge size		Vatts	IP	Am	ıps	Volts	Hz
PH-20-STA	5.5m	9.5mm	(3/8")	1	17W	20	1.6	A	240V	50Hz
High level alarm	Inlet height	Weight	Cable le	ength	Drink cycle	e On level	Off level	Reserv	ve before overflow	Alarm level
Volt free	82.5mm	1.9kg	1.8m	ım	650ml	30mm	9mm		580ml	50mm



3.8 LITRE BOILER CONDENSATE PUMP



This pump is manufactured from high temperature plastic, and comes complete with 10m of higher specification hose. It meets EN Standards and can handle temperatures up to 110°c. The unique design also reduces the temperature of the PRV discharge so it is safe for use with solvent weld pipework. For installers who are audited or working to EN Standards. • CODE: PH-3.8L-HW



Max	Max	Temperature	Dimensions	Discharge
head	Flow		(H x W xD)	size (inch)
8m	312LPH	110°C	249 x 325 x 160	9.5mm (3/8)

DRAINGUN & CARTRIDGES

Blocked drain line - no problem with our DrainGun. This lightweight, portable tool is designed to unblock condensate drain lines and other pipework instantly. Simply insert a CO² cartridge in to the DrainGun and with a press of the trigger, SWOOSH, 800psi of food grade CO² blows blockage out.

- CODE: GG-1 DrainGun only
- CODE: GGC-12- Pack of 12 CO² cartridges







DrainGun Adaptor Kit equipped with a tapered fitting to work on 3/8 - 3/4" in drain openings. Compatible with the DrainGun designed to clear drain lines instantly.

• CODE: GG-1A- Adaptor kit





SOAK AWAY BOILER CONDENSATE WITH OUR SOAKAWAY



Can be installed into the top or through the side of the soakaway depending on where the pipework is situated.



1. Dig a hole (min depth) 400mm x 300mm in dia, at least 500mm from the wall




2. Fill the bottom of the hole with 100mm depth of lime chippings



3. Insert the soakaway tube with the lower drain holes facing away from the property



4. Fill the remaining part of the hole and tube with lime chippings



5. Feed the pipework either into the top or through the side of the soakaway

SOAKAWAY KIT FOR CONDENSING BOILERS

Where a suitable gravity drain is not available the soakaway can be used in conjunction with 10mm lime chippings. Compatible with the following inlet pipe sizes: 22mm(3/4") overflow, 32mm(1-1/4") & 40mm(1-1/2")

- 300mm (H) x 110mm (Dia)
- CODE: SOAK1



10mm LIMESTONE CHIPPINGS

Ideal for use in and around a soakaway to help neutralise acidic condensate from condensing boilers.

- Limestone chippings
- Coarse: 10mm
- Bag Weight: 25kg +/- 5%
- CODE: LIME10-25KG





BOILER BUOY CONDENSATE BYPASS VALVE

Low cost, easy to install solution to bypass freezing pipes. Cutting a condensate pipe due to freezing has been common place over winter periods. The Boiler Buoy has been designed to be fitted during install, emergency call outs or whilst performing annual service visits. A red float which when visible, indicates that the condensate pipe has a blockage or may be frozen. The built in tap allows the householder to drain the condensate away safely and ensures that the heating of the property can continue to work. • CODE: BB-1



Height	Diameter	Outlet	Hose length
115mm	29mm	9.5mm	1.5m

SELF-SEALING PIPE ADAPTOR

6mm x 9.5mm (1/4" & 3/8") hose to soil & vent pipe that is self-sealing used to form connection between condensate hose and a soil & vent pipe. Drill a 13mm hole, insert and twist in to seal the connection. • **CODE: SV-ADAPTOR** - Single



BOILER CONDENSATE PUMP ACCESSORIES

Pump type application: Tank pump 9.5mm (3/8") outlet

CONDENSATE DRAIN ADAPTOR • CODE: ADAP-1



NON-RETURN CHECK VALVE • CODE: PH-PUMP-NRV



Pump type application: Tank & hot water pumps - 9.5mm (3/8")



COOL-WELD HEAT BARRIER SPRAY

32oz Cool-Weld ™ is a spray on gel heat shield for soldering, sweating and welding. Ideal for use on filter driers, pipes, valves, sheet metals, etc. Can be used on porous surfaces such as fabrics or drywall. As long as there is some Cool-Weld™ present the surface will resist charring.

• CODE: COOLWELD-32

TELESCOPIC INSPECTION MIRRORS

Fast, accurate visual inspection of hidden areas with an almost limitless number of positions. Double ball joint links swivel mirrors for viewing 360 degrees. Precision engineered links are made from tempered spring steel to withstand the stresses of constant repositioning. Moves freely and holds in the desired position.



Part Code	Description			
M-1	Mirror 1-1/4" Circular – extends 32mm - 463mm (6-1/4" to 18-1/4")			
M-2	Mirror 57mm (2-1/4") Circular - extends 254mm - 355mm (10" to 14")			
M-5	Mirror 25mm x 50mm (1" x 2") Oval - extends 191mm (8-1/2")			



Cool-We



SUPERIOR PROTECTION!





PRE SLIT & SEAL INSULATION



External condensate pipework needs to be insulated in a tough PVC coated weather protected covering to avoid UV degradation and animal damage. Boiler installation standard BS 6798:2014 makes specific reference to this grade of insulation. ASHP and Biomass Boilers tend to be located externally and this hot water pipework needs to be protected and insulated to avoid heat loss, MIS3005 and building regulations advise a certain thickness of insulation to meet heat loss requirements. Our PVC coated range helps installations comply in both boiler condensate and ASHP installations



WEATHER PROOF

highly effective against damage

• CODE: FH-I-1000-22-SLIT (2m x 22mm ID X 19mm)

- CODE: FH-I-1000-28-SLIT (2m x 28mm ID X 19mm)
- CODE: FH-I-1000-35-SLIT (2m x 35mm ID X 19mm)
- CODE: INS-TAPE-10-PK (2.5mm (L) x 50mm(W) x 1mm- Pack of 10)

TEMPERATURE RANGE Extensive range (-50°C to +110°C)

allowing brief peaks above limits

ANTIMICROBIAL PROTECTION:

An advanced composition preventing the development of bacteria and fungi (ASTM E 2180 and ASTM G21 certification).

PERMEABILITY:

💹 Very high resistance to water vapour transmission, ensuring long - term performance and effectiveness of the insulation $\mu \ge 7000$.

THERMAL CONDUCTIVITY:

Superior quality closed-cell elastomeric material, designed to reduce thermal losses $\lambda = 0.036$ W/mK at +30°C.


DENSITY:

Produced with optimum density for effective reduction of thermal losses 60 kgr/m³, ±10 kgr/m³.

FLEXIBILITY:


No. of Concession, Name Exceptional elasticity and endurance for time-saving applications and effective insulation.

ARE YOU GETTING 100% OF THE ASHP HEAT INTO YOUR PROPERTY



INSULATE Connections








THROUGH THE WALL INSULATION KIT

Running pipe work from an externally mounted air source heat pump or biomass boiler into a property requires the pipework to be run through the exterior wall. The hot pipework will be affected by cold bridging, and heat loss if it's not insulated correctly. MIS 3005 requires external pipework to be adequately insulated. This kit provides both thermal insulation within the wall, and comes complete with an elbow section to cover the external copper pipe connection. Drill the holes in through the wall for pipework





The connection of the pipework running through the wall



Thermal images showing just how much heat is lost when pipework running through the is are not adequately insulated





WALL MOUNTING BRACKETS

Our Type-2 brackets come with a cross-bar to allow for correct spacing of the arms. An integral spirit level allows for easier installation. All brackets go through a 4-stage anti-corrosion process.

Black

Part Code	Description	Safe Working Load*	Max Load	Crossbar	Upright	Support Arm	Weight
CBR2-XL-BL	Extra Large	250kg	500kg	1040mm	550mm	660mm	16.2kg
CBR2-XXL-BL	Extra Large	200kg	400kg	1040mm	550mm	780mm	16.5kg

ivory (ral 7032)

Part Code	Description	Safe Working Load*	Max Load	Crossbar	Upright	Support Arm	Weight
CBR2-S	Small	60kg	120kg	720mm	400mm	400mm	3.8kg
CBR2-M	Medium	90kg	180kg	900mm	500mm	500mm	4.6kg
CBR2-L	Large	140kg	280kg	1040mm	550mm	540mm	6.6kg
CBR2-XL	Extra Large	250kg	500kg	1040mm	550mm	660mm	16.2kg
CBR2-XXL	Double Extra Large	200kg	400kg	1040mm	550mm	780mm	17.3kg

* All brackets are tested to 2 x safe working load.

NB: Sea salts are very corrosive and affect both ferrous and non-ferrous metals. Coastal installations are particularly at risk as they are frequently exposed to sea salt solutions followed by dry periods, where this wet/dry cycle produces a very corrosive environment. We strongly recommend that in such locations only our stainless steel brackets are installed.

OUR WALL MOUNTING BRACKETS GO THROUGH A 4 - STAGE ANTI-CORROSION PROCESS

WEATHER PROTECTION PROCESS



Corrosion resistant raw material, often referred to as Zintec.



Zinc Phosphating process multi stage cleaning and dipping chemical zinc.



Process 3 ED Coating process: Electrophoretic deposition (aka ED or EPD coating)



Process 4 Epoxy Polyester powder coating.

DIVERSITECH

EASY-FIT CONDENSATE TRAYS

Concave profile to ensure efficient drainage. Supplied with fixing arms to mount to bracket. All trays go through a 4-stage anti-corrosion process. All trays are 25mm high.



* Trays only. Brackets not included.

Part Code	Description	Depth	Width	Weight
CCTM-800	Small	400mm	800mm	5.23kg
CCTM-1080	1080mm	500mm	1080mm	7.5kg
CCTM-1100	Medium	400mm	1100mm	6.9kg
CCTM-1300	1300mm	550mm	1300mm	8.8kg
CCTM-1400	Large	400mm	1400mm	8.3kg
CCTM01420-BL	Black	500mm	1420mm	8.5kg

C 1.00 C P R 2 15

WEATHER PROTECTION PROCESS



Process 1 Corrosion resistant raw material, often referred to as Zintec.



Process 2 Zinc Phosphating process multi stage cleaning and dipping chemical zinc.



Process 3 ED Coating process: Electrophoretic deposition (aka ED or EPD coating)



Process 4 Epoxy Polyester powder coating.

DIVERSITECH

FLEXI LITE SLAB & FOOT KIT

A low cost innovative solution for floor mounting heat pumps. The FLEXI Lite Slab and Foot kits avoids the high cost and time consuming need to construct a concrete base. Each kit comes complete with FLEXI rubber mounting feet, an **Ultralite slab**, and all the fixings. It can be delivered to site with minimum preparation and can be assembled in minutes. The Ultralite slab is a heavy duty slab with a polystyrene core and a fibre reinforced concrete coating. This makes the slab a fraction of the weight of a traditional concrete slab.





1. Position slab in required position



2. Position feet on slab to match pitch of unit



3. Insert all 4 base plates through the slab



4. Place both feet over base plate threads



Part Code	Description	Specification (W x D x H)
FF-UC3-S	Flexi Lite Kit - Small	900 x 600 x 175
FF-UC3-M	Flexi Lite Kit - Medium	1050 x 600 x 175
FF-UC3	Flexi Lite Slab Kit	1200 x 600 x 175
FF-UC3-3	Flexi Lite Slab Kit - 3 Feet	1200 x 600 x 175
FF-UC3-XL	Flexi Lite Kit - Extra Large	1650 x 865 x 175



LOW COST INNOVATIVE SOLUTION FOR FLOOR MOUNTING HEAT PUMPS

FLEXI FOOT SINGLES & KIT

Flexi foot with 41mm galvanised Steel channel.

Part Code	Size (L x W x H) mm	Weight	Safe Working Load
FF-250-S	250 x 185 x 100	2.8kg	175kg
FF-400-S	400 x 185 x 100	4.6kg	280kg
FF-600-S	600 x 185 x 100	7.6kg	420kg
FF-600-S-150	600 x 185 x 100	7.6kg	420kg
FF-1000-S	1000 x 185 x 100	12kg	700kg



2 x Flexi foot with fixings pack.



Part Code Description			
FF-400-S-KIT	FLEXI-FOOT Kit - 400 (2 x 400mm feet + fixing kit)		
FF-600-S-KIT FLEXI-FOOT Kit - 600 (2 x 600mm feet + fixing kit)			
FF-600-S-KIT-3 FLEXI-FOOT Kit - 600 (3 x 600mm feet + fixing kit)			
FF-600-3-ASN-KIT	D-3-ASN-KIT FLEXI-FOOT Kit - 600 narrow (3 x FF-600-ASN + fittings kit)		
FF-600-S-150-KIT FLEXI-F00T Kit - 600 x 150 high (2 x 600mm x 150mm feet + fixing kit)			
FF-600-S-150-KIT-3 FLEXI-F00T Kit - 600 x 150 high (3x 600mm x 150mm feet + fixing kit)			
FF-1000-S-KIT	FLEXI-FOOT Kit - 1000 (2 x 1000mm feet + fixing kit)		



FLEXI FOOT FIX CLAMP

The fix clamp allows you to secure flexi feet to the floor using anchor bolts. Fixings not supplied.

• CODE: FF-FIXCLAMP



ANTI VIBRATION MOUNTING BOLTS

Pack of 4 anti-vibration bolts. Can be used with all DiversiTech International wall brackets.



• CODE: AVMB-1

FLOOR BRACKET KIT

Brackets to allow a condensate tray to be mounted on to flexi foot. The ASHP can then be mounted on the brackets.





Part Code	Description
CCTM-FLOOR-BRKT-KIT	Stainless Floor Bracket Kit for drip trays - 4 x brackets and fixings
CCTM-FLOOR-BRKT-KIT3	Stainless Floor Bracket Kit for drip trays - 6 x brackets and fixings

ROTARY ISOLATORS

Our insulated 3 and 4 pole rotary enclosed isolators are CE marked and suitable for disconnecting the power supply to outdoor air source head pump units, AC & ASHP units. They are waterproof to IP65 and easy to install and conform to IEC 60947-3. They have a lockable off position and interlocking cover which can be removed only in the off position. Earth and Neutral terminals included and M20/25 knock outs up to 63A.

	1000	81	1000				Contraction of the local division of the loc		123356			
-	Code	No of Poles	AMPS AC21	Description	AC23A 240VA	AC23A 400V	Cable Capacity Solid	Cable Capactiy Stranded	Height	Width	Depth	I
	IS-4P-20A-S-G	4	20	Small Inc. Cable Glands X 2	5.5kW	3.7kW	1-16mm ²	0.75-10mm ²	125mm	100mm	120mm	
1	IS-4P-32A-S-G	4	32	Small Inc. Cable Glands X 2	11kW	7.5kW	1-16mm ²	0.75-10mm ²	125mm	100mm	120mm	
	IS-4P-20A-G	4	20	Rotary Enclosed IP65 inc. Cable Glands x 2	5.5kW	3.7kW	1-16mm ²	0.75-10mm²	175mm	114mm	135mm	
	IS-4P-32A-G	4	32	Rotary Enclosed IP65 inc. Cable Glands x 2	11kW	7.5kW	1-16mm ²	0.75-10mm²	175mm	114mm	135mm	
	IS-4P-40A-G	4	40	Inc. Cable Glands X 2	15kW	11kW	1-16mm ²	0.75-10mm ²	175mm	114mm	135mm	ŝ
	IS-4P-63A-G	4	63	Inc. Cable Glands X 2	22kW	18.5kW	1-16mm ²	0.75-10mm ²	175mm	114mm	135mm	
	- 16					1000		TRANSPORT OF THE OWNER				M

DIVERSITECH

PORTABLE AIR CONDITIONING UNITS COOLING ONLY / HEAT & COOL

The portable air conditioners are suitable for offices, computer rooms and light commercial use. The cooling only mode is ideal for cooling flats, conservatories or loft conversions during hot summer months. The heat and cool model can be used as an energy efficient form of heating. The units come with a hose, tray, remote control and wall kit. Spare parts are available upon request - please enquire for more details.



						R		
					(rate			
Code PAC-C-12-R290	Description Portable (Cooling)	Cool capacity btu/kW 12,000 / 3.5	Heat capacity btu/kW N/A	Watts 1350	Amps 5.9	Air flow vol 420m²/h		Sound power level dBa 56
PAC-H-12-R290	Portable (Heat & Cool)	12,000 / 3.5	10,000 / 2.9	1350	5.9	420m³/h	2.6	56
	Height	Width	Depth	Hose Leng	ıth R	efrigerant	Cooling A	rea
	765mm	467mm	397mm	1.5m		R290	16-26m3	

DIVERSITECH



These Swaging tools are designed for most tubing diameters, and they allow you to connect tubes without the need for extra fittings (swage), and preserves the copper malleability (flare) thus preventing cracks and leaks.













HEAT BY FRICTION AVOID CRACKS & LEAKS

10X FASTEF

FITS ANY DRILL 410A COMPATIBLE HVAC READY



SWAGING HEADS

Code	Description
S1815	5/8" - 15mm
S1822	7/8" - 22mm



PRODUCT TRAINING WHEN YOU NEED IT THE MOST!

Whether you're behind the trade counter or out on a job, having quick answers and clear guidance makes all the difference. Our FAQs and product videos are built for busy pros—no fluff, just straight-talking support when you need it.



From setup tips to troubleshooting and best-use guides, Arctic Hayes resources help you get the most from every product—saving you time, reducing callbacks, and boosting customer confidence.

More videos are being added all the time. Need a quick how-to? It's all just a click away. Still got a question ?...no problem, contact us on 0113 271 5245 or email us at sales@arctic-hayes.com





- Conforms to the latest EN ISO 11118:2015
- CGA 600 thread
- Non refillable canisters
- TPED approved



5% HOTTER 50% FASTER than other Propane style gases.

• CODE: VG1 - 400g MAP-X gas • CODE: VG2 - 400g Propane gas



VORTEX MAP-X GAS TWIN PACK



CODE: VG1TWIN

VORTEX MAP-X GAS TRIPLE PACK



CODE: VG1TRIO

PRO BRAZING TORCH

Vortex Brazing Torch is lightweight, durable and easy to use. Designed for use with MAP-X and Propane gas cylinders with CGA600 thread.

- Piezo ignition
- Aluminium lightweight handle
- Super Cyclone burner tube
- Safety lock & Flame lock
- Flame regulator adjustment knob
- CODE: VPRO



BRTEX PRO



The Arctic Hayes new addition GT3 is fast and effective for all brazing/ soldering applications, with its choice of 3 x interchangeable burner heads it's also great for Intricate/stripping and burning jobs.

- Instant piezo ignition
- Standard CGA600 thread compatible with Map-X and Propane gas
- Flame lock
- Flame regulator adjustment knob
- CODE: GT3



COMES WITH 3 INTERCHANGEABLE BURNER TIPS

- 1. Super Fine Burner gives a more pronounced fine flame for more intricate jobs.
- 2. Turbo Power Burner a precise flame pattern for everyday soldering & brazing jobs.
- 3. Super Wide Burner gives a wider spread flame, great for roof repairs & paint removal.



ON OFF





PRO BRAZING TORCH PACK

Pro Brazing torch supplied with one can of Propane gas.

• CODE: VPROP





BRAZING TORCH PACKS

Brazing torch supplied with either a canister of MAP-X or Propane Gas.


- CODE: VT3GBOXM MAP-X 400g canister
- CODE: VT3GBOXP Propane 400g canister





KITS CONTAIN

- 1 x VT3 Brazing Torch
- 1 x Super Cyclone Burner Tube
- 1 x Cyclone Burner Tube
- 1 x Fine Flame Burner Tube
- 1 x Map-X or Propane Gas



VORTEX SOLDERING HOT BAGS (Bag also available separately, Code: VORTEXBAG1)

Essential kits for the everyday plumbing engineer or DIYer. An all-in-one solution to your soldering and brazing needs, which has everything you need. Ready to use in a stylish multi pocket bag
• CODE: VBKIT1



KITS CONTAINS

- 1 x Vortex bag
- 1 x Vortex Pro torch
- 2 x Vortex Map-X gas

KIT CONTAINS

- 1 x Vortex bag
- 1 x Solder mat 1200°C
- 1 x Vortex Pro torch
- 1 x Vortex Map-X gas
- 1 x 15mm Pipe cutter
- 1 x 22mm Pipe cutter
- CODE: VBKIT3



KIT CONTAINS

- 1 x Vortex bag
- 1 x Solder mat 1200°C
- 1 x Vortex Pro torch
- 1 x Vortex Map-X gas
- 1 x 15mm Pipe cutter
- 1 x 22mm Pipe cutter

CODE: VBKIT5




600°C SOLDER

- Withstands temperatures up to 600°C
- Asbestos free
- Lightweight & flexible
- Ideal for soldering applications
- Size: 300mm x 250mm
- CODE: AHSM300

1200°C SOLDER SOLDER MAT

- Withstands temperatures up to 1200°C
- Multi-layered and double thickness construction
- Woven glass fibre edge binding to eliminate fraying
- Size: 290mm x 200mm
- CODE: VSM1





1600°C PROFESSIONAL HEAT MAT

- Size: 290mm x 200mm CODE: VPHM1



CARBON MONOXIDE SMOKE & HEAT DETECTION

PERSONAL CARBON MONOXIDE ALARM

Lightweight, compact personal alarm for early detection of carbon monoxide. Ideal for heating engineers, emergency responders, for use at work, home or on holiday. Alarm activated when carbon monoxide levels exceed 30ppm.

- Durable and shock resistant
- Powered by Li-ion battery
- 75dB audible alarm
- LED indicators
- 3 year sensor
- Sealed for life battery
- Free-standing design
- Belt clip and hanging hook
- CODE: PC01



VISUAL CARBON MONOXIDE PATCHES

Changes colour from red to black when exposed to carbon monoxide. This detector is recommended to be a supplementary / back up device to an audible alarm but can be used instead of an audible alarm.

- Reacts to low-level Carbon Monoxide (<50ppm)
- Doesn't require batteries or mains power
- Does not give audible alert

• CODE: PH019HC - Single pack

• CODE: PH019AC - Twin pack

Date Opened

Carbon Monoxide Detector

Cintra

7 YEAR CARBON MONOXIDE ALARM

This carbon monoxide alarm comes with a 7 year warranty and built-in battery. Ideal for homes, caravans, and boats the alarm warns against dangerous levels of the odourless, tasteless and colourless carbon monoxide gas.

• CODE: COA7



KEY FEATURES

- 3 Visual LED readout
- Test / silence button
- Loud 85 decibel audible alarm
- Standby current: <2.5uA
- Alarm current: <30mA
- Operating temperature: 5 40°C
- Operating humidity: 20-90% R.H
- Sensor type: Electrochemical
- Lithium battery 7 Year sealed for life
- Certified to BS EN 50291-1:2018 & BS EN 50291-2:2019

*Should be installed by a competent person and is designed to protect individuals from the acute effects of carbon monoxide exposure. It will not fully safeguard individuals with specific medical conditions, however, if in doubt it is imperative that a medical practitioner is consulted.

10 YEAR CARBON MONOXIDE ALARM

An easy to use and reliable self-contained carbon monoxide alarm. An essential product in all domestic environments such as homes, caravans and boats. The unit comes with a ten year warranty and a built-in battery.

CODE: COA10





KEY FEATURES

- 3 Visual LED readout
- Test / silence button
- Memory function
- Loud 85 decibel audible alarm
- Standby current: <12uA
- Alarm current: <30mA

- Operating temperature: 5 40°C
- Operating humidity: 20-90% R.H
- Sensor type: Electrochemical
- Lithium battery 10 Year sealed for life
- Certified to BS EN 50291-1:2018 & BS EN 50291-2:2019

*Should be installed by a competent person and is designed to protect individuals from the acute effects of carbon monoxide exposure. It will not fully safeguard individuals with specific medical conditions, however, if in doubt it is imperative that a medical practitioner is consulted.



The Smoke (SM10L) and Heat (HT10L) alarms are wireless interlinked with up to 40 devices. • CODE: SMHT3PK

Smoke Alarm Specification:

- Power supply: CR17450 3V
- Lithium battery (sealed for life)
- 10 Years from activation
- Battery is not replaceable
- Sensor chamber protected by insect screen
- Interlink up to 40 devices
- Complies with: BS EN 14604:2005/AC:2008

Sensitivity & Time:

- Alarm volume: →85dB at 3 meters
- Alarm sensitivity: 0.10 0.16dB /m
- Hush time: Approx 8 minutes



WIRELESS INTERLINK UP TO 40 DEVICES





Heat Alarm Specification:

- Power supply: CR17450 3V
- Lithium battery (sealed for life)
- 10 Years from activation
- Battery is not replaceable
- Interlink up to 40 devices
- Complies with: BS EN 5446-2:2003

Sensitivity & Time:

- Alarm volume: →85dB at 3 meters
- Alarm sensitivity: 54°C ~ 70°C
- Hush time: Approx 8 minutes



Meets requirements of 2022 Scottish legislation for fire alarms in homes. Suitable for installations complying to BS 5839-6 Grade F1.

10 YEAR WIRELESS INTERLINKED SMOKE ALARM

Keep safe with this Arctic Hayes Smoke Alarm. Photo optical technology reacts faster than alarms using ionisation technology where particles are smouldering giving advanced warning before flames take hold.



CODE: SM10L



KEY FEATURES

- Interlink up to 40 devices
- Test / silence button
- Sensor chamber protected by insect screen
- Alarm volume: 85dB at 3 meters
- Alarm sensitivity: 0.10-0.16dB/m
- Hush time: Approx 8 minutes
- Lithium battery 10 Year sealed for life
- Certified to BS EN 14604:2005/ AC:2008

Meets requirements of 2022 Scottish legislation for fire alarms in homes. Suitable for installations complying to BS 5839-6 Grade F1.

10 YEAR WIRELESS INTERLINKED HEAT ALARM

Keep safe with this Arctic Hayes Heat Alarm. The most advanced and reliable method of heat detection. For best protection heat alarms should be installed as part of a complete fire protection system. • CODE: HT10L





KEY FEATURES

- Interlink up to 40 devices
- Test / silence button
- High precision NTC thermistor
- Alarm volume: 85dB at 3 meters
- Alarm sensitivity: 54°C ~ 70°C
- Hush time: Approx 8 minutes
- Lithium battery 10 Year sealed for life
- Certified to: BS 5446-2:2003

Meets requirements of 2022 Scottish legislation for fire alarms in homes. Suitable for installations complying to BS 5839-6 Grade F1.

PHOTO-ELECTRIC SMOKE ALARM

An easy to use and reliable photoelectric smoke alarm. Toast-proof technology means less prone to false alarms caused by cooking fumes. An essential product in all domestic environments, designed for use in homes, caravans and boats.

CODE: SA1



KEY FEATURES

- Toast-proof technology
- Test / silence button
- Loud 85 decibel audible alarm
- Standby current: <12uA
- Alarm current: <15mA

- Operating temperature: -10 60°C
- Operating humidity: 95 RH (40 ± 2°C)
- Smoke Sensor Life: 3 Years
- Operates on a 9v battery (included)
- Certified to EN14604:2005



SMOKE ALARM TESTER

Designed to test the sensor in smoke alarms. Ensure your alarms are always in working order to protect your home or workplace.

- Testing of Smoke Alarms is recommended by the fire brigade
- Designed to test all smoke alarms
- Up to 40 tests per can
- CODE: PH043A 150ml can

10 YEAR SMOKE & CARBON MONOXIDE ALARM

Combined carbon monoxide & smoke alarm is easy to use and self-contained. Designed for use in all domestic environments such as homes, caravans and boats, especially where space is limited. This two-in-one alarm tests for both carbon monoxide and smoke operating on a 9v battery.

CODE: COS10



KEY FEATURES

- 2 LED readouts
- Loud 85 decibel audible alarm
- CO alarm memory
- Standby current: <15uA
- Alarm current: <30mA Ambient
- Operating temperature: 5~40°C
- Operating humidity: 20~90%R.H
- CO sensor: Electrochemical
- CO sensor Life: 10 Years
- Smoke sensor Life: 10 Years
- Certified to EN14604:2005, EN50291-1:2018. EN50291-2:2019

CARBON MONOXIDE ALARM TESTER

Contains low levels of carbon monoxide gas, sufficient to trigger a reaction from carbon monoxide sensors within carbon monoxide alarms.

- Up to 7 tests per can
- Can be used to test Flue Gas Analysers
- Will not damage alarm sensors
- CODE: PHC0520 400ml can





U-FLEX U-GAUGES

Flexible manometer for testing gas service pressure testing on heating systems, these U-Flex Gauges are available in 3 sizes.

- Robust flexible tube
- Dual scale measures WG & Mbar
- Heavy duty metal fitting
- Zero adjustment



- CODE: A664030 30Mbar / 12" WG
- CODE: A664032 60Mbar / 24" WG
- CODE: A664034 120Mbar / 48" WG

U-VIEW U-GAUGE

The clear lid makes this U-Gauge easy to view, protects the scale and is always ready to use. • **CODE: A664035** - 30Mbar 12" gauge

MANOMETER FLUID

Get quick and accurate gauge readings with manometer fluid from Arctic Hayes. 60ml bottle can be used with any U-Flow and U-Gauges. • CODE: A664018





U-FLOW WATER GAUGE

Enables simple measurement, with opposing flow-rate measures on each side of the body, so you can measure the flow rate in litres or gallons per minute. This is a vital piece of equipment when preparing a new installation. Simple to read and easy to use, this is a must-have for plumbers.

- Compatible with the AH02 stem thermometer
- Measure in metric or imperial (L/GAL)
- Robust, heat resistant
- Flow measure range: 1-5 GAL & 4-22 L
- CODE: A888000

-FLOV

ARCTIC

ARCTIC

WATER PRESSURE TEST KIT

An all in one kit to test water, flow and temperature. (All sold separately)
• CODE: WPTK3

KIT CONTAINS

ARCTIC

WATER, FLOW, TEMP

- 1 x Water Pressure Test Gauge
- 1 x U-Flow Water Gauge
- 1 x Stem Thermometer

WATER PRESSURE TEST GAUGE

Used to test water pressure in bar (0-11) or psi (0-160). The water pressure test gauge can also be connected to 1/2" or 3/4" male threads. Ideal for testing pipework prior to installation of appliances.

- 250mm robust braided hose
- Protective rubber boot on gauge
- Compatible with most standard domestic, garden & washing machine taps
- CODE: WPG1



10L COLLAPSIBLE BUCKET

This compact, convenient, and versatile collapsible bucket beats the everyday standard bucket when storage is limited. Its portability makes this an essential tool if at work, home or play.

- BPA-FREE
- Robust handle makes carrying easy
- Made from TPR & PP
- Pop-up to open when using and collapses to flat for space saving
- Open sizes: base dia: 200mm bucket mouth dia:285mm, height: 250mm
- Space saving fold away o/a size: dia: 290mm, height: 330mm
- Weight: 518g
- CODE: CWB10L







20L FOLDING BUCKET

This durable, flexible, folding bucket is great for everyday jobs if at work, home or play, with its durability guarantees long lasting performance.

- Flexible handles make carrying easy
- Made from 500D PVC
- Perfect water carrier for all those plumbing & building jobs
- Open sizes: base dia: 290mm bucket mouth dia:290mm, height: 300mm
- Space saving fold away o/a size: dia: 290mm, width: 140mm, height: 450mm
- Weight: 404g
- CODE: CWB20L





14L POUR & SCOOP HEAVY DUTY BUCKET

If it's heavy duty, robust and versatility you need this is the bucket for you with an integrated scoop and pour functions, this is great for all jobs including carrying/pouring liquids, solids or semi-solids.

- 14 litre 3-gallon capacity
- Flat back scoop and easy pouring spout
- Metal handle and comfortable plastic hand grip
- Extra thick ribs to add strength
- Calibrated for gallons and litres
- Made in UK from100% recycled plastics
- CODE: PSBUCK14L



14L HEAVY DUTY BUCKET

If it's heavy duty, robust and versatility you need this is the bucket for you with an integrated scoop and pour functions, this is great for all jobs including carrying/pouring liquids, solids or semi-solids.

- 14 litre 3-gallon capacity
- Pouring spout allows allows pouring with minimal spillage
- Measuring scale on inside of bucket, litres & gallons
- Metal handle with plastic grip
- Made in UK from 100% recycled plastics
- CODE: BUCK14L

1/8" BORE SILICONE TUBE

- 2m Length
- Internal Diameter: 4mm (1/8")
- Outer Diameter: 8mm (5/16")
- Wall Thickness: 2mm (3/32")
- Suitable for natural gas (not LPG)
- Suitable for use with U-Gauges & U-Flow Gauges
- CODE: A664048

1/4" BORE RUBBER HOSES

- 2m & 20m Lengths
- Internal Diameter: 6mm (1/4")
- Outer Diameter: 10mm (3/8")
- Wall Thickness: 1.65mm (1/16")
- Suitable for natural gas (not LPG)
- Suitable for use with U-Gauges & U-Flow Gauges
- CODE: A664050 2 metre
- CODE: A664054 20 metre



1/4" BORE NEOPRENE HOSES

- 2m & 20m Lengths
- Internal Diameter: 6mm (1/4")
- Outer Diameter: 10mm (3/8")
- Wall Thickness: 1.65mm (1/16")
- Suitable for use with LPG & natural gas
- Suitable for use with U-Gauges & U-Flow Gauges
- CODE: A664051 2 metre
- CODE: A664053 20 metre



KINKS!

10m & 15m DRAIN DOWN HOSES

Internal diameter: 1/2" outer diameter 3/4" (12.7mm ID x 19.05mm OD) Made from flexible and tough natural red-rubber hose that will not kink or tear with regular use.

- CODE: 664047-5 5 metre
- CODE: A664047 10 metre
- CODE: 664047-15 15 metre



KIT CONTAINS

- 1 x 10m or 15m rubber hose
- 1 x Thumb screw hose clip
- 2 x Reusable velcro ties

10m DRAIN DOWN HOSE & CARRY BAG

Perfect waterproof storage solution for your drain down hose kit with strong handles for easy carrying.

• CODE: 664047-BAG - Bag only • CODE: A664047-PROMO - Bag & 10m hose

RADIATOR DRAINING KIT

Helps avoid unnecessary mess, damage to floors and carpets from spillage. For maximum protection always work with absorbent sheeting. Universal kit applies to 8mm to 22mm pipe bores.

• CODE: DT1

KIT CONTAINS

- 1 x Draining tray
- 4 x Water diverting collars
- 4 x Reusable sealing straps
- 1 x Water resistant barrier gel sachet
- 1 x Step-by-step detailed instructions



RADIATOR VALVE CHANGE KIT

Used for changing radiator valves without draining down, use on 15mm & 22mm pipework.

• CODE: A664130





Brass radiator air vent key with easy to turn clock key type handle for releasing air from water filled radiators.





1.5 LITRE ABSORBENT SHEETS

Ideal for when repairing leaking boilers, servicing radiators, repairing taps and washing machines.

- Ultra absorbent
- Holds 1.5 / 2 litres of water
- Size: 900mm x 600mm
- Pack of 5
- CODE: A445027



1/2" RADIATOR VENT 2PC KIT

- 1/2" (12.7mm) Radiator air vent & blanking plug set for the bleeding of radiators
- Vent can be opened using radiator vent key or a screwdriver
- Can be rotated to change direction that air and water discharges
- CODE: AHRVK3







15 & 22mm ELECTROLYTIC SCALE REDUCERS

Uses electrolytic principles to prevent the build-up of scale throughout the home, and remains effective over many years dependent on water usage. It works by altering the structure of the hardness salts.

- WRAS approved
- Whole house protection
- Durable nickel plated unit
- Additional hexagon supports at both ends to make installation easier
- No maintenance or chemicals required
- No earth bonding required
- Maximum 10 bar pressure
- Maximum operating temp 80°C
- 1 year warranty
- CODE: AHSR15 15mm
- CODE: AHSR22 22mm

BOOST YOUR SALES 5

High Margin, Fast Moving Product Lines

- Display **best-selling** Arctic Hayes tools and consumables for the heating and plumbing market on a high quality durable light up **display stand**.
- High-guality, engaging and colourful point of sale display stands can have a huge impact on sales figures.
- Make the **right impression**, drive impulse purchases and grab customers attention!
- Risk-free! Regular stock reviews and the ability to swap non-moving stock for new lines.
- Initial Stock Order **Support** Available.



Wall Panel CODE: WALLCOMP1100





Medium-Small Stand Size: 800mm x 1500mm CODE: STANDCOMP1580

Medium-Tall Stand Size: 660mm x 2000mm CODE: STANDCOMP66



Tall Stand Size: 1000mm x 2000mm CODE: STANDCOMPLETE

NO MESS!

PROFESSIONAL WORK MATS


All Arctic Hayes work mats are resistant to oil, water, bleaches, detergents, heating additives and more. Can be used for internal and external use. 100% polyester, professional work mats are waterproof and anti-slip. All mats come with a free storage bag.





SMALL, MEDIUM & LARGE WORK MATS

- Resistant to a number of chemicals including bleaches, detergents, solvents
- Water & oil resistant
- Anti-slip
- Waterproof & washable
- For interior or exterior use
- Handy slits for working around pipes
- Includes a free storage bag







• CODE: WM1 - 1200mm x 750mm

- CODE: WM2 1800mm x 850mm
- CODE: WM3 1800mm x 1500mm

TRADESMAN'S RUNNER

 Resistant to a number of chemicals including bleaches, detergents & solvents

> ARCTIC HAYES

> > ANYES

- Water & oil resistant
- Anti-slip
- Waterproof & washable
- For interior or exterior use
- Includes a free storage bag



FOAM RUBBER KNEELING MAT

An essential tool for every plumber and trades person. Helps to protect knees from hard surfaces and flooring during routine maintenance work.

- 30mm thickness
- 100% NBR Foam rubber
- Light weight
- Anti-slip
- Wipe clean
- Interior/Exterior use
- CODE: KM2 463mm x 215mm



ARTES

KNEELING MAT

Helps to protect knees from hard surfaces and flooring during routine maintenance work.

- 30mm thickness
- 100% NBR Foam rubber
- Light weight, anti-slip & wipe clean
- Interior/Exterior use
- CODE: KM463 463mm x 215mm

PADDED KNEELING MAT

An essential tool for every plumber and trades person. Helps to protect knees from hard surfaces and flooring during routine maintenance work.

- Easy storage
- Thick foam construction
- CODE: KM1 455mm x 250mm





SURFACE PROTECTOR

A thick, foam-backed mat ideal for protecting all work surfaces from tools.

- Wipe-able for long life
- Waterproof to prevent leak-through
- CODE: SP1 900mm x 670mm



PREMIUM MAINTENANCE MATS

Premium, heavy-duty work and maintenance mat ideal for working around radiators. Suitable for both interior and exterior work.

- Waterproof & wipe-able
- Handy slits for around pipes
- Absorbent to prevent spillages



PREMIUM PLUMBERS RUNNER

Premium, heavy-duty work and maintenance mat ideal for hallways or long length floors. Suitable for both interior and exterior work.

- Used by all trades
- Absorbent to prevent spillages





***READ FULL INSTRUCTIONS ON WHERE TO USE/NOT TO USE

100m CARPET PROTECTOR

Self-adhesive floor protector ideal for protecting carpets during DIY or maintenance work. The easy-peel adhesive is strong enough to stick to carpets and stay in place during work without damaging pile when removed.

FOR TEMPORARY USE ONLY. Replace within 14 days for normal traffic areas, and within 7 days for high traffic areas.



25 & 50m CARPET PROTECTOR

Excellent protection for carpets during refurbishment and decoration. Self-adhesive with rip-resistant construction for quick and simple to apply and remove.

FOR TEMPORARY USE ONLY. Replace within 14 days for normal traffic areas, and within 7 days for high traffic areas or in direct sunlight.

• CODE: CP1 - 600mm x 25m • CODE: CP1-50M - 600mm x 50m





25 & 50m HARD FLOOR PROTECTOR

Excellent protection for hard floor refurbishment and decoration. Self-adhesive with rip-resistant construction for quick and simple to apply and remove.

FOR TEMPORARY USE ONLY. Do not leave film in place for longer than 30 days for normal traffic areas, replace within 14 days for high traffic areas or in direct sunlight.

• CODE: HFP1 - 600mm x 25m • CODE: HFP1-50M - 600mm x 50m





Protect your stairs or hallway during painting or other maintenance work with our cotton stair runner dust sheet. Medium duty, suitable for use in the home or for industrial applications.

- 100% natural cotton
- Reusable and durable
- Machine washable
- 7.3m x 0.9m (24' x 3')
- CODE: A666009

SPRING LOADED STAIR RODS

Telescopic rods for use on stairs to hold dust sheets or plumbers runners to help reduce the possibility of trips and slips.

- Holds dust sheets and other types of sheeting into the foot well of each stair
- Use time and time again
- Handy bag with shoulder straps
- Set of 14 spring loaded rods
- CODE: A666030

COTTON TWILL DUST SHEET

Protect floors and carpets during painting or other maintenance work with our cotton twill dust sheet. Suitable for use in the home or industrial applications, machine washable and reusable.

- 100% natural cotton
- Multi-purpose & reusable
- Can be used to protect furniture
- Machine washable
- Professional quality
- 3.6m x 2.8m (12' x 9')
- CODE: AD62822

1.5 LITRE ABSORBENT SHEETS

- Ultra absorbent
- Holds 1.5 / 2 litres of water
- Size: 900mm x 600mm
- Pack of 5

LAMINATED DUST SHEET

- Multi-purpose, reusable & machine washable
- Highly absorbent polythene backing
- Water and paint resistant
- 3.6m x 2.8m (12' x 9')





• CODE: A666013

• CODE: A445027

HEAVY DUTY CALICO DUST SHEET

- 100% cotton machine washable
- Multi-purpose, reusable & hard-wearing
- Home or industrial applications
- 3.6m x 2.8m (12' x 9')
- CODE: A666012



Place across doorways to stop people entering whilst work is being carried out. Spring loaded for added tension. Safety sign measures 450mm x 450mm with an adjustable rod measuring 550mm - 900mm.

- CODE: WIP1 Door banner & rod
- CODE: WIPS Door banner only
- CODE: DWBRODS-12 Rod only





WATERPROOF ABRASIVE CARBIDE STRIPS

Long-lasting, waterproof, non clogging silicone carbide abrasive strips. Perfect for cleaning copper tubes before soldering or roughing up plastic pipes before jointing.

- Medium grade 180 grit
- Pack of 10
- Size: 38mm x 250mm
- CODE: A662100



HOW TO USE VIDEO



WATERPROOF ABRASIVE CARBIDE ROLL

Continuous roll of silicone carbide abrasive, perfect for cleaning copper tubes before soldering, or roughing up plastic pipes before jointing. Lengths can be cut to size.

- Medium grade 180 grit
- Size: 38mm x 5m
- CODE: A662102

ABRASIVE SCOURING PADS

Flexible and long-lasting general purpose medium grade cleaning pad. Made with open construction to aid easy rinsing, from high quality fibres.

CODE: ASPG10



BEFORE



DURING



AFTER

- Metal-free great alternative to steel wool
- Splinter free
- Can be used wet or dry
- Used for cleaning, finishing, deburring and surface preparation
- For fast, non-marking cleaning of soldered connections on copper pipes
- Reduction of corrosion damages
- Removes oxide layers, corrosion, surface contamination and residues containing grease and oil
- No metallic abrasion
- Solvent-resistant medium grade
- For use on metals, wood, ceramics, paint and plastics
- 150mm x 230mm x19.5g
- CODE: ASPG10







0.45kg medium Grade 1 steel wool for general purpose work, cleaning of copper pipes and plumbing fittings, paint removal, paint and metal preparation such as car bodywork.

• CODE: WB28

STEEL WOOL PADS

Pack of 8 medium Grade 1 steel wool pads for general purpose work, cleaning of copper pipes and plumbing fittings, paint removal, paint and metal preparation such as car bodywork. • CODE: WB8



EMERY CLOTH

Durable and flexible J-weight Emery Cloth 180 Grit. Produced from Aluminium Oxide, resin bonded for improved grit adhesion giving longer lasting anti-static capabilities.

- Medium grade 180 grit
- Size: 50mm x 50m
- CODE: EC50



HEAT EXCHANGER CLEANING BLADES

Velcro blade specially designed for cleaning flue deposits from heat exchange fins.

- Light-weight
- Durable velcro cleaning surface
- Double-ended for extended life and usability
- Less damage to heat exchangers than other cleaning materials



• CODE: A664150 - 200mm • CODE: A664151 - 400mm

VELCRO BLADE

200mm Velcro blade specially designed for cleaning flue deposits from heat exchange fins.

- Light-weight
- Durable velcro cleaning surface
- Screw fit block end
- Less damage to heat exchangers than other cleaning materials



• CODE: A664152 - 200mm



4-IN-1 PIPE CLEANING QUAD BRUSH

This unique 4-in-1 wire brush is both light and ergonomic. Features two different bore sizes and is suitable for cleaning copper pipes both internal & external.

- Fits 15mm & 22mm copper pipes
- Lightweight and portable
- Hard wearing and durable
- CODE: A66060

COPPER FITTING CLEANING BRUSHES

Steel wire brush perfectly designed for cleaning internal copper fittings and pipes. Ideal for use on pipe jointing and when changing fittings on copper pipe-work.

- CODE: A664113 10mm
- CODE: A664114 15mm
- CODE: A664112 22mm
- CODE: A664116 28mm



7 PIECE FLUE BRUSH SET

7 piece premium flue brush cleaning rod and head set in various lengths to accommodate various size or shape flues.

• CODE: A664109



SET CONTAINS

- 1 x 305mm handle | 1 x 305mm handle extension rod
- 1 x brush head, nylon (15mm dia x 150mm long)
- 1 x brush head, nylon (25mm dia x 72mm long)
- 1 x brush head, nylon (50mm dia x 150mm long)
- 1 x brush head, steel (20mm dia x 56mm long)
- 1 x brush head, soft bronze (15mm dia x 56mm long)

7 PIECE DOMESTIC FLUE BRUSH SET

7 piece flue brush cleaning rod and head set in various lengths to accommodate various size or shape flues. • CODE: A664107



SET CONTAINS

- 1 x 305mm flat cleaning blade
- 1 x 305mm handle
- 1 x 125mm handle
- 1 x 305mm extension rod
- 1 x brush elliptical head, nylon (50mm dia x 305mm long)
- 1 x brush head, nylon (50mm dia x 203mm long)
- 1 x brush head, nylon (50mm dia x 12.5mm long)



FLUX BRUSHES

Specially shaped for applying flux or glue onto joints and threads. Ideal for use when coating copper fittings, connections and pipe-work.

- 200mm length
- 30mm bristle length
- CODE: A66054 Tub of 3
- CODE: A66056 Pack of 10
- CODE: A66055 Tub of 25

LANDLORD & HOMEOWNERS RECORD PAD

Suitable for landlord inspections, servicing and appliance checks. Issued in accordance with the gas safety regulations for installation and use.

- Pad of 25 A4 forms in triplicate
- Sequentially numbered
- CODE: 663010-NUM





DANGER SAFETY WARNING DO NOT USE LABELS

- Can be used as label or tag
- Pack contains 10 labels and 10 strong zip ties
- CODE: A663060







BRAIDED GLASS

Asbestos-free braided glass yarn for high temperature sealing in flues, boilers, stoves, ovens and other heating applications. Maximum working temperature 600°C.



- CODE: ROPE6MM- 6mm x 2m
- CODE: A661020- 6mm x 5m
- CODE: A661021 6mm x 10m
- CODE: ROPE10MM- 10mm x 2m
- CODE: A661022- 10mm x 5m
- CODE: A661023- 10mm x 10m
- CODE: A661024- 12mm x 5m
- CODE: ROPEKIT6- 6mm x 2m & 125ml adhesive
- CODE: ROPEKIT10- 10mm x 2m & 125ml adhesive



125ml HIGH TEMP ROPE ADHESIVE

A specially formulated high temperature rope fixative adhesive designed for fixing thermal rope/tape and ceramic fibre seal to oven, stove and boiler doors.

- Liquid adhesive
- For use with our braided glass yarn
- Temperature resistant up to 1250°C
- CODE: A661014

12m STANDARD PTFE TAPE

Specially designed to help seal threads on fittings. Suitable for use on water and oxygen lines, taps and fittings. Not suitable for use with gas lines or gas fittings.

- Approved to EN751-3:2022
- Non-flammable thread sealant
- Resistant to all acids, alkalis and solvents
- Suitable for use with oxygen lines and drinking water
- Size: 12mm x 12m
- CODE: A662016

5m GAS PTFE TAPE

High density, EN certified gas PTFE thread sealant tape. Suitable for use on gas and oil lines, taps and fittings.

- Approved to EN751-3:2022
- Suitable for threads up 50mm
- Size: 12mm x 5m
- CODE: A662014







GENERAL PURPOSE CLOTH TAPE

Adhesive tape with a hard-wearing cloth backing. Durable and flexible tape ideal for general purpose jointing, sealing, repairing, bundling and joining polythene sheeting.

- Service temperature range: -20°C to +60°C
- CODE: 662020-25 25mm x 50m
- CODE: A662020 50mm x 50m



ALUMINIUM FOIL TAPE

45m roll of aluminium foil tape. Superior to duct tape and recommended for use where a moisture barrier is required as well as low temperature resistance.

- 50mm wide
- 45m length roll
- 40µm thickness
- CODE: A662021



PRS10 50mm CLOSURE PLATE TAPE

A specially manufactured tape for the secure and safe sealing of gas fire back-plates.

- 50mm wide
- 25m length roll
- Meets requirements of 10.3.2.1A
- Service temperature 5°C to 100°C
- CODE: A662012

GAS ID TAPES

This gas pipeline identification tape is printed with the basic identification colours as emphasised by Health & Safety Regulations. Should be applied to any gas installation. **CODE: 662030-50M** - 50mm x 50m **CODE: A662036** - 38mm x 33m 2021

CEM2

08001

GAS

GAS GAS



6-38mm DEBURRER

The Arctic Hayes deburring tool quickly and neatly deburrs internal/ external pipes 6mm- 38mm. For use on plastic, copper, aluminium and brass pipes.

- Internal/External deburring tool
- Zinc alloy cutting blades
- Ergonomic design
- Quick and efficient
- Robust PP outer
- CODE: DEBURR1







ARCTIC RATE

U-CUT PIPE CUTTERS

Don't waste time trying to cut pipes that you cannot get to with conventional blades! Get quick, neat cuts with these specially designed pipe cutters with a small body that allows movement in tight jobs.

- Heavy duty zinc die-cast body
- Hardened and tempered steel cutting wheel
- Supplied with spare cutting wheel
- Available in 15, 22 & 28mm





- CODE: A443001 15mm • CODE: A443002 - 22mm
- CODE: A443003 28mm
- CODE: A443004 15 & 22mm (twin pack)
- CODE: A443005 15 & 22mm spare wheels (twin pack)
- CODE: A443006 28mm spare wheels (twin pack)

3-16mm PIPE CUTTER

This durable mini tube/pipe cutter is suitable for 3-16mm diameter plastic and copper pipes. With its hardened steel blade and dual rollers, it is ideal for cutting pipes with ease in confined spaces.

- Cutting capacity 3-16mm
- Ideal on micro-bore copper & plastic pipes
- Hardened steel blade
- Dual rollers gives improved pipe rotation
- CODE: AHMTC3-16



9 PIECE PIPE FLARING KIT

- Includes flaring bar, 45° flare press & 7 dies
- Die sizes: 3/16",1/4", 5/16", 3/8", 7/16", 1/2" & 5/8"
- Suitable for soft copper & aluminium pipes
- Compatible with Arctic Hayes 3-16mm pipe cutter
- CODE: AHFTK1



PROFESSIONAL PIPE BENDER

This high-quality professional pipe bender is perfect for both 15mm and 22mm copper & light grade stainless steel pipes. Create ripple free and precise bends with this heavy duty and durable professional tool.


- Supplied with 15mm & 22mm aluminium die cast formers
- Non-slip handle is comfortable to grip and operate
- Widely used in plumbing, air conditioning, ventilation systems, automotive heating systems and more
- CODE: PB1522

PROFESSIONAL MINI PIPE BENDER

Made from durable aluminium. With its ergonomic handle design, it accurately bends 6mm, 8mm & 10mm pipes up to 180°.

- 3-in-1 180° pipe bender
- Create ripple free precise bends
- Widely used in plumbing, air conditioning, ventilation systems, automotive heating systems and more
- CODE: PB6810







DIGITAL PRESSURE VESSEL HAND PUMP

Easy to read, accurate and is made from a robust aluminium tube with strong ABS plastic parts with a long 3m hose. Ideal when working in hard to reach places such as charging expansion vessels on boilers.

- 4 x pressure range units: PSI,BAR,KPA,KG/CM²
- Range: 0.0 8BAR (to 0.1 decimal place)
- Sturdy footplate
- 3 x Spare adaptors systems and more



• CODE: DHP1



PRESSURE SERVICE KIT

Designed for use to repair Schrader valves. • CODE: PSK22

SET CONTAINS

- 1 x Schrader core removal tool
- 1 x Multi function core removal tool
- 10 x Schrader cores
- 10 x Dust caps



*All kits & adaptors are compatible with Digital Hand Pump (DHP1). *All pressure vessel angle adaptors help access those difficult to reach pressure vessel valves.



EXPANSION PRESSURE VESSEL SERVICE KIT

Schrader extension and small repair kit when working on pressure vessels.

- 1 x 180mm Pressure Vessel Angle Adaptor
- 1 x Schrader core removal tool
- 3 x Schrader cores
- CODE: A221004



150mm PRESSURE VESSEL STRAIGHT ADAPTOR

- Male / Female Schrader connections
- Length: 150mm
- CODE: EXT100

180mm PRESSURE VESSEL ANGLE ADAPTOR

- Male / Female Schrader connections
- Length: 150mm
- CODE: ANG180





450mm PRESSURE VESSEL STRAIGHT ADAPTOR

Quick release female Schrader connection

- Length: 450mm
- CODE: EXT450

1200mm PRESSURE VESSEL LONG ADAPTOR

Quick release female Schrader connection

- Length: 1200mm
- CODE: EXT1200

HEAVY DUTY CONTINUITY BONDS

Provide a temporary continuity to earth when disconnecting or connecting gas pipes with heavy duty continuity bonds. This product is manufactured using flexible multi-strand 10mm² cable to conform to current Gas Safety Regulations.

- 1.2m PVC cable
- For pipes up to 25mm diameter
- Rated to 150A / 250V
- Fully coated handles for extra protection
- CODE: 664015-BG

ECONOMY CONTINUITY BONDS

- Provide a temporary continuity to earth when connecting / disconnecting gas pipes
- 1.2m PVC cable
- For pipes up to 25mm dia
- Rated to 150A / 250
- CODE: A664016



4-IN-1 UNIVERSAL STOPCOCK KEY

The Arctic Hayes 4-in-1 Universal Stopcock Key is manufactured from galvanised steel with a robust cast iron head.

- Galvanised steel with a robust cast head
- High torque T-bar handle
- Also used to lift access covers
- CODE: SCK41

LONG REACH **SCREWDRIVERS**

- 1 x 300mm slotted screwdriver
- 1 x 300mm PD2 screwdriver
- Chrome vanadium steel
- Twin density handle
- Magnetic tip



• CODE: A66008

MAGNETIC PEN-STYLE PICK UP TOOL

- Magnetic tip with pocket clip
- Extendible telescopic rod
- Pen style design

• CODE: A664000

• Pick up weight: 2.7kg





ABS PLASTIC MAGNETIC BOWL

Perfect for keeping small metal objects in one place such as nuts, bolts and screws. Won't mark surfaces.

- CODF: MAG2
- Premium quality ABS plastic
- Strong magnet technology for holding small metal objects
- 109mm x 78mm

• 3 x Spanners (8-9mm, 10-11mm, 12-13mm) • 1 x Tommy bar

MONOBLOC SPANNERS WITH TOMMY BAR

- Release and tighten bolts
- Carbon structural steel



CODE: MBS3

COOKER STABILITY CHAIN QUICK RELEASE

- For installation of domestic gas cooking appliances
- Fitted with snap hook for quick release
- CODE: A663100



PRESSURE TEST NIPPLES

- Facilitate the checking of pressure
- Small hole restricts gas flow
- CODE: A664040 Pack of 3
- CODE: 664040-U Single



GAS PRESSURE TEST TEE KIT

- 3 way pressure test tee with pump & hose
- Consists of a 1/4" BSPT fitting on a 3 way test tee with 200mm of hose and a hand pump
- Used to pressurise and check the soundness of gas pipework in conjunction with a U-Gauge
- CODE: A664043



6-1800mm WASTE PIPE CLEANER

Unblock clogged plug holes and waste pipes with ease. The integral handle helps twist the corkscrew end to collect debris, hair, tissue etc. The flexible 1800mm length allows easy access to hard to reach areas. Removes the need for harsh chemicals and expensive emergency drainage callouts.

- 1800mm length 6mm diameter
- For clearing blocked waste pipes
- Gentle method without the need or chemicals
- Bends in the pipework easily
- Ideal for baths, basins, sinks, bidets, urinals and other waste pipes
- CODE: AHWPC1800











DRAIN RODS 13 PIECE SET

Makes light work of unblocking a multitude of blockages within drains. With a total of 9.2m reach.

- 10 x 920mm rods 1 x 100mm drop head, 1 x 50mm worm, 1 x 100mm rubber plunger
- 1 x canvas tool bag
- 1 x Canvas carry bag
- Quality zinc M12 connections
- Kink free
- CODE: AHDR13

100mm NYLON BRUSH HEAD

Nylon brush head for use with Drain Down 13 Piece Set. • CODE: AHBH









IR99 3-IN-1 THERMOMETER

The IR-99 3-in-1 thermometer is a clamp thermometer, infrared thermometer and stem thermometer, all in one instrument.

- Max / Min and Hold function
- User selectable °C or °F
- Clamp opening approx 1" (25mm)
- Response time less than 1 second
- Automatic power off function
- IR temperature resolution 0.1°C/°F
- Optical resolution: 1:1
- Resolution 0.1°C/°F
- Basic accuracy 2% of reading
- Battery: 1 x CR 2032 button (included)
- CODE: A998724

IR temperature range: -35°C to +260°C (-31°F to 500°F) Probe temperature range: -40°C to +260°C (-40°F to 500°F) Clamp temperature range: -40°C to +200°C (-40°F to 392°F)



STEM THERMOMETER

A simple to use thermometer ideal for testing liquids, semi-solid and solid materials.

- Temperature range: -55°C ~ 330°C (-58°F ~ 626°F)
- Max / Min and Hold function
- User selectable °C or °F
- 145mm x 4mm probe length
- Probe protective sheath
- Automatic power off function
- IP rating 54
- Conforms to EMC and RoHS Directive
- CE and UKCA Compliant
- Battery: 1 x 3V CR1220 button cell (included)



* Compatible with U-Flow Water Gauge (Code: A888000)

• CODE: AH02

COMPACT DIGITAL THERMOMETER

Combines a modern compact design effective device for liquids, semi-solids and solids.

- Temperature range: -50°C ~ 150°C (-58°F ~ 302°F)
- Max / Min and Hold function
- User selectable °C or °F
- Programmable audible alarm at high and low temperature limits
- 100mm x 3.5mm probe length
- Automatic power off function
- Conforms to EMC and RoHS Directive
- CE and UKCA Compliant
- Battery: 1 x 1.5V button cell (included)



• CODE: AHCT1

NON-CONTACT INFRARED DIGITAL THERMOMETER

Perfect for measuring the temperature of hard to reach objects. Unique 12 point circular measurement area allows clear and accurate readings. Supplied in a protective carry case.

- Temperature range: -30°C ~ 380°C (-22°F ~ 716°F)
- Max and Data Hold function
- Laser target pointer
- Colourful LCD display for easy read
- Adjustable upper and low limit alarm
- D:S 12-1 (distance to spot ratio)
- Automatic power off function
- Conforms to EMC and RoHS Directive
- EN60825 compliant for laser
- CE and UKCA Compliant
- Battery: 2 x 1.5V AAA (included)
- CODE: AH650









DIFFERENTIAL DUAL INPUT THERMOMETER KIT1

Provides engineers with everything needed to accurately measure temperatures. The kit has been designed to be a useful tool for gas, heating and plumbing professionals. Ideal for flow and return differential for balancing radiators as well as cold water inlet and hot water outlet temperatures.

- Temperature range: K-Type: -200°C ~ 1370°C (-328°F ~ 2498°F) J-Type: -200°C ~ 1100°C (-328°F ~ 2012°F)
- Max / Min / Hold & AVG functions
- Backlight feature
- 2 x K / J Type ports
- Probes and Thermocouples meet EN 60584
- Conforms to EMC and RoHS Directive
- CE and UKCA Compliant
- Battery: 1 x 9V (included)
- Battery: 2 x 1.5V AAA (included)

KIT CONTAINS

- 1 x Dual input thermometer (AHTH)
- 1 x Air & liquid temperature probe (TPA1)
- 1 x Surface temperature probe (TPS1)
- 2 x Pipe clamp temperature probes (TPPC1)
- 2 x 1M K-Type thermocouple wires (TC1)
- 1 x Robust case & batteries included

DIFFERENTIAL DUAL INPUT THERMOMETER KIT2

Provides engineers with everything needed to accurately measure temperatures. The kit has been designed to be a useful tool for gas, heating and plumbing professionals. Ideal for flow and return temperature differential when balancing radiators.

- Temperature range: K-Type: -200°C ~ 1370°C (-328°F ~ 2498°F) J-Type: -200°C ~ 1100°C (-328°F ~ 2012°F)
- Max / Min / Hold & AVG functions
- Backlight feature
- 2 x K / J Type ports
- Thermocouples meet EN 60584
- Conforms to EMC and RoHS Directive
- CE and UKCA Compliant
- Battery: 1 x 9V (included)

KIT CONTAINS

- 1 x Dual input thermometer (AHTH)
- 2 x Pipe clamp temperature probes (TPPC1)
- 2 x 1M K-Type thermocouple wires (TC1)
- 1 x Protective carry case
- 1 x Batteries included



DIFFERENTIAL DUAL INPUT THERMOMETER

Delivers a fast response reading and covers a wide range of temperature range. Takes the temperature measurement in most heating, ventilation, cold storage and air conditioning applications.



- Temperature range: K-Type: -200°C ~ 1370°C (-328°F ~ 2498°F) J-Type: -200°C ~ 1100°C (-328°F ~ 2012°F)
- Max / Min / Hold & AVG functions
- User selectable °C or °F
- Backlight feature

581

- 2 x K / J Type ports
- 2 x 1m K-Type Thermocouples included
- Conforms to EMC and RoHS Directive
- CE and UKCA Compliant
- Comes with protective carry case
- Battery: 1 x 9V (included)
- CODE: AHTH

K-TYPE SURFACE TEMPERATURE PROBE

Measures temperature of radiators, hot plates and pipes and ideal for temperature measurements on all flat surfaces.

- Temperature range: -40°C ~ 600°C (-40°F ~ 1112°F)
- 15mm Spring loaded thermocouple tip
- Used with any K-Type thermometer or multimeter
- Compliance: BS EN60584-1, BS EN60584-3
- 100mm probe length, 5mm diameter
- 1mCurly cable
- RoHS compliant
- CODE: TPS1

K-TYPE AIR & LIQUID TEMPERATURE PROBE

Measure both air and liquid temperature including water, oils, detergents, semi-solids and non toxic chemicals.

- Temperature range: -40°C ~ 250°C (-40°F ~ 482°F)
- Exposed thermocouple bead, covered by a perforated stainless steel probe allowing the free passage of air and liquid

EPER

- Used with any K-Type thermometer or multimeter
- Compliance: BS EN60584-1, BS EN60584-3
- 100mm probe length, 5mm diameter
- 1m Curly cable
- RoHS compliant
- CODE: TPA1

K-TYPE PIPE CLAMP TEMPERATURE PROBE

Ideal for checking the flow and return temperature differential when balancing radiators.

- Temperature range: -40°C ~ 100°C (-40°F ~ 212°F)
- Quick response plates suitable for 4-40mm dia pipes
- Spring load jaw for secure grip
- Used with any K-Type thermometer or multimeter
- Compliance: BS EN60584-1, BS EN60584-3
- Cable length 1m
- RoHS compliant

1mK-TYPE

• CODE: TPPC1

K-TYPE VELCRO

27

B Cor

- **THERMOCOUPLE** • Measure air & liquid temperature
- Use with any K-Type compatible thermometer or multimeter
- CODE: TC1



STRAP PROBE • 320mm x 20mm Velcro strap • 2 metre long lead

- Max temperature: 150°C
- CODE: A8125



COMBUSTIBLE GAS LEAK DETECTOR

An essential testing tool for high performance electronic detection of combustible gases.

- Heated semiconductor gas sensor
- High low leak sensitivity selector
- 7 LED tri-coloured visual leak level indicator
- Variable intensity audible alarm
- Ambient concentration reset
- 15.5" flexible stainless steel probe
- Detection of Methane / Hydrocarbon gases
- Sensitivity as small as 5ppm
- Operating temperature: 0°C-40°C (32°F-104°F)
- Battery: 4 x AA (included)
- CODE: A998721

KIT CONTAINS

- 1 x Combustible gas leak detector
- 1 x Specialised gas test bottle
- 1 x Robust carry case
- 1 x Instruction manual
- 4 x Batteries included

GAS LEAK DETECTOR

Used to identify the presence of combustible gases such as natural gas, methane, propane, butane and ammonia in appliances, valves, pipes and fittings.


- Detects between 50ppm to 1000ppm
- High/Low sensitivity setting
- Audible and visual alarm
- Auto power off
- Operating conditions: 0°C ~ 50°C (32°F ~ 122°F) 20 to 80% RH
- Conforms to EMC and RoHS Directive
- CE and UKCA Compliant
- Battery: 2 x 1.5V AAA Alkaline (included)
- CODE: AH61



DIGITAL PRESSURE VESSEL CHECKER

Ideal to check pressures in expansion pressure vessels within heating systems. Ideal size for plumbing use with an accurate gauge that gives readings in PSI, kPa, and BAR.

- Range: 5-100 PSI
- Accuracy: ±(1% + 0.5) PSI
- Peak & Hold function
- LED light tip helps you find the valve easily
- Auto power off
- PSI, kPa & BAR
- Battery: 2 x 1.5V AAA (included)
- CODE: AHTP5



DIGITAL DIFFERENTIAL PRESSURE METER KIT

Measures gauge / differential pressure from -55.4 in H²O (± 2 psi), it features 11 selectable units of measure: H²O, pis, bar, mbar, kPa, inHg, mmHg, ozin, ftH²O, cmH²O, kgcm. Additional features include data hold, auto power off disabled and backlight feature

• CODE: A998673

KIT CONTAINS

- 1 x Digital differential pressure meter
- 2 x Connection hose
- 1 x Robust carry case
- 1 x Instruction manual
- 1 x Battery: 9V (included)



FUNCTION	RANGE	RESOLUTION	FUNCTION	RANGE	RESOLUTION
inH ² 0	55.40	0.01	ozin²	32.00	0.01
psi	2.000	0.001	ftH ² 0	4.612	0.001
mbar	137.8	0.1	cmH ² 0	140.6	0.1
kPa	13.79	0.01	kgcm ²	0.140	0.001
inHg	4.072	0.001	bar	0.137	0.001
mmHg	103.4	0.1			



DIGITAL VOLTAGE

A two pole voltage indicator and continuity tester. Compact, lightweight design. Voltage indicators are an essential measuring tool for all trades and are used to make sure there is no risk of electrocution when working with live circuits.

- Built in flashlight
- Continuity detection range: 0-550K Ω
- Voltage range: 12-690V AC/DC
- Compliance: EN 61243-3 & EN 61010-1, CATIII 690V & CATIV 600V & IP64
- Indicates live circuits
- Self test function
- Accurate and reliable two-pole voltage and audible continuity testing
- Supplied with pole covers that meet GS38 standard
- Battery: 2 x 1.5V AAA (included)
- CODE: AHVOLT1







NON-CONTACT ATEX VOLTAGE DETECTOR

ATEX approved non-contact AC Voltage Detector is easy to use. As well as general use this ATEX certified version is approved for use in hazardous areas such as chemical plants, oil refineries and offshore rigs as well as gas / explosive environments.

- 12V to 1000V 100V to 1000V
- Frequency: 50Hz / 60Hz
- Compliance: CAT IV 1000V rated IP67 rated 2m drop-proof rated ATEX certified (II 2 G Ex ib IIB T4)
- Power Supply:2 x 1.5V AAA batteries (included)
- CODE: AHATEX12

Ex.

CERTIFIED

MULTI-FUNCTION SCREWDRIVER

More than just a screwdriver! Perform all essential testing to outlets and small electrical appliances with this multi-function screw driver. Self-testing, safe and easy to use.

- AC voltage test-contact: 70 to 250VAC
- AC voltage test-non-contact: 70 to 600VAC
- DC voltage test: up to 250VDC
- Polarity test: 1.5V to 36VDC
- Continuity check: 0 to 50M ohM
- Detects microwave leakage: ≥ 5MW/sq cm2
- Self-test: extra safe
- Conforms to EN61010-1
- Battery: 2 x LR41 (included)
- CODE: A664072





NON-CONTACT VOLTAGE DETECTOR

Designed to detect AC voltage from 12V - 1000V. When probe is placed near the AC voltage the signal indicator will flash red and beeper will sound.

- 12-1000V AC / 48V 1000V AC 50/60Hz
- Operating conditions: 0°C to +40°C / 32°F to 104°F
- Compliance: CATIII 1000V EN 61010-1
- Double insulated for safety around live circuits
- Audible and visual alarm
- Distinguish between live and neutral
- Conforms to LVD, EMC and RoHS Directive
- CE and UKCA Compliance
- Battery: 2 x 1.5V AAA (included)
- CODE: AH12









COMPACT DIGITAL MULTIMETER

A high-performing, auto-ranging multimeter with temperature function. This device can measure voltage, electrical current, resistance, capacitance as well as measuring NCV.

- Temperature range: -20°C ~ 1000°C (-4°F to 1832°F)
- Max / Min and Hold function
- Backlight function
- Removable probe covers to meet GS38
- 6000 counts true RMS
- Built in flashlight
- Overload protection
- Max voltage: 600V AC / DC
- Compliance: CATIII 600V
- Includes 1m K-Type Thermocouple & adaptor (to EN 60584)
- Conforms to LVD, EMC and RoHS Directive
- CE and UKCA Compliant
- Battery: 2 x 1.5V AAA (included)
- CODE: AH113



PROFESSIONAL DIGITAL MULTIMETER

A high-performing, auto-ranging multimeter with temperature function. The device can measure voltage, electrical current, resistance and capacitance.

- Temperature range: -20°C ~ 1000°C (-4°F to 1832°F)
- Max / Min and Hold function
- Backlight function
- Removable probe covers to meet GS38
- 6000 counts true RMS
- Built in flashlight
- Overload protection
- Max voltage: 750V AC, 1000V DC
- Compliance: CATIII 1000V, CATIV 600V
- Includes 1m K-Type Thermocouple & adaptor (to EN 60584)
- Conforms to LVD, EMC and RoHS Directive
- CE and UKCA Compliant
- Battery: 2 x 1.5V AAA (included)
- CODE: AH118

INPUT JACK LED INDICATION!



PROFESSIONAL DIGITAL CLAMP METER

Easy to use clamp meter with a large trigger jaw and rotary dial makes adjusting between features simple. Can be used to measure current up to 600A AC and voltage up to 600V AC.



- Max / Min and Hold function
- Double colour backlight screen
- Audible and visual alarm
- 6000 counts true RMS
- Built in flashlight
- Overload protection
- 25mm jaw opening size
- Max current: 600A AC, Without DCA
- Max voltage: 600V AC / DC
- Compliance: CATIII 600V, EN 61010-1, EN 61010-2-033
- Includes 1m K-Type thermocouple & adaptor (to EN 60584)
- Conforms to LVD, EMC and RoHS Directive
- CE and UKCA Compliant
- Battery: 2 x 1.5V AAA (included)
- CODE: AH206

REPAIR AND CALIBRATION

Arctic Hayes offers a comprehensive range of calibration and repair services aimed at keeping your test equipment maintained, accurate and functional to the highest standards and at very competitive prices.

Our professional calibration service is staffed by accredited engineers and our service laboratories are fully equipped with the latest calibration instrumentation.

All our calibration certificates and test equipment are traceable to National Standards. Any test equipment repaired by us will also be fully calibrated before being despatched to ensure the repair was successful and the meter is operating correctly.

All instruments calibrated or repaired at our laboratory are cleaned, adjusted (where necessary) and test leads (where supplied) are also checked to ensure that your meter is operating at it's full potential.

We offer a calibration recall service and we aim to have all instruments tested within 7 working days from receipt, and we can tailor our service to suit your specific requirements.



IMPERIAL & METRIC O-RINGS WASHER KITS

18 universal O-Ring sizes in one sturdy case, nitrile rings resist heat, most petroleum and silicone fluids, hydraulic and non-aromatic fuels and solvents.

KITS CONTAINS

- 20 x 3mm x 1mm
- 20 x 4mm x 1mm
- 20 x 4.5mm x 2mm
- 20 x 5mm x 2mm
- 20 x 6mm x 2mm
- 20 x 6mm x 2.5mm
- 20 x 6mm x 3mm • 5 x 13mm x 3mm • 5 x 14mm x 2.5mm
- 20 x 7mm x 2mm
- 20 x 8mm x 2mm • 5 x 9mm x 2mm
- 5 x 17mm x 2.5mm • 5 x 18mm x 4mm
- 5 x 10mm x 2mm • 5 x 20mm x 2mm
- 5 x 12mm x 3mm
- CODE: BOXM 225 piece metric

KITS CONTAINS

- 10 x 3/32" x 15/64"
- 20 x 1/8" x 1/4"

• 15 x 1/4" x 3/8"

- 20 x 5/32" x 9/32" • 15 x 7/32" x 11/32"
- 10 x 5/8" x 3/4" • 10 x 3/8" x 9/16"
 - 10 x 7/16" x 5/8"

• 15 x 5/16" x 7/16"

• 10 x 3/8" x 1/2"

• 10 x 1/2" x 11/16"

44 PLUMBER'S WASH

- 10 x 9/16" x 3/4"
- 10 x 5/8" x 13/16"
- 10 x 11/16" x 7/8"
- 10 x 3/4" x 15/16"
- 10 x 3/4" x 1"
- 10 x 13/16" x 1-1/16"
- CODE: BOXP 225 piece imperial

PLUMBERS WASHER KIT

A popular choice for plumbers, 144-piece washer kit for various plumbing jobs.

KITS CONTAINS

- 12 x 16.5* 6mm
- 12 x 24* 11mm
- 12 x 19.5* 5mm
- 12 x 15.5* 4mm
- 12 x 12* 4mm
- 12 x 32* 5mm
- 12 x 19* 10mm
- 12 x 19* 11mm
- 12 x 24* 15mm
- 12 x 22* 12mm 12 x 18* 15mm
- 12 x 24* 20mm

• CODE: A557000



144-piece O-Ring kit for various plumbing jobs.

K	(T	S	CO	NTAINS
•	12		22*	1.8mm
•	12		14*	2.65mm
•	12		24*	1.8mm
•	12		26*	2.65mm
•	12		27*	2.65mm
•	12		32*	2.65mm
•	12		30*	3.5mm
•	12		22*	2.65mm
•	24		29*	2.65mm
•	12		29*	3.5mm
•	12		33*	1.8mm





0 0

• CODE: A557001

* Sizes measure internal diameter and thickness



TAP WASHER KIT

170-piece tap washer kit with a variety of the most commonly used tap washers in different materials. Supplied in a handy carry box with a snap-lock lid and 12 compartments to keep washers separate.

KITS CONTAINS

- 55 x Vacca flat washers, 4 sizes: 3.8", 1/2", 5/8", 3/4"
- 15 x Vacca dome washers, 2 sizes: 1/2", 3/4"
- 30 x Dome delta/arm washers, 2 sizes: 1/2", 3/4"
- 20 x Tantofex tap washers, 2 sizes: 1/2", 3/4"
- 50 x Cap & lining fibre washers, 2 sizes: 1/2", 3/4"

• CODE: TWKIT



PLUMBERS FIRST AID KIT

Essential 210-piece plumbers' washer and olive kit with an assortment of 9 of the most commonly used sizes. Handy pack to keep in a work van or in the home.

KITS CONTAINS

- 30 x Fibre washers Y.I.F: 1/2"
- 20 x MT ball-cock washers: 1/2"
- 20 x Fibre ball valve seat washers: 1/2"
- 10 x Rubber bottle trap washers, 2 sizes: 1 1/4", 1 1/2"
- 50 x Cap & lining washers, 2 sizes: 1/2", 3/4"
- 20 x Rubber shower flex washers, 1/2^{*}
- 10 x Washing machine hose washers, 3/4"
- 35 x Fibre flexi tap con washers, 2 sizes: 1/2", 3/4"
- 15 x Compression olives: 15mm & 22mm

FIBRE WASHER KIT

Pack of 330 fibre washers of various sizes ideal to suit a variety of jobs. Designed for use in applications such as flexible tap connectors and taps, and where the washer is likely to be subject to high clamping pressures. Contains a mix of 14 of the most common size washers.

KITS CONTAINS

- 270 x Red fibre washers, 7 sizes: 9 x 6.4mm, 12.6 x
 8.3mm, 16 x 10mm, 15.5 x 11.5mm, 19 x 13.5mm, 22 x 14.6mm, 22 x 17mm
- 35 x Fibre washers, 3 sizes: 1", 1.2", 3/4"
- 15 x Ball valve seating washers, 2 sizes: 1.2", 3/4"
- 10 x Top body washers, 2 sizes: No. 3, No. 4



• CODE: FWKIT

BALL VALVE WASHER KIT

Ball valve washer kit containing 106 pieces. A variety of the most commonly used ball washers plus other essential ball valve pieces. Supplied in a handy carry box with a snap-lock lid and 12 compartments to keep washers separate.

KITS CONTAINS

- 20 x Black ball tap washers, 2 sizes: 1/2" x 1/8", 3/4" x 1/8"
- 40 x Red ball tap washers, 2 sizes: 1/2" x 1/8", 3/4" x 1/8"
- 3 x High pressure seats (white)
- 3 x Low pressure seats (red)
- 20 x Fibre washer ball seats, 1/2"
- 10 x Cotton pins, 2 sizes: 1/8" x 7/8", 7/8" x 3/16"
- 5 x Diaphragm washers, 1 1/4"
- 2 x Armstrong diaphragm washers
- 2 x Torbeck diaphragm washers
- 1 x Fluid master seal



• CODE: BVKIT

COLLEGES & TRAINING PARTNERS

Educational Incentives

ARCTIC HAYES supply the premium pipe freezing range for plumbing and heating engineers. Contact us today to discuss our educational incentives on our full range of over 450 products and all the benefits below.

nt DIYers and small one

Enhance your Curriculum

ingerant to perform

Including pipe freeze training as part of your student's curriculum, enables live demonstrations, a chance to ask questions and attain a certificate of completion to enhance their course qualifications.

Sponsored Bays

Enhance your training bays with branded posters, high quality images and logos.

We can create banners specific to pipe freeze or any other product categories.

SAVE TIME & MONEY WITH LONG LASTING FIT!

SPLITKLICK

There's no need to disconnect pipework when fitting, and our wide range of Split Klick products ensures you can get work done quickly and easily, no matter the job type.

- Nylon 6
- 15,000psi compressive strength
- Min working temperature: -50°C
- Max working temperature: 190°C

SCAN ME! to view our "HOW TO USE" videos.





TOP HAT WASHERS

Far stronger installation than conventional methods and will last for a lifetime. Allows you to replace old washers without disconnecting pipework, saving you valuable time. Ideal for use under baths or on fittings in sinks.

- CODE: SK1/001 Single
- CODE: SK1/002 Twin pack
- CODE: SK1PK10 Pack of 10



- Suitable for either 1/2" or 3/4" pipes
- No need to disconnect supply or tap
- Washer can be cut to fit larger pipe

CENTRALISING WASHERS

The unique Split Klick Centralising Washer automatically locates your tap correctly, eliminating the need to use silicone or putty. It makes fitting taps easier, quicker and gives a stronger and longer lasting installation.

- CODE: SK2/001 Single
- CODE: SK2/002 Twin pack
- CODE: SK2PK10 Pack of 10





- Suitable for 1/2" taps
- Easy and quick to fit
- Centralises taps with no mess and no fuss



MONOBLOC SINGLE WASHER

Monobloc washers centralise the tap during installation. No more slipping, no more frustration and a far stronger and more professional result. • CODE: SK3/001 - Single





- Automatically centralises fittings
- Unique, patented design
- Fits a single-bar fixing

MONOBLOC DOUBLE WASHER

Monobloc washers centralise the tap during installation. No more slipping, no more frustration and a far stronger and more professional result. • CODE: SK4/001 - Single





- Automatically centralises fittings
- Unique, patented design
- Fits a double-bar fixing






12.6mm

21.3mm

Pack of 5 CODE: W30

49.3mm







31mm

This Hush flow washer is used on older model inlet valves that have screw type caps.





- CODE: W16 Single
- CODE: W163 3 Pack

1/4" TURN

This hush flow washer is for use on newer inlet valves that have a 1/4 turn twist lock mechanism.



15.5mm



• CODE: HFW14 - Single • CODE: HFW143- 3 Pack


NEVER FAIL WITH THIS HUSH FLOW 4 PACK as it contains 2 x washers for old style inlet valves & 2 x washers for newer 1/4 turn inlet vaves.

- 2 x W16
- 2 x HFW14




- * NOTE: Plastic insert may vary in colour, in red or white, this indicates year of manufacture and has no effect on the function of the washer
- CODE: HFW4P













0.2mm(D) x 84mm(W) x 135mm(H)



- Pack of 5
- CODE: W18

4.1/2" ROUND SYPHON DIA. WASHERS

0.2mm(D) x 8.9mm(ID) x 114mm(OD)



Pack of 5
CODE: W19







- 1 x 1/2" Ball valve seating washer with 1/8" outlet
- 1 x 1⁄2" Ball valve fibre seating washer
- 1 x 1 ¼"Ball valve diaphragm washer
- 1 x 1⁄2" Ball valve rubber washer
- 1 x Spare piston
- 2 x Split pins

For use on part 2 & part 3 inlet valves



• CODE: W35



15.2mm(D) x 21.5(ID) x 5.9mm(OD)



- Pack of 5
- CODE: W34

1/2" x 1/8" BALL VALVE SEATING WASHERS

16.1mm(D) x 21.5(ID) x 2.4mm(OD)



• CODE: W33







Fix It Fast offers a range of fuses, screws and accessories to make completing jobs quick, easy, and efficient. Choose from our range of glass fuses, electrical connector sockets, and sealing brass discs.



3&5WAY ELECTRICAL CONNECTOR & SOCKET

Provides a receptacle for connectors when they are mounted to a printed circuit board. Essential fittings to create protection for the connection it is housing.

- 3 & 5-way pin
- Snap-lock latches, which allows for a quick release and polarisation
- Free hanging or panel mount
- Wire-to-wire or wire-to-board
- Maximum 20A
- 250V
- CODE: A556093 3 Way
- CODE: A556094 5 Way

3-5 WAY CONNECTOR WITH STRAIN RELIEF


3-5 way plug allows quick and easy installation of a range of products relating to a wiring centre. There is now no need to open the wiring centre to attempt to trace wires back to old, broken components.

- Built in cable strain relief
- One piece securing faceplate
- Strong holding clips
- Maximum 20A
- 250V









LIGHTWEIGHT ABS PLASTIC

Our access panel range offers a simple, low cost, high quality solution to provide protected openings in ceilings and walls for access to building engineering services. The injection moulded slim profile produces a lightweight solution, enabling an easy fit installation into all types of wall or ceiling construction.

- UV stable ABS
- Snap friction catch
- Can be painted to match surface




OVERALL SIZE	CUT OUT SIZE	DOOR SIZE
130mm x 180mm	100mm x 150mm	95mm x 145mm
194mm x 272mm	150mm x 230mm	145mm x 222mm
248mm x 248mm	200mm x 200mm	195mm x 195mm
357mm x 357mm	300mm x 300mm	292mm x 292mm
412mm x 412mm	350mm x 350mm	348mm x 348mm
523mm x 523mm	450mm x 450mm	448mm x 448mm
630mm x 630mm	560mm x 560mm	552mm x 552mm
	130mm x 180mm 194mm x 272mm 248mm x 248mm 357mm x 357mm 412mm x 412mm 523mm x 523mm	130mm x 180mm 100mm x 150mm 194mm x 272mm 150mm x 230mm 248mm x 248mm 200mm x 200mm 357mm x 357mm 300mm x 300mm 412mm x 412mm 350mm x 350mm 523mm x 523mm 450mm x 450mm

1 HOUR FIRE RATED

A simple, low cost, high quality solution to provide protected openings in ceilings and walls for access to building engineering services. Powdered coated white satin fire rated access panel with tamper-proof lock.

- Certified to BS EN1634-1:2008 & BS EN1634-2:1999
- Smoke tested to BS EN1634-3:2004
- UKAS acoustic test to 34dB reduction
- Suitable for walls and ceilings



CODE	OVERALL SIZE	CUT OUT SIZE	DOOR SIZE	CLEAR SIZE DOOR OPEN
FRPS1	350mm x 350mm	305mm x305mm	295mm x 295mm	220mm x 264mm

PRO SHOULD HAVE AN ONLINE ACCOUNT

Whether you're on-site, on the move, or stocking up in the van, having quick access to tools, products, and expert support is crucial to keeping your day running smoothly. At Arctic Hayes, we've made it easier than ever to get what you need, when you need it — all by creating a free online account.Here's why setting up your Arctic Hayes account is a smart move for every professional in the trade.

- Access unique trade pricing
- Discover the latest products
- Support, guides & how-to-videos 24/7


ARCTIC

• Easy online ordering





GT3 Gar



OVERSHOE CARPET PROTECTORS

Waterproof shield brand overshoes to protect your customers, carpets and floors whilst working indoors.

- One size fits all
- Hand-sealed polythene
- Elasticated for extra grip
- Box of 100
- CODE: A445040



HEAVY DUTY OVERSHOES

PVC-soled overshoes. Strong and resistant to chemical splashes and dust.

- One size fits most shoes
- 55gsm type 5B&6B PB material
- Non-linting
- Anti-static material
- CODE: 7775NON



SAFETY GOOGLES

- Confirms to EN166
- Optical Class: 1
- B Medium impact energy
- CODE: A445010



NAVY BUMP CAP

- 100% Cotton
- Vent holes
- EN812:2012
- CE Certified
- CODE: A7735

C

6G STANDARD GRIP & 8G HEAVY DUTY DIAMOND GRIP NITRILE GLOVES

6G STANDARD GRIP NITRILE GLOVES

This everyday 6g plain grip glove excels in performance with its tough puncture resistant attitude, after meeting all the necessary standards for carrying out all jobs across a multitude of industries.

- Amazing protection
 - Designed to last
 - Comfort fit
 - Ambidextrous
 - Strong puncture resistance





ARCTIC

• CODE: AHPGG6GM- Medium (Box of 100)

- CODE: AHPGG6GL Large (Box of 100)
- CODE: AHPGG6GXL Extra Large (Box of 100)

Finger	6.7mil
Palm	4.7mil
Cuff	3.9mil

3

BG DIAMOND GRIP HEAVY DUTY NITRILE GLOVES


Heavy Duty Dirty Grippers 8g gloves, with a diamond texture giving fantastic grip performance throughout all areas of industrial work. Its tough, strong, durable, ambidextrous and meets all the necessary standards

- Ultimate grip
- Amazing protection
- Designed to last
- Comfort fit
- Ambidextrous
- Strong puncture resistance

• CODE: AHDGG8GM - Medium (Box of 50)

- CODE: AHDGG8GL Large (Box of 50)
- CODE: AHDGG8GXL Extra Large (Box of 50)

Finger	9.8mil
Palm	8.7mil
Cuff	3.9mil



NITRO NITRILE/PU GLOVES

The Arctic Hayes NITRO glove is strong and durable but has the fit that still allows the at your finger tips.

Designed against mechanical risks.

- EN 388:2016 + A1:2018
- Rated to 4131X
- EN ISO 21420:2020
- 15 Gauge nylon/spandex blend
- Micro-Foam nitrile coated palm
- CE /UKCA
- Sizing M8/L9/XL10
- CODE: AHNITRO-M Medium
- CODE: AHNITRO-L Large
- CODE: AHNITRO-XL Extra Large

PUGGY PU WORK GLOVES

Featuring a very tough polyurethane coating with extreme abrasion resistance. Maximum flexibility and manoeuvrability make these gloves popular with scaffolders and plumbers as they are grippy without being restrictive.

- Nylon liner glove
- Polyurethane palm coated
- Machine knitted
- Integral elasticated wrist
- Score 4 1 3 1
- CODE: 445036M Medium
- CODE: A445036 Large
- CODE: 445036XL Extra Large



GLOVES

100% synthetic PVC vinyl gloves, suitable for use in the medical, food, mechanical and industrial sectors. Pre-powdered and easy to remove.

- Contains no latex or protein
- Medical grade
- Box of 100
- CODE: 4450355 Small
- CODE: 445035M Medium
- CODE: A445035 Large
- CODE: 445035XL Extra Large





NITRILE GLOVES

Super-thin, more comfortable and with more grip than vinyl.

- Hypo-allergenic, unlike latex
- High quality disposable products
- Liquid proof and oil resistant
- Ideal for general lightweight handling
- Box of 100
- CODE: 445044S Small
- CODE: 445044M Medium
- CODE: A445044 Large
- CODE: 445044XL Extra Large



GLOVES

Made from a strong, durable and elastic latex to provide maximum flexibility, comfort and protection. Not suitable for medical use, non-sterile.

- Ambidextrous
- Pre-powdered
- Grade A latex gloves
- Box of 100
- CODE: 445030S Small
- CODE: 445030M Medium
- CODE: A445030 Large
- CODE: 445030XL Extra Large

ULTRAGRIME PRO BIO WIPES

- Bigger at a massive 38cm x 25cm
- Super strong & soft cloth like fabric
- Stays wet and useable for over an hour
- Doesn't dry out when lid is left open for days
- Removes grease, paint, silicone, uncured PU foam and adhesives
- Dispenses 1 wipe at a time
- Safe for all surfaces
- Dermatologically tested. Safe on skin
- Alcohol free with vitamin E and aloe extract formula
- Pack of 100 wipes
- CODE: UGW100B







ULTRA GRIME DIODEGRADABLE



The Dirty Scrubbers hand wipes are formulated to clean hand, tools & surfaces. A must have in everybody's tool kit, helping remove wet adhesives, expanding foam, silicones, grease and much more, without the need for added water. Keep tub sealed when not in use to prolong the lifespan of the wipes.

- 80 Wipes per tub
- Fantastic degreaser
- Quat free
- Alcohol free
- No harmful residues
- VOC free
- Food safe
- CODE: DSW80









MCROFBRE CLOTHS









Superabsorbent Easy to Clean Quick Drying

Drying Lint Free

High Absorbability



Our multi-purpose cleaning cloths are highly absorbent, lint-free, and perfect for any surface eg. metal, plastic, wood, ceramics, glass, and more.


- Clean up spills and leaks
- Ideal for cleaning tools, hands, and surfaces
- Reusable, launder up to 200 times
- Quick-drying and machine washable
- Static charge traps dust
- Effective wet or dry
- Made of 88% polyester & 12% polyamide



• CODE: MFCBOX12



• CODE: MFCB0X50





CODE: MFCROLL30



CODE: MFCB0X5





2PLY BLUE ROLL

A must have handy accessory, for all the work force, small and compact, with its strong perforations makes it effective for all spills.

- 250mm x 380mm x 105 sheets (40m)
- Manufactured in UK from 100% FSC recycled paper
- High absorbent perforated flat sheet
- CODE: AHBR240



2PLY BLUE ROLL

TACK OK

ACKOK

Ideal for engineering or mechanical environments and suitable to keep in the back of a work van or domestic car for those unexpected spills.

- 165mm x 395mm x 379 sheets (150m)
- Manufactured in UK from 100% FSC recycled paper
- High absorbent perforated flat sheet
- Pack of 6
- CODE: A445034



2PLY MONSTER WIPER ROLL

This is the Monster of all blue rolls with a whopping 700m of embossed, absorbent power per pack.

- 280mm x 400mm x 875 sheets (350m)
- Manufactured in UK from 100% FSC recycled paper
- High absorbent embossed sheet
- Twin pack 350m per roll
- 875 sheets per roll
- CODE: AHMR875/2PK



3PLY BLUE ROLL

For general use around the workplace or home. Heavy duty construction makes this blue roll ideal for engineering or mechanical environments and suitable to keep in the back of a work van or domestic car for those unexpected spills.

- 250mm x 380mm x 97 sheets (40m)
- Highly absorbent, heavy duty
- CODE: A445031



ULTIMATE SUPER ABSORBENT WIPER ROLL



JUMBO WIPER ROLL

This is the ultimate wiper roll, made from a blend of cellulose spunlace non-woven, it's not only the strongest wiper in the range but also ultra-absorbent.

- 240mm x 300mm x 500 sheets (150m)
- A great "RAG" replacement
- Durable wipe for all fluids inc, solvents, oils, & greases
- Low Lint leaves no bits after wiping
- 500 sheets per roll
- CODE: AHJRT500



WHITE & MIXED COTTON RAGS

White / Mixed colour rags for heavy duty or industrial cleaning. Ideal all-purpose cleaning cloths. Not recommended for polishing.

- Durable, reusable & machine washable
- Ideal for heavy industrial cleaning
- Cost-effective cleaning solution

• CODE: RAG1 - 10kg Mixed Rags • CODE: RAG2- 10kg White Rags

21" x 29" RUBBLE SACKS

Keep on top of your waste management with our heavy duty black rubble sacks. Say goodbye to the splitting and stretching of cheaper variations on the market. Ideal for both domestic and commercial use. Suitable for all types of rubbish – brick, block, timber, plaster, gravel – our rubble sacks are robust enough to carry the lot. Wash and reuse over and over again.

- Size: 500mm x 760mm
- Hold up to 60 Litre / 20kg
- 350 gauge
- 87.5 micron
- 10 bags per roll



CODE: BRS1



Keep on top of waste management on jobs and in the workplace. Lightweight but hard wearing and easy to transport, these rubble sacks are perfect for keeping a jobsite safe and tidy.

- Size: 500mm x 800mm
- 500 gauge







2KW FAN HEATER

2kW portable fan heater suitable for occasional use in well-insulated areas. Ideal for temporary heating for councils, housing associations and social housing.

- 2 heat settings: 1000W, 2000W
- Cool/warm/hot heater settings
- Power indicator light
- Adjustable thermostat
- Thermal automatic cut-out and overheating protection
- Safety thermal fuse built in
- Dual thermal automatic cut out
- Integral carry handle
- Certified to EN60335-1 & EN60335-2-30
- BEAB approved
- CODE: A998770

2KW CONVECTOR HEATER

2kW convector heater with adjustable thermostat, best used in well insulated spaces or for occasional use. Suitable for temporary heating for councils, housing associations and social housing.

- On-off control
- Floor standing
- 3 heat settings: 750W, 1250W, 2000W
- Thermostatic on/off control
- Resettable overheat cut-out
- Integrated handle
- Adjustable thermostat
- Automatic thermal cut-off
- Thermal fuse
- Certified to EN60335-1 & EN60335-2-30
- CODE: A998730

1010101010

105-174

2KW OIL FILLED RADIATOR

2kW 9-fin oil filled radiator suitable for occasional use in well-insulated areas. Suitable for temporary heating for councils, housing associations and social housing.

- 220~240V, 50Hz, 2kW
- With 9 fins, fin size: 120 x 550mm
- 3 heat settings (800,1200,2000W)
- Adjustable thermostat
- Automatic thermal cut-off
- Thermal fuse
- Anti-tip switch
- Cable length: 1.45M with cord storage
- Integrated handle
- Castors for easy movement
- Certified to EN60335-1 & EN60335-2-30
- CODE: A998775











WINTER KIT

Winter Essentials to keep you moving! A must have van or car essential over the winter period.

- De-icer melts ice as low as -10°C
- Screen wash effective to as low as -5°C
- Screen wash makes up to 2 litres dilution

KIT CONTAINS

- 1 x 400ml De-icer Spray
- 1 x 500ml Screen Wash
- 1 x Ice Scraper
- CODE: WK400

400ml DE-ICER SPRAY


- Fast acting formula
- Rapidly melts ice as low as -10c

SCRAPER

- Robust PP scraper
- Foam covered handle for comfort grip

500ml CONCENTRATED SCREEN WASH

- Helps prevent freezing
- Removes dirt & insect deposits



TURN UP BLACK BEANIE

- Double layer knit beanie
- Turn up





• Double layer knit beanie



• CODE: AHBB1

• CODE: AHBB2







CAT25

9 Millshaw Park Ave, Leeds, LS11 0LR www.arctic-hayes.com | sales@arctic-hayes.com | 0113 271 5245